# **Columbia County New Building Permit Application**

| For Office Use Only Application # 04138 Date Received By Permit #   |
|---|
| Zoning Official Date Flood Zone Land Use Zoning   |
| FEMA Map # Elevation MFE River Plans Examiner Date  |
| Comments  |
| □ NOC □ EH □ Deed or PA □ Site Plan □ State Road Info □ 911 Sheet □ Parent Parcel #   |
| □ Dev Permit # □ In Floodway □ Letter of Auth. from Contractor □ F W Comp. letter   |
| □ Owner Builder Disclosure Statement □ Land Owner Affidavit □ Ellisville Water □ □ Sub VF Form  |
| Septic Permit No. OR City Water Fax   |
| Applicant (Who will sign/pickup the permit) has 500 Phone 382-867-0477  |
| Address 121 NE Colbrera Ave Role City FL 320CC  |
| Owners Name Stephen Douglas Num Storage of Phone 386-961-6587   |
| 911 Address 2 529 SW State ROAD 47 CAKE City FL 32025   |
| Contractors Name Nuke TUDD Phone 3867-867-0477  |
| Address 171 NE Colburd Que Lake City FL 37056   |
| Contact Email will a mile todd coustruction - com ***Updates will be sent here  |
| Fee Simple Owner Name & Address Steplen Doney to - Mini Storage of Lake City  |
| Bonding Co. Name & Address 15-FR  |
| Architect/Engineer Name & Address Phil Bishop P.O. Box 3823 (Ake Gty 32056  |
| Mortgage Lenders Name & Address NA 2529 5, R. 47 / Ake Gifty 32054  |
| Circle the correct power company — FL Power & Light — Clay Elec. — Suwannee Valley Elec. — Duke Energy  |
| Property ID Number 18-45-17-08475-00 Estimated Construction Cost 200,000 2  |
| Subdivision NameLotLotLotLotPhase   |
|   |
| Construction of Nine Warehouse Commercial OR Residential  |
| Proposed Use/Occupancy Storage Facility Number of Existing Dwellings on Property  |
| Is the Building Fire Sprinkled? If Yes, blueprints included Or Explain  |
| Check Proposed - Culvert Permit Culvert Waiver D.O.T. Permit Have an Existing Drive   |
| Actual Distance of Structure from Property Lines - Front Side Side Rear   |
| Number of Stories Heated Floor Area Total Floor Area 84005g, F4 Acreage   |
| Zoning Applications applied for (Site & Development Plan, Special Exception, etc.)  |
| Actual Distance of Structure from Property Lines - Front Side Side Rear  Number of Stories Heated Floor Area Total Floor Area Total Floor Area  |
| o Transaction of the design of the state of |

## Columbia County Building Permit Application - "Owner and Contractor Signature Page"

CODES: 2023 Florida Building Code 8th Edition and the 2020 National Electrical Code.

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

TIME LIMITATIONS OF APPLICATION: An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless pursued in good faith or a permit has been issued.

TIME LIMITATIONS OF PERMITS: Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paic your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO CONTRACTOR AND AGENT: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

**WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF** COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

**OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION** IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

| limit or probibit the work applied for in   | rties that may have deed restrictions             | recorded upon them. These restrictions may     |
|---|---|--|
| limit or prohibit the work applied for in your build  | ding permit. You must verify if your prop         | erty is encumbered by any restrictions or face |
| possible litigation and or fines.   | 511   |  |
| Stephen A. Worglas  | Suplan A. Was                                     | **Property owners must sign                    |
| Printed Owners Name   | Owners Signature                                  | here before any permit will be issued.         |
| CONTRACTORS AFFIDAVIT: By my signature written statement to the owner of all the above including all application and permit time limitation | written responsibilities in Columbia Cour<br>ons. | nty for obtaining this Building Permit         |
|   | Contractor's Licen                                | ise Number <u>CGCOOGZOG</u>                    |
|   | Columbia County                                   |  |
| Coo Daw   | Competency Card                                   | Number   |
| Contractor's Signature  | outpotoney data                                   | Nulliber                                       |
| Affirmed and subscribed before me the Condition 2024, wh  | o was personally known                            | NATALIE ZELE                                   |
| Mullium C Sile  | SEAL:   | Notary Public - State of Florida               |

SEAL:

Page 2 of 2

State of Florida Notacy-Signature (For the Contractor)

(Electronic Signatures Are Accepted.)

Commission # HH 439409

My Comm. Expires Sep 4, 2027 Bonded through National Notary Assn.

Revised 12/2023

(Owner and Contractor Signature page)



# Columbia County BUILDING DEPARTMENT

Revised 12/2023

## COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2023 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL AND GAS CODE 2023 EFFECTIVE 1 JAN 2023 AND 2020 NATIONAL ELECTRICAL

# ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

|   | GENERAL REQUIREMENTS:   | Box   |    | ude Each<br>Marked<br>cable |   |
|---|---|-------|----|-----------------------------|---|
| 1 | All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.   | YES   | NO | N/A                         | - |
| 2 | If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute. | YES   | NO | N/A                         | - |
| 3 | The design professional signature shall be affixed to the plans   | (YES) | NO | N/A                         |   |
| 4 | Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans  | YES   | NO | N/A                         | - |

#### Two (2) complete sets of plans containing the following information:

|   | Building Site Plan Requirements   | Eac   |    |     |   |
|---|---|-------|----|-----|---|
| 4 | Parking, including provision Florida Building Code Accessibility Code   | Yes   | No | N/A | - |
| 5 | Fire access, showing all drive way which will be accessible for emergency vehicles  | (Yes) | No | N/A | - |
| 6 | Driving/turning radius of parking lots  | Wes / | No | N/A | - |
| 7 | Vehicle loading include truck dock loading or rail site loading   | Yes   | No | NIA | - |
| 8 | Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)  | (Yes) | No | N/A | - |
| 9 | Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines | Yes   | No | N/A | - |
| 0 | Location of specific tanks(above or under grown ,water lines and sower lines and septic tank and drain fields                                     | Yes   | No | NIA | - |

| 11  | All st       | ructures   | exterior vie | ws include    | finished flo | or alare                                | . 4.1 |               |  |                    |                |               | 1       | T      |          | 140000       |    |             |
|-----|--------------|------------|--------------|---------------|--------------|---|-------|---------------|--|--------------------|----------------|---------------|---------|--------|----------|--------------|----|-------------|
| 12  |              |            |              |               |              |   | mon   |               |  |                    |                | -             | Yes     | No     | 1        | N/A          | -  | -           |
| 14  | Total        | neight of  | structure(s  | s) form estal | olished grad | de                                      | -     |               |  |                    |                |               | Yes     | No     | 1        | N/A          | -  |             |
|     |              | Revi       | ew require   | ed by the C   | olumbia C    | ounty F                                 | ire   | Departme      | nt Ite   | ms 13 <sup>7</sup> | Th 43          |               |         |        |          |              |    |             |
| -   |              |            |              | (We Cont      | act the Fire | e Inspe                                 | ctor  | For You.)     | 03-00-00-01-0  |                    | 7.0000         |               |         |        |          |              |    |             |
|     | Occup        | ancy       | Group        | Group         | Group        | Grou                                    | D     | Group         | Gr   | oup                | Group          | Grou          | n Ce    | 0110   | _        | C            |    |             |
|     | group        | use        | A            | В             | E            | F                                       | r     | Н             | I  | oup                | M              | R             | S       | oup    |          | Group<br>U D | '  |             |
|     | uses:        | <b>411</b> |              |               |              |   |       |               |  |                    |                |               |         |        |          |              |    |             |
| 13  |              | Special    | occupanci    | requirement   | ata.         |   |       |               |  |                    |                |               | -       |        | $\dashv$ |              | +  |             |
| 14  |              |            |              |               |              |   |       |               | 22   |                    |                |               | Ye      | s l    | Vo       | N/A          | -  |             |
| 15  | -            |            |              | as (total squ | are rootage  | for each                                | h roc | om of use a   | rea)   |                    |                |               | Ye      | s 1    | No       | (N/A/        | -  |             |
|     |              |            | occupancie   |               |              |   |       |               |  | -                  |                |               | Ye      | s 1    | Vo       | (N/A         | -  |             |
| 16  |              | Minimu     | RED SEPA     | ARATION (     | OF OCCUP     | ANCIE                                   | SIN   | HOURS I       | FBC 1  | TABLE              | E 707.3.10     | 45            | Ye      | s N    | lo       | N/A)         | -  |             |
| 17  | 1 1          | ype i      | Ty           | pe II         | Type I       | П                                       | Ту    | pe IV         | cy us  | Type               | e the cons     | tructio       | on type | FBC    | 602      |              |    |             |
|     | (F           | BC:602.    | 2) (FI       | BC:602.2)     | (FBC:        | 502.3)                                  |       | BC:602.4)     |  |                    | C:602.5)       |               |         |        |          |              |    |             |
| 经公司 |              | Fire       | e-resistant  | construction  | n reastes    | monto                                   | hell  | bo sha        |  | A. 41              | e n            |               |         | 1/2127 | ue-      |              | ,  |             |
| 18  |              |            |              | sistant sepa  |              | nents s                                 | nall  | de snown,     | inclu  | de the             | following      | comp          | 1/      | 7      | 98 88    |              | -  |             |
| 19  |              |            |              |               |              |   |       |               | -  |                    |                | -             | Yes     | No     | 1        | N/A          | -  |             |
|     |              |            |              | sistant prote |              |   |       |               |  |                    |                |               | Yes     | No     | 1        | N/A          | -  |             |
| 20  |              |            |              | tion of open  |              |   |       |               |  |                    |                |               | Yes     | ) No   | 1        | N/A          | -  |             |
| 21  |              |            |              | tion of corri |              |   |       |               |  |                    |                |               | Yes     | No     | 1        | N/A          | -  | 4 4 4 4 4 4 |
| 22  | E 15 10 10   |            | Fire blo     | ocking and    | draftstoppin | ng and c                                | alcu  | lated fire re | sistar   | nce                | Na Mallarenson | I Same of the | Yes     | No     | 1        | N/A          | -  |             |
| 23  |              |            | Earles       |               |              |   |       | s shall be    |  |                    |                |               | 1       |        | 7        | 7            |    |             |
|     |              | -          |              | varning smo   | ke evacuat   | ion syst                                | ems   | Schematic     | fire s   | prinkle            | rs Standpi     | pes           | Yes     | No     | 1        | V/A/         |    |             |
| 24  |              |            | Standp       |               |              |   | -     |               |  |                    |                |               | Yes     | No     | Į        | V/A/         |    |             |
| 25  |              |            | Pre-eng      | gineered sys  | tems         |   |       |               |  |                    |                |               | Yes     | No     | N        | J/A          | -  |             |
| 26  |              |            | Riser d      |               | m.           | (40 <b>4</b> 00 <b>4</b> 00 <b>4</b> 00 |       |               | en de la compania de |                    |                |               | Yes     | No     | 16       | N/A/         | -  |             |
| 27  |              |            |              | systems sh    |              |   | de t  | he followin   | ig rec   | uirem              | ents:          |               |         | T      | T        |              |    |             |
| 28  |              |            |              | int load and  | egress capa  | acities                                 |       |               |  |                    |                |               | Yes     | No     | (1)      | VA           |    |             |
| 29  |              |            | Early w      |               |              |   |       |               |  | -                  |                |               | Yes     | No     | (        | I/A/         | -  |             |
| 30  |              |            | Smoke        | control       |              |   |       |               |  |                    |                |               | Yes     | No     | X        | I/A          | -  |             |
| 31  |              |            | Stair pr     | essurization  |              |   |       |               |  |                    |                |               | Yes     | No     | 3        | (LA)         | -  |             |
| 31  | New York (19 | SOLA SELLE |              | schematic     |              |   |       |               |  |                    |                |               | Yes     | No     | X        | (A)          | -  |             |
| 32  | 945 p. 200   | (          |              | load/egres:   | requirem     | ents sh                                 | all b | e shown in    | clude  | :                  |                |               |         |        |          |              |    |             |
| 33  |              |            |              | ancy load     |              |   |       |               |  |                    |                |               | Yes     | No     | N        | (A)          | -  |             |
| 34  |              |            | Gross o      | occupancy lo  | oad          | -                                       |       |               |  |                    |                |               | Yes     | No     | EN       | (A)          | -  |             |
| 35  | -            |            | Net oc       | cupancy loa   | đ            |   |       |               |  |                    |                |               | Yes     | No     | N        | (A)          |    |             |
| 36  |              |            | Means        | of egress     |              |   |       |               |  |                    |                |               | Yes     | No     | N        | IA)          | •  |             |
|     |              |            | Exit ac      | cess          |              |   |       |               |  |                    |                |               | Yes     | No     | N        |              |    |             |
| 37  |              |            | Exit disc    | charge        |              |   |       |               |  |                    |                |               | Yes     | No     | N        |              |    |             |
| 38  |              |            | Stairs co    | nstruction/g  | geometry ar  | nd prote                                | ction | 1             |  |                    |                |               | Yes     | No     | (N       | 7            |    | _           |
| 39  |              |            | Doors        |               |              |   |       |               |  |                    |                |               | 1       |        |          |              |    | -           |
| 40  |              |            |              | ncy lighting  | and evit eig | me                                      |       |               |  |                    |                |               | Yes     | No     | N/       |              |    | -           |
| 41  |              |            |              | occupancy     |              |   |       |               |  |                    |                |               | Yes     | No     | (N/      | 7            | 25 | $\dashv$    |
|     |              |            | 7            | - spanej      | - quintinell | ***                                     |       |               |  |                    |                |               | Yes     | No     | (N/      | A/I          |    | - 1         |

| 42         | Construction requirements   | '.           | )]   |         |              |
|------------|---|--------------|------|---------|--------------|
| 43         | Horizontal exits/exit passageways   | Ye           |      |         | -            |
|            | Tiorizontal exits/exit passageways  | Ye           | s N  | o (N/A) |              |
| a fair (if |   | Each<br>Mark |      |         |              |
| 44         | Structural requirements shall be shown include:   |              |      |         |              |
| 45         | Soil conditions/analysis  | Yes          | No   | N/A     | -            |
| 46         | Termite protection  | Yes          | No   | N/A     | -            |
| 47         | Design loads  | Yes          | No   | N/A     | -            |
| 48         | Wind requirements   | Yes)         | No   | N/A     | -            |
| 49         | Building envelope   | Yes          | No   | N/A     | -            |
| 50         | Structural calculations (if required)   | Yes          | No   | N/A     | -            |
| 30         | Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system.  Per the National Electrical Code article 250.52.3 | Yes          | No   | ENIA    | -            |
| 51         | Wall systems  |              | -    | -       | -            |
| 52         | Wall systems  | Yes          | No   | N/A     | -            |
| 53         | Floor systems   | Yes          | No   | (N/A)   | -            |
| 54         | Roof systems  | Yes          | No   | N/A     | -            |
| 55         | Threshold inspection plan   | Yes          | No   | N/A     | -            |
| 2030       | Stair systems   | Yes          | No   | N/A     | -            |
| 56         | Materials shall be shown include the following Wood   |              |      |         |              |
| 57         |   | Yes          | No   | N/A     | -            |
| 8          | Steel   | Yes          | No   | N/A     | -            |
| 9          | Aluminum  | Yes          | No   | N/A     | -            |
| 0          | Concrete  | Yes          | No   | N/A     | -            |
| 1          | Plastic   | Yes          | No   | N/A     |              |
|            | Glass   | Yes          | No   | N/A     | -            |
| 2          | Masonry   | Yes          | No   | (N/A)   | -            |
| 3          | Gypsum board and plaster  | Yes          | No   | N/A     | _            |
| 4          | Insulating (mechanical)   | (Ves)        | No   | N/A     | -            |
| 5          | Roofing   | Yes          | No   | N/A     | _            |
| 6          | Insulation  | Yes          |      |         | 177          |
|            | Accessibility requirements shall be shown include the following   | Tes          | No   | N/A     |              |
| 7          |   | Yes          | No   | N/A     | -            |
| 8          | Accessible route  | Yes          | No   | N/A     | _            |
| 9          | Vertical accessibility  | Yes          | No f | N/A     | -            |
| 0          | Toilet and bathing facilities   | Yes          |      | N/A     | _            |
| 1          | Drinking fountains  |              |      |         |              |
|            | a washing   | Yes          | No ° | N/A     |              |
| 2          | Equipment   | 37-          | 3.7  | 57/1    | Care Control |
|            | Equipment Special occupancy requirements  | Yes<br>Yes   | No ( | N/A)    | -            |

|    | Interior requirements shall include the following  |     |          | _          | 额            |
|----|--|-----|----------|------------|--------------|
| 75 | Review required by the Columbia County Fire Department Items 75 <sup>Th</sup> 80  Interior finishes (flame spread/smoke development) | Yes | No       | (N/A)      | E            |
| 76 | Light and ventilation  | Yes | No       | NIA        | 1-           |
| 77 | Sanitation   | Yes | No       | NIA        | -            |
|    | Special systems  | 103 | INU      | INIP       |              |
| 78 | Elevators  | Yes | No       | T(A)       | -            |
| 79 | Escalators   |     |          | N/A/       | -            |
| 80 | Lifts  | Yes | No       | (N/A/      | -            |
|    | Swimming pools   | Yes | No       | N/A/       | -            |
| 81 | Barrier requirements   | Vos | N.       | (4)        | 00           |
| 82 | Spas and Wading pools  | Yes | No       | NIA        |              |
| 83 | Access required per Florida Building Code 454.1.2.5  | Yes | No<br>No | N/A<br>N/A | <del>-</del> |

| 1880   | Electrical  | A      |     |       | 3        |
|--------|---|--------|-----|-------|----------|
| 84     | Wiring  | Yes    | No  | N/A_  | -        |
| 85     | Services For structures with foundation which establish new electrical utility                                      | Yes    | No  | (N/A) | -        |
|        | companies service connection a Concrete Encased Electrode will be required  |        |     |       | -        |
|        | within the foundation to serve as an grounding electrode system.  Per the National Electrical Code article 250.52.3 |        | 1   |       | <u>-</u> |
|        | Per the National Electrical Code article 250.52.3   |        |     |       |          |
| 86     | Feeders and branch circuits   |        | 1   |       |          |
| 87     |   | Yes    | No  | (N/A) | -        |
| 88     | Overcurrent protection  | Yes    | No  | N/A   | -        |
| 89     | Grounding   | Yes    | No  | NIA   | -        |
|        | Wiring methods and materials  | Yes    | No  | NIA   | -        |
| 90     | GFCIs   | Yes    | No  | N/A   | -        |
| 91     | Equipment   |        |     | 1     | -        |
| 92     |   | Yes    | No  | NIA   | -        |
| 93     | Special occupancies   | Yes    | No  | TNIA  | -        |
| 94     | Emergency systems   | Yes    | No  | NIA   | -        |
| 500000 | Communication systems   | Yes    | No  | NIA   | -        |
| 95     | Low voltage   | Yes    | No  | NIA   | -        |
| 96     | Load calculations   | Yes    | No  | N/A   | -        |
|        | Plumbing  | 1 1 03 | 140 | INIER |          |
| 97     | Minimum plumbing facilities   | Yes    | No  | N/A)  | -        |
| 8      | Fixture requirements  | Yes    |     |       | _        |
| 9      | Water supply piping   |        | No  | N/A   | _        |
| 100    |   | Yes    | No  | N/A   | -        |
| 01     | Sanitary drainage   | Yes    | No  | N/A)  | -        |
| 02     | Water heaters   | Yes    | No  | (N/A) | -        |
|        | Vents   | Yes    | No  | NIA   | -        |
| 03     | Roof drainage   | Yes    | No  | N/A   | -        |
| 04     | Back flow prevention  | Yes    | No  | (N/A) | _        |

| 105               | Irrigation  | 1                                    |                           | (A)    |   |
|-------------------|---|--------------------------------------|---------------------------|--------|---|
| 106               | Location of water supply line   | Yes                                  | No                        | N/A/   |   |
| 107               | Grease traps  | Yes                                  | No                        | NIA    | - |
| 108               | Environmental requirements  | Yes                                  | No                        | (N/A   | - |
| 109               | Plumbing riser  | Yes                                  | No                        | (N/A)  | - |
|                   | Mechanical  | Yes                                  | No                        | (N/A   | - |
| 110               | Energy calculations   | Yes                                  | No                        | NIA    | - |
| 111               | Review required by the Columbia County Fire Department Items 111 <sup>Th</sup> 114<br>Exhaust systems | Yes                                  | No                        | NIA    | - |
| 112               | Clothes dryer exhaust   | Yes                                  | No                        | NIA    | - |
| 113               | Kitchen equipment exhaust   | Yes                                  | No                        | (N/A   | - |
| 114               | Specialty exhaust systems   | Yes                                  | No                        | NIA    | - |
| 112               | Equipment location  | 1 1 63                               | 1 140                     | (INIBA |   |
| 115               | Make-up air   | Yes                                  | No                        | (N/A   | - |
| 116               | Roof-mounted equipment  | Yes                                  | No                        | NIA    | - |
| 117               | Duct systems  | Yes                                  | No                        | NIA    | - |
| 118               | Ventilation   | Yes                                  | No                        | N/A    | - |
| 119               | Laboratory  | Yes                                  | No                        | NIA    | - |
| 120               | Combustion air  | Yes                                  | No                        | NIA    | - |
| 121               | Chimneys, fireplaces and vents  | Yes                                  | No                        | (N/A)  | - |
| 122               | Appliances  | Yes                                  | No                        | (N/A)  |   |
| 123               | Boilers   | Yes                                  | No                        | (N/A)  | - |
| 124               | Refrigeration   | Yes                                  | No                        | N/A    | _ |
| 125               | Bathroom ventilation  | Yes                                  | No                        | NIA    |   |
|                   |   | Items t<br>Each E<br>Marke<br>Applic | o Inch<br>Box sha<br>d as | ide-   |   |
| 126               | Review required by the Columbia County Fire Department Items 126 <sup>Th</sup> 134                    | Yes                                  | No                        | N/A)   |   |
| 127               | Gas piping  |                                      |                           |        |   |
| 128               | Venting   | Yes                                  | No                        | N/A)   | - |
|                   | Combustion air  | Yes                                  | No                        | (N/A)  | - |
| 129               | Chimneys and vents  | Yes                                  | No                        | NIA    | - |
| 130               | Appliances  | Yes                                  | No                        | N/A)   | - |
| 131               | Type of gas   | Yes                                  | No                        | N/A)   | - |
| 132               | Fireplaces  | Yes                                  | No                        | NIA    | - |
| -                 | LP tank location  | Yes                                  | No                        | (N/A)  | _ |
| 133               | Li talik location   |                                      |                           |        |   |
|                   | Riser diagram/shutoffs  |                                      |                           | (N/A)  | - |
| 134               | Riser diagram/shutoffs  Notice of Commencement  | Yes                                  | No                        | N/A    | - |
| 133<br>134<br>135 | Riser diagram/shutoffs  |                                      |                           | N/A    | - |

| 136 | Horse power of pump motor   |                                   |              |                                      |       |
|-----|-----------------------------|-----------------------------------|--------------|--------------------------------------|-------|
| 100 | Troise perior of pump motor | SEE PAGE 7- ON HOW                | Yes          | No                                   | (N/A) |
| 137 | Capacity of pressure tank   | TO PROVIDE THIS DOCUMENTATION.    | Yes          | No                                   | NIA   |
| 138 | Cycle stop valve if used    | DOCUMENTATION.                    | Yes          | No                                   | (N/A) |
|     |                             |                                   | Each<br>Mark | to Incl<br>Box sh<br>ed as<br>icable |       |
|     | THE FOLLOWING I             | TEMS MUST BE SUBMITTED WITH BUILI | DING PLANS   |                                      |       |

| 139 | Building Perm<br>Application                               | it  | A Building Permit Application is to be completed by following the checklist all supporting documents must be submitted. Completed Applications can be mailed with The \$15.00 application fee.   | Yes | No   | N/A   | - |
|-----|--|---|--|-----|------|-------|---|
| 140 | Parcel Number  | r   | The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084  | Yes | No   | N/A   | - |
| 141 | Environmental<br>Health Permit or<br>Sewer Tap<br>Approval | disposal pern<br>sewer tap lett   | approved Environmental Health (386) 758-1058 waste water it or an approved City of Lake City(386) 752-2031 OR Counter is required before a building permit can be issued.  | Yes | No   | N/A)  | - |
| 142 | Driveway<br>Connection                                     | application for<br>Works Dept.<br>instillation an<br>granted. Culv<br>shall conform<br>registered en<br>Florida Depa                        | y does not have an existing access to a public road, then an r a culvert permit must be made (\$25.00). County Public determines the size and length of every culvert before d completes a final inspection before permanent power is ert installation for commercial, industrial and other uses a to the approved site plan or to the specifications of a gineer. Use or joint use of driveways will comply with a rtment of Transportation specifications. If the project is on an F.D.O.T. maintained road, then an F.D.O.T. access ired.                                       | Yes | No   | (N/A) | - |
| 143 | Suwannee<br>River Water<br>Management<br>District Approval |   | cial projects must have an SRWMD permit issued or n letter, before a building permit will be issued.   | Yes | No   | (N/A) | - |
| 144 | Flood<br>Management  | shall require p<br>District, before<br>within a flood<br>been establish<br>Columbia Col<br>located within<br>flood) has no<br>of Columbia ( | ithin the Floodway of the Suwannee or Santa Fe Rivers permitting through the Suwannee River Water Management e submitting application to this office. Any project located zone where the base flood elevation (100 year flood) has need shall meet the requirements of section 8.8 of the last Land Development Regulations. Any project that is a flood zone where the base flood elevation (100 year to be been established shall meet the requirements of section 8.7 County Land Development Regulations. A development to be required. The development permit cost is \$50.00 | Yes | No ( | (N/A) | - |
| 145 | Flood<br>Management  | REQUIRED (  | D FINISHED FLOOR ELEVATIONS WILL BE<br>ON ANY PROJECT WHERE THE BASE FLOOD<br>(100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT<br>DETERMINED BY THE PLAT  | Yes | No ( | (N/A) | - |
| 146 | 911 Address  | received thr  | on for a 911address must be applied for and bugh the Columbia County 911 Addressing by applying online.  | Yes | No   | N/A   | - |

Aerial Viewer Pictometery Google Maps

2024 Working Values

Columbia County Property Appraiser

Parcel: << 18-45-17-08479-005 (31588) >>>

Owner & Property Info

2529 SW STATE ROAD 47, LAKE CITY COMM SE COR, RUN N 776.60 FT, W 1373.72 FT FOR POB, RUN N 357.45 FT, W 233.63 FT, W 554.84 FT, S 9 DEG W 213.37 FT, W 448.04 FT TO E RW SR-47, S 9 DEG W ALONG RW 139.88 FT, E 1297.77 FT TO POB ORB 934-352, WD 1283-2380, Result: 1 of 1 18-45-17 S/T/R 18-MINI-STORAGE & RECORD STORAGE OF LAKE CITY INC 442 SW SAINT MARGARET ST LAKE CITY, FL 32025 Area 7.91 AC
Use Code\*\* MINI STORAGE (4810) Description\* Owner Site

The <u>Description</u> above is not to be used as the Logal Description for this parcel in any legal transaction.

The <u>MacActa</u> at EL Dept. Of Workness (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

Property & Assessment Values

| 202              | 2023 Certified Values  | 202                | 2024 Working Values                                      |
|------------------|--|--------------------|--|
| Mkt Land         | \$197,750  | \$197,750 Mkt Land | \$197,750  |
| Ag Land          | 0\$  | \$0 Ag Land        | 0\$  |
| Building         | \$1,865,531 Building   | Building           | \$1,854,319  |
| XFOB             | \$177,813 XFOB   | XFOB               | \$177,813  |
| Just             | \$2,241,094 Just   | Just               | \$2,229,882  |
| Class            | 0\$  | Class              | 0\$  |
| Appraised        | \$2,241,094 Appraised  | Appraised          | \$2,229,882  |
| SOH Cap [7]      | 0\$  | SOH Cap [?]        | 0\$  |
| Assessed         | \$2,241,094  | Assessed           | \$2,229,882  |
| Exempt           | 0\$  | \$0 Exempt         | 0\$  |
| Total<br>Taxable | county:\$2,241,094 city:\$0 Total other:\$0 schoot:\$2,241,094 Taxable | Total<br>Taxable   | county:\$2,229,882 etty:\$0 other:\$0 achool:\$2,229,882 |

® 2023 ○ 2022 ○ 2019 ○ 2016 ○ 2013 Sales

|            | Codes)      | 0         | n         |
|------------|-------------|-----------|-----------|
|            | N/I         | >         | >         |
| Dood       | 200         | WD        | WD        |
| Book/Dage  | of the same | 1293/2390 | 0934/0352 |
| Sale Price |             | \$123,100 | \$79,000  |
| Sale Date  |             | 5/1/2015  | 8/30/2001 |

| Description*      | Year Bit | Base SF | Actual SF | Bldg Value |
|-------------------|----------|---------|-----------|------------|
| WAREH MINI (8300) | 2016     | 12375   | 12375     | \$297,959  |
| WAREH MINI (8300) | 2016     | 0009    | 0009      | \$138,168  |
| WAREH MINI (8300) | 2016     | 2000    | 2000      | \$116,232  |
| WAREH MINI (8300) | 2018     | 8400    | 8400      | \$189,665  |
| WAREH MINI (8300) | 2018     | 8400    | 8400      | \$189,665  |
| WAREH MINI (8300) | 2019     | 2000    | 2000      | \$140,262  |
| WAREH MINI (8300) | 2021     | 8400    | 8400      | \$195,592  |
| WAREH MINI (8300) | 2021     | 8400    | 8400      | \$195,592  |
| WAREH MINI (8300) | 2022     | 8400    | 8400      | \$195,592  |
| WAREH MINI (8300) | 2022     | 8400    | 8400      | \$195.592  |

| Code | Desc             | Year Bit | Value       | Units    | Dims  |
|------|------------------|----------|-------------|----------|-------|
| 0260 | PAVEMENT-ASPHALT | 2016     | \$54,320.00 | 33950.00 | 0×0   |
| 0166 | CONC,PAVMT       | 2016     | \$4,230.00  | 2115.00  | 0×0   |
| 0140 | CLFENCE 6        | 2016     | \$11,063.00 | 1475.00  | 0×0   |
| 0260 | PAVEMENT-ASPHALT | 2018     | \$64,640.00 | 40400.00 | 0 × 0 |
| 0140 | CLFENCE 6        | 2018     | \$9,000.00  | 1200.00  | 0×0   |
| 0560 | PAVEMENT-ASPHALT | 2021     | \$34,560.00 | 21600.00 | ×     |

▼ Land Breakdown

## NOTICE OF COMMENCEMENT

Tax Parcel Identification Number:

#### Clerk's Office Stamp

Inst: 202412001734 Date: 01/25/2024 Time: 2:01PM Page 1 of 1 B: 1506 P: 2564, James M Swisher Jr, Clerk of Court Columbia, County, By: KH

Denuty Clerk

| THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT. |
|---|
| 1. Description of property (legal description): 18-45-17-08479-005  a) Street (job) Address: 2529 SW State Road 47 Labe City FL 32025  2. General description of improvements: Construct Mini-Storage BISC. # 1100                |
| a) Name and address: Stephen Source 2007 SW. SJR 80 Lake Gby FC 3202 b) Name and address of fee simple titleholder (if other han owner)   |
| c) Interest in property Owner (a state than owner) 4. Contractor Information  |
| a) Name and address: \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  |
| a) Name and address: Wike ToSJ 171 NE Collown Ave Late City fl 3 2055   |
| 5. Surety Information (if applicable, a copy of the payment bond is attached):  |
| a) Name and address:  |
| b) Amount of Bond:  |
| c) Telephone No.:   |
| 6. Lender VA  |
| a) Name and address:  |
| D) Phone No.  |
| 7. Person within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes:   |
| 713.13(1)(a)7., Florida Statutes:   |
| a) Name and address: Wike Took 121018 College of 121018   |
| a) Name and address: Wike Took 171 NE Colburn Ave Cake City fl 37050<br>b) Telephone No.: 382-867-0477  |
| 8. In addition to himself or herself, Owner designates the following person to receive a copy of the Lienor's Notice as provided in   |
|   |
| a) Name: Wike Todd OF Wike Todd Construction b) Telephone No.: 386-867-2802   |
| b) Telephone No.: 386-867-0477  |

WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT.

9. Expiration date of Notice of Commencement (the expiration date will be 1 year from the date of recording unless a different date

STATE OF FLORIDA **COUNTY OF COLUMBIA** 

**Notary Signature** 


Signature of Owner or Lessee, or Owner's or Lessee's Authorized Office/Director/Partner/Manager

Printed Name and Signatory's Title/Office

| The foregoing instru | ment was acknowledg | ed before me, a Florida | Notary, this | day o          | f_fAI        | roldpy 20       | 0 <u>14</u> , by: |
|----------------------|---------------------|-------------------------|--------------|----------------|--------------|-----------------|-------------------|
| (Name of Person)     |                     | (Type of Authority)     |              | ne of party on | behalf of wh | om instrument w | as everuted       |
|                      |                     | . /                     |              | 1              |              |                 | DJ CACCULEU       |

OR Produced Identification \_ Personally Known

Notary Stamp or Seal:



As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

| Category/Subcategory  | Manufacturer | Product Description | Approval Number(s)   |
|-----------------------|--------------|---------------------|--|
| 1. EXTERIOR DOORS     |              |                     |  |
| A. SWINGING           | Harley Land  |                     |  |
| B. SLIDING            |              |                     |  |
| C. SECTIONAL/ROLL UP  | Janus Doors  | Exterior Peopl up   | 81450.9  |
| D. OTHER              | 0            |                     |  |
|                       |              |                     |  |
| 2. WINDOWS            |              |                     |  |
| A. SINGLE/DOUBLE HUNG |              |                     |  |
| B. HORIZONTAL SLIDER  |              |                     |  |
| C. CASEMENT           |              |                     |  |
| D. FIXED              |              |                     |  |
| E. MULLION            |              |                     |  |
| F. SKYLIGHTS          |              |                     |  |
| G. OTHER              |              |                     |  |
|                       |              |                     |  |
| 3. PANEL WALL         |              |                     |  |
| A. SIDING             |              |                     |  |
| B. SOFFITS            |              |                     |  |
| C. STOREFRONTS        |              |                     |  |
| D. GLASS BLOCK        |              |                     |  |
| E. OTHER              |              |                     |  |
|                       |              |                     |  |
| 4. ROOFING PRODUCTS   |              |                     | - 10 Let - 1 |
| A. ASPHALT SHINGLES   |              |                     |  |
| B. NON-STRUCT METAL   |              |                     |  |
| C. ROOFING TILES      |              |                     |  |
| D. SINGLE PLY ROOF    |              |                     |  |
| E. OTHER              |              |                     |  |
|                       |              |                     | 1 246 17 - 17  |
| 5. STRUCT COMPONENTS  |              |                     |  |
| A. WOOD CONNECTORS    |              |                     |  |
| B. WOOD ANCHORS       |              | 201 P T             | is a second of the second of the   |
| C. TRUSS PLATES       |              |                     |  |
| D. INSULATION FORMS   |              |                     |  |
| E. LINTELS            |              |                     |  |
| F. OTHERS             |              |                     |  |
|                       |              |                     |  |
| 6. NEW EXTERIOR       |              |                     |  |
| ENVELOPE PRODUCTS     |              |                     |  |
|                       |              |                     |  |

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

| <br>blos Bud                  |        |   |
|-------------------------------|--------|---|
| Contractor or Owner Signature | NOTES: | _ |
|                               |        |   |
|                               |        |   |

#### SUBCONTRACTOR VERIFICATION

| APPLICATION/PERMIT# | JOB NAME Juil BARN BOL | - D | Rape City | B15- | 1100 |
|---------------------|------------------------|-----|-----------|------|------|
|                     |                        |     | 0         | 1 2  |      |

#### THIS FORM MUST BE SUBMITTED BEFORE A PERMIT WILL BE ISSUED

Columbia County issues combination permits. One permit will cover all trades doing work at the permitted site. It is <a href="REQUIRED">REQUIRED</a> that we have records of the subcontractors who actually did the trade specific work under the general contractors permit.

**NOTE:** It shall be the responsibility of the general contractor to make sure that all of the subcontractors are licensed with the Columbia County Building Department.

Use website to confirm licenses: http://www.columbiacountyfla.com/PermitSearch/ContractorSearch.aspx

**NOTE:** If this should change prior to completion of the project, it is your responsibility to have a corrected form submitted to our office, before that work has begun.

Violations will result in stop work orders and/or fines.

| ELECTRICAL   | Print Name_Mike Alban_Signature_//////                   | Need Lic             |
|--------------|--|----------------------|
|              | Company Name: Alban Electric                             | ☐ Liab               |
| CC#_         | License #: EC [300] 488 Phone #: 386-208-4414            | □ EX                 |
|              |  | ☐ DE                 |
| MECHANICAL/  | Print Name Signature                                     | Need<br>□ Lic        |
| A/C          | Company Name:  | ☐ Liab               |
| CC#          |  | □ W/C                |
| CC#          | License #:Phone #:                                       | □ DE                 |
| PLUMBING/    | Print Name Signature                                     | <u>Need</u><br>□ Lic |
| GAS          | Company Name:  | □ Liab<br>□ W/C      |
| CC#          | License #: Phone #:                                      | □ EX □ DE            |
| ROOFING      | Print Name Nike 1333 Signature Walson                    | Need                 |
|              |  | □ Lic □ Liab         |
|              | Company Name: Nul Stool Coustruction                     | □ w/c                |
| CC#          | License #: <u>CGCOUGAO9</u> Phone #: <u>386-867-0477</u> | □ EX<br>□ DE         |
| SHEET METAL  | Print Name Wall Cold                                     | <u>Need</u> □ Lic    |
|              | Company Name: hule ( 3) Coestwetian                      | □ Liab               |
| CC#          | License #: <u>CGC006209</u> Phone #: 383-867-0477        | □ EX □ DE            |
| FIRE SYSTEM/ | Print Name Signature                                     | <u>Need</u><br>□ Lic |
| SPRINKLER    | Company Name:  | □ Liab □ W/C         |
| CC#          | License#: Phone #:                                       | □ EX                 |
| SOLAR        | Print Name Signature                                     | Need                 |
|              |  | □ Liab               |
| <u> </u>     | Company Name:  | □ w/c                |
| CC#          | License #: Phone #:                                      | □ EX                 |
| STATE        | Print Name Signature                                     | <u>Need</u> □ Lic    |
| SPECIALTY    | Company Name:  | □ Liab               |
| CC#          | License #: Phone #:                                      | □ W/C .<br>□ EX □ DE |
|              |  |                      |