

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 6-23-05) Zoning Official BLK 22.03.06 Building Official OK 3-15-06

AP# 0603-40 Date Received 3-14-06 By LH Permit # 24292

Flood Zone X Development Permit N/A Zoning RR Land Use Plan Map Category RES U/L Dev

Comments pre-mh damaged PE & D. Proctor

06-0250-E

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH Signed Site Plan ☐ EH Release ☐ Well letter ☒ Existing well


☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from installer

PA screen sheet


- Property ID # 14-45-16-02966-000 Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home X Year 1985
- Applicant Willie Dunlap Phone # 752-8428
- Address 300 SW Kicklighter Terrace, Lake City FL 32024
- Name of Property Owner DUNLAP, Willie & Evelyn Phone# 752-8428
- 911 Address 300 SW Kicklighter Terrace Lake City FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
- (Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home DUNLAP Phone # _____
- Address _____
- Relationship to Property Owner OWNER
- Current Number of Dwellings on Property 1
- Lot Size 450.65 X 382.65 Total Acreage 1.5 Acres
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)
- Is this Mobile Home Replacing an Existing Mobile Home (YES) (OWE)
- Driving Directions to the Property 341 TO Kicklighter RD Property on Right - 1st mH on (R)
- Name of Licensed Dealer/Installer Terry Thrift Phone # 623-0115
- Installers Address 448 NW Dye Hunter Dr. Lake City FL 32055
- License Number IT 0000036 Installation Decal # 246202

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



SITE PLAN BOX:





APPROXIMATE SCALE IN FEET

2000 0 2000

NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 175 OF 290

PANEL LOCATION




COMMUNITY-PANEL NUMBER
120070 0175 B
EFFECTIVE DATE:
JANUARY 6, 1988



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/nifm.



PROP ASSESSMENT DISPLAY C O L U M B I A C O U N T Y UPDATE 62MD12

Parcel R-14-43-16-02936-000 Tax Period 187 Act # 05736R
 Ref Date Filed 0/00/00 PC 0100 Use
 Loc 00000 Renewal Y ICD 001020

----- 1102 ----- BCD HUNP IDG PSTU SCH WDET
 CO LS CC 20 SC SE
 Units Tp Sum Type Rsn: Value
 1.0 6 LLH IND MET 3750
 525.0 BIR BLD 5690

Owner Name Address Type OWN
 DUNLAP WILLIE SR & EVELYN

RT 9 BOX 1240

LAKE CITY FL
 32055

Owner Ref 05736R Act Orig 186
 004.0 N 1/2 OF THE FOLLOWING
 - BEGIN AT SW COR. OF SE 1/4

CNST	REM	EFF	FF	1	Acres	1.50	Depth
Taxable Type		True Value	Assessed	Exmpt Val	Group	Net Taxable	
01 TAX BASE 01		9440	9440	9440	HX		

Cmd/2 update Cmd/6 exemption detail Cmd/7 end

PERMIT WORKSHEET

PERMIT NUMBER

Installer Terry L Thorpe License # JA-9900036

Address of home being installed

Manufacturer

Length x width

20' x 14'

NOTE: If home is a single wide fill out one half of the blocking plan. If home is a triple or quad wide sketch in remainder of home.


I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials

Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home

☐

Used Home

☒

Home installed to the Manufacturer's Installation Manual

Home is installed in accordance with Rule 15-C

Single wide

☒

Wind Zone II

☒

Wind Zone III

☐

Double wide

☐

Installation Decal #

246202

Triple/Quad

☐

Serial #

9397

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	16' x 16' (256)	18 1/2' x 18 1/2' (342)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	26' x 28' (678)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4'	5'	6'	7'	8'	8'
2000 psf	5'	6'	7'	8'	8'	8'
2500 psf	6'	7'	8'	8'	8'	8'
3000 psf	7'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 12" x 22"

Perimeter pier pad size

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 6' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) Manufacturer Shingora Inc
Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer

OTHER TIES

Number 1
Sidewall
Longitudinal
Marriage wall
Shearwall

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 2000 psf or check here to declare 1000 lb. soil without testing.

2000 x 2000 = 2000
2000 x 2000 = 2000

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 8 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

2000 x 2000 = 2000
2000 x 2000 = 2000

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5 anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft. anchors are required at all cantilever tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb. holding capacity.

Installer's Initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

LEAHY L. THURFAX
3/14/06

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed
Water drainage: Natural Swale Pad Other

Fastening multi wide units

Floor: Type Fastener Length Spacing
Walls: Type Fastener Length Spacing
Roof: Type Fastener Length Spacing

For used homes a min. 30 gauge, 8' wide, galvanized metal ship will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a slip of tape will not serve as a gasket.

Installer's Initials

Type gasket Pg.

Installed:

Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes
Siding on units is installed to manufacturer's specifications. Yes Pg.
Replace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes N/A
Range downflow vent installed outside of skirting. Yes N/A
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and per Rule 15C-1 & 2


Installer Signature Leahy L. Thurfax Date 3/14/06

Applicant shall provide layout from manufacturer specific to the model installed. This form may be used if the layout from the manufacturer is not available.


Dunlap

14' x 70' Flatwax

SINGLE WIDE MOBILE HOME



PSE-2000 on 17" x 22" Piers at 6' OC
 Torque - 285 with 3150 4ft Anchors at 8' OC



DOUBLE WIDE MOBILE HOME



ANCHOR



PIER

Show each pier and anchor location, with maximum spacing and distance from end walls, as required in the manufacturer's specifications. Any special pier footing required (over 16 x 16 inches) shall be noted separately with required dimensions per the manufacturer's specifications. To determine footing size and spacing, a soil bearing capacity test shall be used. Pier footings to be poured-in-place, whether required by manufacturer's specifications or by preference, must be inspected by the Building Department prior to pouring.

LETTER OF AUTHORIZATION

Date: _____

Columbia County Building Department
P.O. Box 1529
Lake City, FL 32056

I Terry L. Thrift, License No. 0000036 do hereby
Authorize Willie DUNLAP to pull and sign permits on my
behalf.

Sincerely,

Terry L. Thrift


Sworn to and subscribed before me this 22 day of March, 2006

Notary Public Aminda L. Davis

My commission expires: 10.04.09

Personally Known YES

Produced Valid Identification: _____





STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

06-0255E

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



1 1/2
ac

Notes:

Kirklighter RD

1120 well located on property behind Mathews

Site Plan submitted by:

Evelyn Dunlap

Signature

owner

Title

Plan Approved

✓

Not Approved

Date

3-1-24

By

Sullivan, Mandy, RSH, Commissioner

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT