



# Performance Report

## DBA: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC

CGC1527613

30 S Keller Rd. Suite 500 | Orlando, FL 32810

Phone: 407-803-4723 | Fax: 407-386-8262 | Customerservice@rbafla.com

## Raul & Livia Zelaya

141 Nw Green Ln

Lake City, FL 32055

Year Built: 1984

H: (386)867-0014

The following table identifies fenestration performance requirements using the listed code, values, and coefficients. Calculation is based on the Winde application if the Zone and GCp values are populated to the individual unit calculations table. If GCp and Zone are listed as N/A, required unit performance rating was manually defined. When manual entries occur, it is Renewal by Andersen of Florida's responsibility to ensure the state, county, and/or municipality receives the proper data for state and local code requirements. A manually entered report will only be used in accordance when state and local building codes are met or exceeded.

## SITE-SPECIFIC CONDITIONS

ASCE STANDARD	WIND ZONE (MPH)	EXPOSURE	MEAN ROOF HEIGHT (FT)	K <sub>z</sub> VALUE	RISK CATEGORY	WIND-BORNE DEBRIS REGION
Wind Speed: 7-16 Performance: 7-16	118	B	15	+ 0.5 / - 0.5	II	NO

## INDIVIDUAL UNIT CALCULATIONS

ID	ROOM	PRODUCT TYPE	UNIT SIZE (in)	UNIT/TWA AREA (ft²)	ZONE	GCp	REQUIRED UNIT PERFORMANCE RATING	ACTUAL UNIT PG	ACTUAL UNIT DP	UNIT IMPACT RATED	APPROVAL NUMBER(S)
101	Entry	Entry Door	37 9/16 x 81 3/4	21.32	Zone 4	+ 0 / - 0	N/A	N/A	N/A	NO	N/A
102	Guest 1	Double-Hung (DG)	35 1/8 x 59 1/8	14.42	Zone 4	+ 0.97 / - 1.07	+ 11.9 / - 12.9	40	+ 40 / - 40	NO	FL27970
103	Guest 2	Double-Hung (DG)	35 1/8 x 59 1/8	14.42	Zone 4	+ 0.97 / - 1.07	+ 11.9 / - 12.9	40	+ 40 / - 40	NO	FL27970
104	guest 2	Double-Hung (DG)	23 1/8 x 59 1/8	9.49	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
105	Primary Bedroom	Double-Hung (DG)	23 1/8 x 59 1/8	9.49	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
106	Primary Bedroom	200 Series Perma-Shield	59 1/4 x 79 1/2	32.71	Zone 4	+ 0.9 / - 1	+ 11.2 / - 12.3	25	+ 25 / - 25	NO	FL14429
107	Primary Bathroom	Double-Hung (DG)	27 1/8 x 27 1/8	5.11	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
108	Living	200 Series Perma-Shield	71 1/4 x 79 3/4	39.46	Zone 4	+ 0.89 / - 0.99	+ 11.1 / - 12.1	25	+ 25 / - 25	NO	FL14429
109a	breakfast nook	Double-Hung (DG)	23 1/4 x 70 3/4	11.42	Zone 4	+ 0.98 / - 1.08	+ 12 / - 13.1	40	+ 40 / - 40	NO	FL27970
109b	breakfast nook	Double-Hung (DG)	23 1/4 x 70 3/4	11.42	Zone 4	+ 0.98 / - 1.08	+ 12 / - 13.1	40	+ 40 / - 40	NO	FL27970

### Values and assumptions used for Design Pressure Calculations:

- Design Pressure calculations are based on ASCE 7-16.
- No topographical effects (K<sub>zT</sub> at 1.0)
- Velocity pressure exposure coefficient (K<sub>z</sub>) is captured per site specific conditions
- Directionally factor K<sub>d</sub> of 0.85
- Velocity Pressure (PSF) based on all selection building and site conditions
- Internal pressure coefficient (GCpi) is +/- 0.18
- External pressure coefficient (GCp) is captured on individual unit calculations

### Windborne Debris Regions require that window and door openings have opening protection via:

- An impact rated window or door, or
- An impact rated shutter or other impact rated coverings, or
- Wood structural panels of a certain type, thickness, and fasteners, etc.

This Performance Report and the information within this Performance Report may only be used in connection with Renewal by Andersen products, only at the address listed above, only for the products identified above, and only for the homeowner listed above. Performance of other units not listed may vary. The information in this Performance Report must be confirmed by the local Renewal by Andersen retailer with your local building code official. This Performance Report is issued solely by the legal entity listed under "Legal Name" above.



## Performance Report

**DBA: RENEWAL BY ANDERSEN OF FLORIDA**

Legal Name: JLM Windows, LLC

CGC1527613

30 S Keller Rd. Suite 500 | Orlando, FL 32810

Phone: 407-803-4723 | Fax: 407-386-8262 | Customerservice@rbafla.com

**Raul & Livia Zelaya**

141 Nw Green Ln

Lake City, FL 32055

Year Built: 1984

H: (386)867-0014

### INDIVIDUAL UNIT CALCULATIONS (CONT.)

ID	ROOM	PRODUCT TYPE	UNIT SIZE (in)	UNIT/TWA AREA (ft²)	ZONE	GCp	REQUIRED UNIT PERFORMANCE RATING	ACTUAL UNIT PG	ACTUAL UNIT DP	UNIT IMPACT RATED	APPROVAL NUMBER(S)
110	Laundry	Double-Hung (DG)	35 1/8 x 35 1/8	8.57	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
111	office	Double-Hung (DG)	35 1/8 x 35 1/8	8.57	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
112	office	Double-Hung (DG)	35 1/8 x 35 1/8	8.57	Zone 4	+ 1 / - 1.1	+ 12.2 / - 13.2	40	+ 40 / - 40	NO	FL27970
113	garage	Double-Hung (DG)	35 1/8 x 59 1/8	14.42	Zone 4	+ 0.97 / - 1.07	+ 11.9 / - 12.9	40	+ 40 / - 40	NO	FL27970
114	Dining	Double-Hung (DG)	35 1/8 x 59 1/8	14.42	Zone 4	+ 0.97 / - 1.07	+ 11.9 / - 12.9	40	+ 40 / - 40	NO	FL27970
115	family room	Gliding - Double	71 1/8 x 58 1/8	28.71	Zone 4	+ 0.91 / - 1.01	+ 11.3 / - 12.4	30	+ 30 / - 30	NO	FL19563

The assumptions and criteria used to determine the project design pressure requirements are listed on page 1 of this Performance Report. Please refer to page 1 for details and verify that all pages of the Performance Report have been included.