	Y Building Permit PERMIT Year From the Date of Issue 000022847
APPLICANT MICHAEL JENKINS	PHONE 386.867.0558
ADDRESS POB 1734	LAKE CITY FL 32056
OWNER JUSTIN JENKINS	PHONE 755.7907
ADDRESS 357 SW DUNLOP GLN	LAKE CITY FL 32024
CONTRACTOR MICHAEL JENKINS	PHONE 867.0558
LOCATION OF PROPERTY 47-S TO C-240,W, GO S ON E	EUNDICOTT,W @ INTERSECTION OF
DUNLOP GLN, PLACE WILL	SECOND PL ON NORTH SIDE OF DUNLOP GLN
TYPE DEVELOPMENT SFD & UTILITY	ESTIMATED COST OF CONSTRUCTION 92150.00
HEATED FLOOR AREA 1843.00 TOTAL A	AREA2544.00
FOUNDATION CONC WALLS FRAMED	ROOF PITCH 6'12 FLOOR CONC
LAND USE & ZONING A-3	MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.	00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE XPP	
	DEVELOPMENT PERMIT NO.
PARCEL ID 09-5S-16-03498-208 SUBDIVIS	SION OAKFIELD ACRES
LOT 8 BLOCK PHASE II UNIT	TOTAL ACRES
000000554 N CGC1507486	I mile The
Culvert Permit No. Culvert Waiver Contractor's License N 18"X32'MITERED 05-0106-N BLK	Number Applicant/Owner/Contractor
	oning checked by Approved for Issuance New Resident
COMMENTS: LEGAL NON-COFORMING LOT OF RECORD. SE	
	Check # or Cash 1082
FOR BUILDING & ZON	IING DEPARTMENT ONLY
Temporary Power Foundation	Monolithic (footer/Slab)
date/app. by	date/app. by date/app. by
Under slab rough-in plumbing Slab	Sheathing/Nailing
date/app. by	date/app. by
Framing Rough-in plumbing date/app. by	above slab and below wood floor
Electrical rough-in Heat & Air Duct	date/app. by
date/app. by	Peri. beam (Lintel) date/app. by
Permanent power C.O. Final	Culvert
date/app. by	date/app. by
M/H tie downs, blocking, electricity and plumbing date/a	pp. by
Reconnection Pump pole	date/app. by Utility Pole
date/app. by M/H Pole Travel Trailer	
	date/app. by date/app. by
date/app. by	
The state of the s	date/app. by Re-roof date/app. by date/app. by
date/app. by	date/app. by Re-roof date/app. by Re-roof date/app. by SURCHARGE FEE \$ 12.72
date/app. by BUILDING PERMIT FEE \$ 465.00 CERTIFICATION F	date/app. by Re-roof date/app. by Re-roof date/app. by SURCHARGE FEE \$ 12.72 DO FIRE FEE \$ WASTE FEE \$
BUILDING PERMIT FEE \$ 465.00 CERTIFICATION F MISC. FEES \$.00 ZONING CERT. FEE \$ 50.0	date/app. by Re-roof date/app. by Re-roof date/app. by SURCHARGE FEE \$ 12.72 WASTE FEE \$ WASTE FEE \$

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

Columbia County Building Permit Application

For Office Use Only Application # 0562-38 Date Received 2/14/05 By Ut Permit # 554/ 2784	
Application Approved by - Zoning Official SLK Date Plans Examiner The OK Date 2-24- Flood Zone Development Permit N/A Zoning A3 Land Use Plan Map Category A3 Comments Legal Non-Confirm Let of Record Section 2:3.1	_
Applicants Name Michael Jewkins Phone 386 - 867 - 0558 Address PO BOX 1734 LAKE CITY FL 32056	
Owners Name	
911 Address 357 SW DUNLOP GLN, LAKE CITY, FL 32024	
Contractors Name JENMINS CONTRACTING, LLC. Phone 386 · 867 · 055 8 Address PO BOX 1734 LAKE CITY, FL 32056	
Fee Simple Owner Name & Address JUSTIN JENKINS , 153 CYPRESS COVE PRIVE LAKE CI	ITY FL 320
Bonding Co. Name & AddressN/A	
Architect/Engineer Name & Address MARK DISOSWAY, P.E., PO BOK 868, LAKE CITY, FL 32036	
Mortgage Lenders Name & Address FIRST FEDERAL SAVINGS BANK, PO BOL 2029 LAKE CITY, FL	32056
Property ID Number 09-55-16-03498 - 208 Estimated Cost of Construction 81,000.00	1/2-3
Subdivision Name GAMFIGLD ACRES Lot Block Unit Phase	工
Driving Directions South ON SR 47 - WEST ON CR 240 - SOUTH ON EUNDICOTT - V	WEST
AT INTERSECTION OF DUNLOP GLN HOUSE IS SECOND HOME ON NORTH SIDE O	2€
Type of Construction DWELLING Number of Existing Dwellings on Property O	
Total Acreage 4.21 Lot Size 193397 50 Do you need a Culvert Permit of Culvert Waiver or Have an Existing D	rive
Actual Distance of Structure from Property Lines - Front 90 Side 185 Side 455 Rear 72	,
Total Building Height 19'8" Number of Stories 1 Heated Floor Area 1843 5F Roof Pitch 6/17	2
Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards all laws regulating construction in this jurisdiction.	of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.	
WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOU LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.	JR
mile Salis mil Car	
Owner Builder or Agent (Including Contractor) Contractor Signature	_
STATE OF FLORIDA COUNTY OF COLUMBIA COUNTY OF COLUMBIA COUNTY OF COLUMBIA Contractors License Number C6C 1507486 Competency Card Number	¥ UV
Sworn to (or affirmed) and subscribed before me NOTARY STAMP/SEAL	100
this 9TH day of DECEMBER 2004.	1
Personally known or Produce YNTHAFIL AIGHNSTON NOTARY PUBLIC, STATE OF FLORIDA MY COMMISSION EXPIRES MAY 23, 2005 COMMISSION # DD005747	_

Application for Onsite Sewage Disposal System Part II Site Plan Construction Permit. Permit Application Number: 05-01061 ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT JENKINS/CR 04-2550 785' North Occupied Slight slope >75' to well 210' Site 2 V Well Q 80' a C Site 1 Vacant Waterline n 250 140' 8" oak tree TBM in Oakfield Acres Phase 2 Lot 8 SEE ATTACHED LEGAL FOR 250' TOTAL PROPERTY 210' 1130' Unpaved drive Swale 780 Vacant 1 inch = 50 feet Site Plan Submitted By Date Plan Approved Not Approved **CPHU** Notes:

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949 PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: February 9, 2005	
ENHANCED 9-1-1 ADDRESS:	
357 SW DUNLOP GLN (LAKE CITY, FL 32024)	
Addressed Location 911 Phone Number: NOT AVAIL.	·
OCCUPANT NAME: NOT AVAIL.	
OCCUPANT CURRENT MAILING ADDRESS:	Action to the second se
PROPERTY APPRAISER MAP SHEET NUMBER: 48	
PROPERTY APPRAISER PARCEL NUMBER: 09-5S-16-03498-208	3
Other Contact Phone Number (If any):	
Building Permit Number (If known):	
Remarks: LOT 8, OAKFIELD ACRES, PHASE 2, S/D	
Address Issued By: Columbia County 9-1-1 Addressing Department	OOLUMBIA OCUMEN
	COLUMBIA COUNTY 9-1-1 ADDRESSING APPROVED

Prepared by and return to: Mickie Salter

Will Call No .:

Home Town Title of North Florida 2744 US Highway 90 West Lake City, FL 32055 386-754-7175 File Number: 2004-746

Inst:2004028732 Date:12/28/2004 Time:14:57

Doc Stamp-Deed: 196.00
_____DC,P.DeWitt Cason,Columbia County B:1034 P:366

[Space Above This Line For Recording Data]_

Warranty Deed

This Warranty Deed made this 23rd day of December, 2004 between Kenneth T. White, an unmarried man whose post office address is 7344 S.W. County Road 240, Lake City, FL 32055, grantor, and Justin J. Jenkins, a single man and Bethany J. Harden, a single woman, as joint tenants with rights of survivorship, whose post office address is 153 Cypress Cove Dr., Lake City, FL 32055, grantee:

(Whenever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth, that said grantor, for and in consideration of the sum of TEN AND NO/100 DOLLARS (\$10.00) and other good and valuable considerations to said grantor in hand paid by said grantec, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in Columbia County, Florida to-wit:

Lot 8 of OAKFIELD ACRES PHASE IL, according to the Plat thereof as recorded in Plat Book 6, Page(s) 18 through 18A, of the Public Records of Columbia County, Florida.

Parcel Identification Number: R03498-208

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

sealed and delivered in our presence:

Wimess Name:

A. MICHELLE SALTER

DoubleTime:

State of Florida County of Columbia

The foregoing instrument was acknowledged before me this 23rd day of December, 2004 by Kenneth T. White, who is personally known or [X] has produced a driver's license as identification.

[Notary Seal]



A. MICHELLE SALTER Notary Public, State of Florida My comm. expires July 15, 2006 Comm. No. DD 129450

1741710

_		
Votary	Public	

Printed Name:

A. MICHELLE SALTER

My Commission Expires:

Inst:2004028732 Date:12/28/2004 Time:14:57

Doc Stamp-Deed : 196.00

___DC,P.DeWitt Cason,Columbia County B:1034 P:367

Warranty Deed - Page 2

DoubleTimes

t-06-04 15:36 Cho	ices Insura	nce	813 6	61 0838	P.02
ACORD CERTIFIC	ATE OF LIA	BILITY INS	URANCE		DATE (MM/DD/YYYY) OCT 6 04
PRODUCER CHOICES INSURANCE & FINANCIAL SEI 210 BRYAN ROAD BRANDON FL 33511	RVICES	HOLDE	AND CONFERS NO	SUED AS A MATTER OF D RIGHTS UPON THE CE ATE DOES NOT AMEND AFFORDED BY THE POLI	INFORMATION ERTIFICATE EXTEND OR
		INSURERS AFF	FORDING COVER	AGE	NAIC #
INSURED	34.846.2440		id-Continent Cas	7000 0000	23418
JENKINS CONTRACTING LLC P.O. BOX 1734		INSURER B			
LAKE CITY FL 32056		INSURER C:	41 94 45 0		
		INSURER D	100		
COVERAGES		Indones	-		
THE POLICIES OF INSURANCE LISTED BELOW HA NAY REQUIREMENT, TERM OF CONDITION OF AN MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES AGGREGATE LIMITS SHOWN MAY HAVE	Y CONTRACT OR OTHER D	OCUMENT WITH RESPE	CT TO WHICH THIS !	PERTIFICATE MAY DE ICOLO	D OB
TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMI	TS.
GENERAL LIABILITY	04GL000576530	OCT 6 04	OCT 6 05	EACH OCCURRENCE	s 1,000,000
X COMMERCIAL GENERAL LIABILITY CLAIMS MADE X OCCUR		1	i	PREMISES (Ea occurence)	s 100,000
A COSIMS MADE X OCCOR				MED. EXP (Any one person) PERSONAL 8 ADV INJURY	s excluded
				GENERAL AGGREGATE	\$ 2,000,000
GEN'L AGGREGATE LIMIT APPLIES PER				PRODUCTS-COMP/OP AGG	\$ 2,000,000
AUTOMOBILE LIABILITY	04GL000576630	OCT 6 04			
ANY AUTO	0492000076030	001604	OCT 6 05	COMBINED SINGLE LIMIT (Ea accident)	s 1,000,000
ALL OWNED AUTOS			1	BODILY INJURY	
SCHEDULED AUTOS				(Per person)	s
X HIRED AUTOS				BODILY INJURY	5
X NON-OVINED AUTOS		i		(Per accident)	4.7
				PROPERTY DAMAGE (Per accident)	\$
GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
ANY AUTO				OTHER THAN EA AN AUTO ONLY:	cc \$
EXCESS / UMBRELLA LIABILITY				EACH OCCURRENCE	5
OCCUR CLAIMS MADE		j		AGGREGATE	\$
DEDUCTIBLE		1			S
RETENTION \$		1.3		50 e e	3
WORKERS COMPENSATION AND				WC STATU-	ER
EMPLOYERS' LIABILITY ANY PROPRIETORPARTMEREXECUTIVE				E.L. EACH ACCIDENT	\$
OFFICENMEMBER EXCLUDED?				E.L. DISEASE-EA EMPLOYER	5
SPECIAL PROVISIONS below				E.L. DISEASE-POLICY LIMIT	\$
OTHER:					
		1		İ	
DESCRIPTION OF OPERATIONS/LOCAT	TONS/VEHICLES/EXC	LUSIONS ADDED B	Y ENDORSEMEN	T/ SPECIAL PROVISIO	NS
CERTIFICATE HOLDER		CANCEL	LATION		···
NSURED'S COPY		SHOULD AND	OF THE ABOVE DE	SCRIBED POLICIES BE CAN	CELLED BEFORE THE
		DAYS WRITT	DATE THEREOF, THE	SISSUING COMPANY WILL E CERTIFICATE HOLDER NAME NO CBLIGATION OR LIABILITY	NDEAVOR TO MAIL 10
		AUTHORIZED	REPRESENTATIVE	a	\
		1		XI Niax?	al. a lait
Attention:			Shelia Richards,	Comractor Insurance	Adent

ACORD 25 (2001/08)

Certificate # 8127

Shelia Richards, comractor insurance Agent

D059207 © ACORD CORPORATION 1988

STATE OF FLORIDA



DÉPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD 1940 NORTH MONROE STREET TALLAHASSEE FL 32399-0783

(850) 487-1395

JENKINS, MICHAEL CHRISTIAN JENKINS CONTRACTING LLC PO BOX 1734 LAKE CITY FL 320 FL 32056



STATE OF FLORIDA

AC# 1482845

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CGC1507486~

07/09/04 030634549

CERTIFIED GENERAL CONTRACTOR JENKINS, MICHAEL CHRISTIAN JENKINS CONTRACTING LLC

IS CERTIFIED under the provisions of Ch.489 FS. Expiration date: AUG 31, 2006 L04070900162

DETACH HERE

1C#1482845

STATE OF FLORIDA

THE


DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION CONSTRUCTION INDUSTRY LICENSING BOARD SEQ#L04070900162

DATE BATCH NUMBER LICENSE NBR 07/09/2004 030634549 CGC1507486

The GENERAL CONTRACTOR
Named below IS CERTIFIED
Under the provisions of Chapter 489 FS.
Expiration date: AUG 31, 2006


JENKINS, MICHAEL CHRISTIAN JENKINS CONTRACTING LLC 9016 SW CR 240 LAKE CITY FL 320 FL 32024

Maul GOD WE TRY



This information, GIS Map Updated: 1/31/2005, was derived from data which was compiled by the Columbia County Property Appraiser
Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a
determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data
herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the
Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad
valorem assessment purposes.

http://appraiser.columbiacountyfla.com/GIS/Print_Map.asp?pjbnlkplhgmeclpofffddhfacbdk... 2/8/2005



LYNCH WELL DRILLING, INC. 173-SW YOUNG PI LAKE CITY, FL 32025

LAKE CITY, FL 32025 PHONE (386) 752-6677 FAX (386) 752-1477

RESIDENTIAL WATER WELL BUILDING PERMIT INFORMATION

Building Permit #		Owners Nam	e Gust	in Je	nkine
Well DepthFt.	Casing Depth_	Ft.	Water L	evel	Ft.
Casing Size	PVC				¥
Pump Installation: Subm	ersible K Deep	Well Jet		Shallow W	/ell
Pump Make Red Jack	L Pump Model	# 100 F2	11 20G8	нр	
System Pressure (PSI)(PSI)	On	30 on	50	Avg. Pres	isure <u>50</u>
Pumping System GPM at	average pressur	e and pumpi	ng level _	20	_(GPM)
Tank Installation: Precha	arged (Baldder)_	X Atn	nospheric	(Galvanize	ed)
Make Challenger	Model_P	C244	_ Size_	81	· · · · · · · · · · · · · · · · · · ·
Tank Draw-down per cyc	le at system pres	sure	26.1		_Gallons
I HEREBY CERTIFY TO INSTALLED AS PER AL	HAT THIS WAT BOVE INFORM	ER WELL, S	SYSTEM 1	HAS BEE!	N
Linda Me	w Comp	Linda Print Name	Ne	WCOM	16
Signature	. 9	1 .:	12	<u>~</u>	
1274 or 26 License Number	2 /	Date	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

LAKE CITY, FLORIDA 32056

PERMIT NO._

Inst: 200402	8733 Date:12 _DC,P.DeWitt	/28/2004	Time: 1	4:57		
MK	DC, P. DeWitt	Cason, Co	olumbia	County	B: 1034	P:368

TAX FOLIO NO. R03498-208

	NOTIC	E OF COMMENCEMENT	,
	E OF FLORIDA ITY OF		
in acc	e undersigned hereby gives notic ordance with Chapter 713, Florida nmencement.	e that improvement will be made a Statutes, the following informati	to certain real property, and on is provided in this Notice
1.	Description of property: Lot 8, plat thereof as recorded in P. of Columbia County, Florida.	of OAKFIELD ACRES PHASE II, lat Book 6, pages 18-18A, of	according to the the public records
2.	General description of improvem	ent: Construction of Dwelling	
3.	Owner information: a. Name and address:		ARDEN, 153 Cypress
	b. Interest in property: Fee Sim	ple	3 gr
	c. Name and address of fee sim	ple title holder (if other than Owr	er): NONE
4.	Contractor (name and address): 1734, Lake City, Florida 320		CGC1507486, P. O. Box
5.	Surety: a. Name and address:	1 HERE	OF FLORIDA, COUNTY OF COLUMBIA BY CERTIFY: mat the above and foregoing the principal filed in this office. ITT CASON, CLERK OF COURTS
	b. Amount of bond:	By	Maruel French
	P. O. BOX 2029 LAKE CITY, FLORI Persons within the State of Flori	DA 32056	nom notices or other
8.	In addition to himself, Owner des BANK OF FLORIDA, 4705 West receive a copy of the Lienor's No	signates <u>PAULA HACKER of FI</u> <u>U.S. Highway 90 / P. O. Box 2029</u> otice as provided in Section 713.	Lake City, Florida 32056 to
9.	Expiration date of notice of commercording unless a different date	mencement (the expiration date is specified).	s 1 year from the date of
		Betham	JUSTIN J. JENKINS J. HOUOLU
		7	ne BETHANY J. HARDEN
20 0	ne foregoing instrument was acknowled by JUSTIN J. JENKINS and BETH roduced driver's license for ident	ification.	day of <u>December</u> , resonally known to me or who
17	N M	A. MICHELLE SALTER Commission E lotary Public, State of Florida y comm. expires July 15, 2006 Comm. No. DD 129450	xpires:

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Pro	ect	Nam	
Add	res	s:	

411121HardenRes.

Lot: 8, Sub: Oak Field Acres, Plat:

City, State: Owner:

Lake City, FL Mr. Harden

Climate Zone:

North

Jenkins Contractiong, LLC

Permitting Office: Coumels
Permit Number: 214900
Jurisdiction Number: 214000

b. c. 8. a. b. c. 9. a. b. c. d. e. 10. a. b.	New construction or existing Single family or multi-family Number of units, if multi-family Number of Bedrooms Is this a worst case? Conditioned floor area (ft²) Glass area & type Clear glass, default U-factor Default tint, default U-factor Labeled U-factor or SHGC Floor types Slab-On-Grade Edge Insulation N/A N/A Wall types Frame, Wood, Exterior Frame, Wood, Adjacent N/A N/A Ceiling types Under Attic N/A N/A	R=) R=	New Single family 1 3 Yes 1843 ft² Double Pane 238.0 ft² 0.0 ft² 0.0 ft² 2.0,0 ft² 13.0, 1537.0 ft² 13.0, 125.0 ft² 13.0, 125.0 ft²		b. c. 13. a. b. c. 14. a. b.	Cooling systems Central Unit N/A N/A Heating systems Electric Heat Pump N/A N/A Hot water systems Electric Resistance N/A Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump) HVAC credits (CF-Ceiling fan. CV-Cross ventilation.	Cap: 44.0 kBtu/hr SEER: 12.50 Cap: 44.0 kBtu/hr HSPF: 7.60 Cap: 40.0 gallons EF: 0.91	
e. 10.	N/A Ceiling types			_	c.	(HR-Heat recovery, Solar		_
b. c. 11.			80.0, 1843.0 ft ² R=6.0, 180.0 ft	_ _ _ _	15.	10 10 10 10 10 10 10 10 10 10 10 10 10 1		-

Glass/Floor Area: 0.13

Total as-built points: 28266 Total base points: 28282

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY:

Evan Beamsley

I hereby certify that this building, as designed is in compliance with the Florida Energy Code.

OWNER/AGENT:

DATE:

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING	OFFICIAL:	
DATE:		

EnergyGauge® (Version: FLR2PB v3.4)

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL, PERMIT #:

BASE					AS-	BU	ILT					
GLASS TYPES .18 X Condition Floor Are		BSPM =	Points	Type/SC	Ove Ornt	erhang Len	Hgt	Area X	SPN	их	SOF	= Points
.18 1843.	0	20.04	6648.1	Double, Clear	E	0.0	0.0	30.0	42.0	6	1.00	1261.9
				Double, Clear	Ν	1.5	12.0	9.0	19.2	20	0.99	171.3
				Double, Clear	Ν	1.5	8.0	30.0	19.2		0.97	557.1
				Double, Clear	Ε	0.0	0.0	10.0	42.0		1.00	420.6
				Double, Clear	S	7.5	8.0	60.0	35.8		0.53	1139.5
				Double, Clear	W	0.0	0.0	90.0	38.5		1.00	3467.2
				Double, Clear	W	0.0	0.0	9.0	38.5	2	1.00	346.7
				As-Built Total:				238.0				7364.4
WALL TYPES	Area	X BSPM	= Points	Туре		R-	Valu	e Area	Х	SPI	Л =	Points
Adjacent	125.0	0.70	87.5	Frame, Wood, Exterior			13.0	1537.0		1.50		2305.5
Exterior	1537.0	1.70	2612.9	Frame, Wood, Adjacent			13.0	125.0		0.60		75.0
(1) THE RESIDENCE OF TH												0.749094.09
Base Total:	1662.0		2700.4	As-Built Total:				1662.0				2380.5
DOOR TYPES	Area	X BSPM	= Points	Туре				Area	Χ	SPI	M =	Points
Adjacent	18.0	2.40	43.2	Exterior Insulated				8.0		4.10		32.8
Exterior	28.0	6.10	170.8	Adjacent Insulated				18.0		1.60		28.8
				Exterior Insulated				20.0		4.10		82.0
Base Total:	46.0		214.0	As-Built Total:				46.0				143.6
CEILING TYPES				Туре		R-Valu	ле	Area X S	SPM	X S	CM =	Points
Under Attic	1843.0	1.73	3188.4	Under Attic			30.0	1843.0	1.73 >	(1.00		3188.4
Base Total:	1843.0		3188.4	As-Built Total:				1843.0				3188.4
FLOOR TYPES	Area	X BSPM	= Points	Туре		R-	-Valu	e Area	X	SPI	и =	Points
Slab Raised	192.0(p) 0.0	-37.0 0.00	-7104.0 0.0	Slab-On-Grade Edge Insulat	ion		0.0	192.0(p	-	41.20		-7910.4
Base Total:			-7104.0	As-Built Total:				192.0				-7910.4
INFILTRATION	Area	X BSPM	= Points					Area	X	SPI	Л =	Points
	1843.0	10.21	18817.0					1843.0)	10.2	1	18817.0

EnergyGauge® DCA Form 600A-2001

SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL,

PERMIT #:

	BASE		AS-BUILT								
Summer Bas	se Points:	24463.9	Summer As-Built Points:	23983.5							
Total Summer Points	X System Multiplier	= Cooling Points	Total X Cap X Duct X System X Credit Component Ratio Multiplier Multiplier Multiplier Multiplier (DM x DSM x AHU)								
24463.9	0.4266	10436.3	23983.5 1.000 (1.090 x 1.147 x 1.11) 0.273 1.000 23983.5 1.00 1.388 0.273 1.000	9087.6 9087.6							

WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL,

PERMIT #:

	BASE			AS-BUILT										
GLASS TYPES														
.18 X Conditio		NPM =	Points	T /00		rhang		A V	14/5		/ \A/	05	- Dointe	
Floor A	rea			Type/SC	Ornt	Len	Hgt	Area X	VVF	'IVI)	VV	JF.	= Points	
.18 1843	.0	12.74	4226.4	Double, Clear	E	0.0	0.0	30.0	18.		1.0		563.8	
				Double, Clear	N	1.5	12.0	9.0	24.		1.0		221.2	
				Double, Clear	N	1.5	8.0	30.0	24.		1.0		738.0	
				Double, Clear	E	0.0	0.0	10.0	18.		1.0		187.9	
				Double, Clear	S	7.5	8.0	60.0	13.		2.6		2098.1	
				Double, Clear	W	0.0	0.0	90.0	20.		1.0		1865.5	
				Double, Clear	W	0.0	0.0	9.0	20.	13	1.0	U	186.6	
				As-Built Total:				238.0					5861.0	
WALL TYPES	Area X	BWPM	= Points	Туре		R	-Value	e Area	Х	WP	M	= 7	Points	
Adjacent	125.0	3.60	450.0	Frame, Wood, Exterior			13.0	1537.0		3.4)		5225.8	
Exterior	1537.0	3.70	5686.9	Frame, Wood, Adjacent			13.0	125.0		3.3)		412.5	
				e vitational commentation of Particologic										
Base Total:	1662.0		6136.9	As-Built Total:				1662.0					5638.3	
DOOR TYPES	Area X	BWPM	= Points	Туре				Area	Χ	WP	M	=	Points	
Adjacent	18.0	11.50	207.0	Exterior Insulated				8.0		8.4)		67.2	
Exterior	28.0	12.30	344.4	Adjacent Insulated				18.0		8.0)		144.0	
				Exterior Insulated				20.0		8.4)		168.0	
Base Total:	46.0		551.4	As-Built Total:				46.0					379.2	
CEILING TYPE	S Area Y	BW/DM	= Points	Туре	R	l-Value	- Δι	rea X W	PM	× W	CM	=	Points	
						valu								
Under Attic	1843.0	2.05	3778.1	Under Attic			30.0	1843.0	2.05	X 1.0	0		3778.1	
	40400							4040.0					2770 4	
Base Total:	1843.0		3778.1	As-Built Total:				1843.0	_			_	3778.1	
FLOOR TYPES	Area X	BWPM	= Points	Туре		R	-Value	e Area	Х	WP	M	=	Points	
Slab	192.0(p)	8.9	1708.8	Slab-On-Grade Edge Insula	ition		0.0	192.0(p		18.8)		3609.6	
Raised	0.0	0.00	0.0					30325						
Base Total:			1708.8	As-Built Total:				192.0					3609.6	
INFILTRATION	Area X	BWPM	= Points					Area	Х	WP	М	=	Points	
	1843.0	-0.59	-1087.4					1843.	0	-0.5	59		-1087.4	

EnergyGauge® DCA Form 600A-2001


WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL, PERMIT #:

BASE					AS-BUILT										
Winter Base	e P	oints:		15314.2	Winter A	\s-E	Built P	oir	nts:					•	18178.9
Total Winter Points	X	System Multiplie	= er	Heating Points	Total Componer	X	Cap Ratio		Duct Multiplie	r	System Multiplier J)	X	Credit Multiplier	=	Heating Points
15314.2		0.6274	ı	9608.2	18178.9 18178. 9	9	1.000 1.00	(1.0	069 x 1.169 1.375		.10) 0.449 0.449)	1.000 1.000		11212.3 1212.3

EnergyGauge™ DCA Form 600A-2001



WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL,

PERMIT #:

	BASE	AS-BUILT											
WATER HEA Number of Bedrooms	X	Multiplier	=	Total	Tank Volume	EF	Number of Bedrooms	X	Tank X Ratio	Multiplier		redit ultiplie	
3		2746.00		8238.0	40.0 As-Built To	0.91	3		1.00	2655.47		1.00	7966.4 7966.4

	CODE COMPLIANCE STATUS												
BASE						AS-BUILT							
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
10436		9608		8238		28282	9088		11212		7966		28266

PASS



EnergyGauge™ DCA Form 600A-2001

Code Compliance Checklist

Residential Whole Building Performance Method A - Details

ADDRESS: Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL, PERMIT #:

6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum:.3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	V
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	/
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	1
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	V
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	X
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	V
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	X
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	V
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	V
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	V
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	V

EnergyGauge™ DCA Form 600A-2001

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 82.8

The higher the score, the more efficient the home.

Mr. Harden, Lot: 8, Sub: Oak Field Acres, Plat: , Lake City, FL,


1.	New construction or existing		New		12.	Cooling systems		
2.	Single family or multi-family		Single family		a.	Central Unit	Cap: 44.0 kBtu/hr	
3.	Number of units, if multi-family		1				SEER: 12.50	
4.	Number of Bedrooms		3		b.	N/A		
5.	Is this a worst case?		Yes					
6.	Conditioned floor area (ft2)		1843 ft ²		c.	N/A		
7.	Glass area & type	Single Pane	Double Pane					
a	. Clear glass, default U-factor	0.0 ft ²	238.0 ft ²		13.	Heating systems		
b	. Default tint, default U-factor	0.0 ft ²	0.0 ft ²		a.	Electric Heat Pump	Cap: 44.0 kBtu/hr	
c	. Labeled U-factor or SHGC	0.0 ft ²	0.0 ft ²				HSPF: 7.60	
8.	Floor types				b.	N/A		
a	. Slab-On-Grade Edge Insulation	R=0	0.0, 192.0(p) ft					
b	. N/A				c.	N/A		
C	. N/A							-5-3
9.	Wall types				14.	Hot water systems		-
a	. Frame, Wood, Exterior	R=1	3.0, 1537.0 ft ²		a.	Electric Resistance	Cap: 40.0 gallons	
b	. Frame, Wood, Adjacent	R=	13.0, 125.0 ft ²				EF: 0.91	1
	. N/A				b.	N/A		
d	. N/A							
e	. N/A				c.	Conservation credits		
10.	Ceiling types					(HR-Heat recovery, Solar		
a	. Under Attic	R=3	0.0, 1843.0 ft ²			DHP-Dedicated heat pump)		
b	. N/A				15.	HVAC credits		
c	. N/A					(CF-Ceiling fan, CV-Cross ventilation,		-
11.	Ducts			15		HF-Whole house fan,		
a	. Sup: Unc. Ret: Unc. AH: Attic	Sup. F	R=6.0, 180.0 ft			PT-Programmable Thermostat,		
b	. N/A					MZ-C-Multizone cooling,		
						MZ-H-Multizone heating)		
						-		
				_				
			#*************************************					
	ertify that this home has compli							
	nstruction through the above er						OF THE STATE	a .
	his home before final inspectio	얼마 지생님은 보이트를 받으면 그 보이고 보이고 먹었습니다.	a new EPL I	Displa	ay Car	d will be completed	3	B
bas	ed on installed Code compliant	features.					2	18
	100 m						E COL	RIDA
Bu	ilder Signature:			Date	e:		13	Z
							1.	2

*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is <u>not</u> a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStar designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.

Address of New Home:

EnergyGauge® (Version: FLR2PB v3.4)

City/FL Zip: _



Columbia County Building Department Culvert Permit

Culvert Permit No. 000000554

APPLICANT MICHAEL JENKINS PHONE 386.867 ADDRESS POB 1734 CAKE CITY OWNER JUSTIN JENKINS ADDRESS 357 SW DUNLOP GLN LAKE CITY CONTRACTOR MICHAEL JENKINS/JENKINS CONTRACTING,LLC PHONE 867.055 LOCATION OF PROPERTY 47-S TO C-240,W, SOUTH EUNDICOTT-W @ INTERSECTION LOT IS SECOND PLACE, NORTH SIDE OF DUNLOP GLN SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES SIGNATURE INSTALLATION REQUIREMENTS X Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4: 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards. Department of Transportation Permit installation approved standards.		
OWNER JUSTIN JENKINS ADDRESS 357 SW DUNLOP GLN LAKE CITY CONTRACTOR MICHAEL JENKINS/JENKINS CONTRACTING,LLC PHONE 867.055 LOCATION OF PROPERTY 47-S TO C-240,W, SOUTH EUNDICOTT-W @ INTERSECTION LOT IS SECOND PLACE, NORTH SIDE OF DUNLOP GLN SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES 8 SIGNATURE INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.)558	i Pi
ADDRESS 357 SW DUNLOP GLN LAKE CITY CONTRACTOR MICHAEL JENKINS/JENKINS CONTRACTING,LLC PHONE 867.055 LOCATION OF PROPERTY 47-S TO C-240,W, SOUTH EUNDICOTT-W @ INTERSECTION LOT IS SECOND PLACE, NORTH SIDE OF DUNLOP GLN SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES 8 SIGNATURE INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4: 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.	FL	32056
CONTRACTOR MICHAEL JENKINS/JENKINS CONTRACTING,LLC PHONE 867.055 LOCATION OF PROPERTY 47-S TO C-240,W, SOUTH EUNDICOTT-W @ INTERSECTION LOT IS SECOND PLACE, NORTH SIDE OF DUNLOP GLN SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES 8 SIGNATURE V INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4: 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.	0	m
LOCATION OF PROPERTY 47-S TO C-240,W, SOUTH EUNDICOTT-W @ INTERSECTION SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES 8 SIGNATURE INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4: 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.	FL	32024
SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES SIGNATURE / INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4:1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.	}	E.
SUBDIVISION/LOT/BLOCK/PHASE/UNIT OAKFIELD ACRES INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4:1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.	OF DUNI	LOP GLN
INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4:1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.		
INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4:1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.		
INSTALLATION REQUIREMENTS Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4: 1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.		<u> II</u>
Culvert size will be 18 inches in diameter with a total lenght of 32 feet driving surface. Both ends will be mitered 4 foot with a 4:1 slope and thick reinforced concrete slab. INSTALLATION NOTE: Turnouts will be required as follows: a) a majority of the current and existing driveway turnouts are paved b) the driveway to be served will be paved or formed with concrete. Turnouts shall be concrete or paved a minimum of 12 feet wide or concrete or paved driveway, whichever is greater. The width shall current and existing paved or concreted turnouts. Culvert installation shall conform to the approved site plan standards.		
Other	or;	with a 4 inch


135 NE Hernando Ave., Suite B-21

Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00





Notice of Treatment //4/3	Applicator: Florida Pest Control & Chemical Co. (www.flapest.com) Address: 536 SE BANA City Le Phone 752/703	Site Location: Subdivision OAK FIELD Acres Lot # B Block# Permit # 22847 Address 357 Sw Dwolop Coln	Product used Active Ingredient % Concentration □ Dursban TC Chlorpyrifos 0.5%	☐ Termidor Fipronil 0.06% ☐ Bora-Care Disodium Octaborate Tetrahydrate 25.0%	Type treatment:	Area Treated Square feet Linear feet Gallons Applied		As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.	If this notice is for the final exterior treatment, initial this line	Wate Date Time Print Technician's Name	Remarks:	Applicator - White Permit File - Canary Permit Holder - Pink
---------------------------	--	---	---	--	-----------------	--	--	--	---	--	----------	--

Notice of Intent for Preven. tive Treatment for Termites (As required by Florida Building Code 104.2.6)

23847

Date: 3/11/05

357 SW DUNLOP OLN CLARE CITY, FL 32029,

(Address of Treatment or Lot/Block of Treatment

Florida Pest Control & Chemical Co. www.flapest.com

Product to be used: Bora-Care Termiticide (Wood Treatment)

Chemical to be used: 23% Disodium Octaborate Tetrahydrate

Application will be performed onto structural wood at dried-in stage of construction. directions as stated in the Florida Building Code Section 1861.1.8 Bora-Care Termiticide application shall be applied according to EPA registered label

foundation installation.) (Information to be provided to local building code offices prior to concrete