

DATE 08/24/2006

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000024909

APPLICANT HARLIE LYNCH PHONE 386 294-1891

ADDRESS P.O. BOX 187 MAYO FL 32066

OWNER MIKE SHAW/MAYO FERTILIZER PHONE 386 294-2024

ADDRESS 413 NE MCCLOSKEY AVE LAKE CITY FL 32055

CONTRACTOR HARLIE LYNCH PHONE 386 294-1891

LOCATION OF PROPERTY 90E, TL ON MCCLOSKEY AVE, CROSS RAILROAD TRACKS ON THE RIGHT

TYPE DEVELOPMENT STORAGE BLDG ESTIMATED COST OF CONSTRUCTION 140000.00

HEATED FLOOR AREA TOTAL AREA 4800.00 HEIGHT STORIES 1

FOUNDATION CONC WALLS STEEL ROOF PITCH 1/12 FLOOR SLAB

LAND USE & ZONING INDUSTRIAL MAX. HEIGHT 18

Minimum Set Back Requirments: STREET-FRONT 20.00 REAR 15.00 SIDE 15.00

NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 36-3S-17-07463-002 SUBDIVISION

LOT BLOCK PHASE UNIT TOTAL ACRES

CGC010494

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor

EXISTING 06-324-N BK JH N

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD

Check # or Cash 9314

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by

Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by

Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by

Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by

Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by

M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by

Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by

M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 700.00 CERTIFICATION FEE \$ 24.00 SURCHARGE FEE \$ 24.00

MISC. FEES \$ 0.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$

FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 823.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

823.00

For Office Use Only Application # 0808-37 Date Received 8-11-06 By LH Permit # 24909
Application Approved by - Zoning Official BLK Date 22.08.06 Plans Examiner OK JTH Date 8-16-06
Flood Zone X Development Permit N/A Zoning I Land Use Plan Map Category I
Comments SDP 06-2

Applicants Name Harlie A. LynchFax: 294-3529
Phone 386-294-1891Address P.O. Box 187, 306 SW CR 300, Mayo, Florida 32066Owners Name Mayo Fertilizer, Inc.Phone 386-294-2024911 Address 413 N. E. McCloskey Ave., Lake City, Florida 32055Contractors Name Harlie Lynch Construction Co., Inc.Phone 386-294-1891Address 306 SW CR 300, Mayo, Florida 32066Fee Simple Owner Name & Address Mayo Fertilizer, Inc., P.O. Box 357, Mayo, Fl. 32066Bonding Co. Name & Address N/AArchitect/Engineer Name & Address Keen Engineering, 9263 CR 417, Live Oak, Fl. 32060Mortgage Lenders Name & Address Bank of America, 50 Laura St., Jacksonville, Fl. 32202Circle the correct power company FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive EnergyProperty ID Number 36-35-17-9900/9900Estimated Cost of Construction \$140,000.00Subdivision Name 36-35-17-07463-002 Lot Block Unit Phase Driving Directions US 90 East to McCloskey Ave, turn on McCloskey Ave, cross railroad and property/site
is on right. 413 NE McCloskey Ave.Type of Construction Pre-engineered Steel Building Storage Bldg Number of Existing Dwellings on Property 0Total Acreage 24.1 Lot Size Do you need a - Culvert Permit or Culvert Waiver or Have an Existing DriveActual Distance of Structure from Property Lines - Front 460 Side 51 Side 384 Rear 1,030Total Building Height 18' Number of Stories 1 Heated Floor Area 0 Roof Pitch 1:12

TOTAL 4,800

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Agent (Including Contractor) Harlie A. LynchSTATE OF FLORIDA
COUNTY OF COLUMBIA NAFayetteSworn to (or affirmed) and subscribed before me
this 11 day of Aug 20 06Personally known K or Produced Identification Contractor Signature Harlie A. Lynch
Contractors License Number CCC 010494
Competency Card Number Notary Signature Annette B. Lawson



ASPHALT TECHNOLOGIES, INC.

P.O. BOX 2128
LAKE CITY, FL 32056
386-752-4921 • FAX 752-6906

File No.: AT05-133
Lab No.: 4659

REPORT OF: In Place Density Test
PROJECT: Mayo Fertilizer / ACCI#25733
REPORTED TO: Anderson Columbia Co.
P.O. Box 1829
Lake City, FL 32056

General Contractor: Anderson Columbia Co.
Technician: C. Harris

Course: Backfill
Specification Requirements: 95%

Gauge: Make: Troxler

Model: 3430

Ser. #: _____

Dens. Std. _____

Moist Std. _____

TEST NO.	TEST LOCATION	TEST DEPTH ELEV. XLIFT	WET DENS LBS/FT ³	MOIST %	DRY DENS. LBS/FT ³	MAX DENS. LBS/FT ³	% OF MAX DEN.
1	20' N By 10' W of SE Corner	1	118.1	9.6	107.8	110.0	98
2	10' W By 10' S of NE Corner	1	115.4	8.4	106.5	110.0	97
3	30' E By 20' N of SW Corner	1	118.6	9.8	108.0	110.0	98
4	20' W By 10' S of NE Corner	1	114.2	8.6	105.2	110.0	96

Proctor No.
1

Soil Description
Dark Gray Sand

Proctor Value
110.0

Opt. Moist.
10%

STANDARD (AASHTO T99): __ (ASTM D 698): __ MODIFIED (AASHTO T180): __ (ASTM D 1557): X

TESTS PERFORMED IN ACCORDANCE WITH FDOT SAMPLING & TESTING MANUAL.

REMARKS: Test numbers 1 & 2 were performed on office pad.
Test numbers 3 & 4 were performed on office parking area.


K.H. Murphy,
President



ASPHALT TECHNOLOGIES, INC.

P.O. BOX 2128
LAKE CITY, FL 32056
386-752-4921 • FAX 752-6906

File No.: AT05-133
Lab No.: 4659

REPORT OF: In Place Density Test
PROJECT: Mayo Fertilizer / ACCI#25733
REPORTED TO: Anderson Columbia Co.
P.O. Box 1829
Lake City, FL 32056

General Contractor: Anderson Columbia Co.
Technician: C. Harris

Course: Backfill
Specification Requirements: 95%

Gauge: Make: Troxler Model: 3430 Ser. #: _____
Dens. Std. _____ Moist Std. _____


TEST NO.	TEST LOCATION	TEST DEPTH ELEV. XLIFT	WET DENS LBS/FT ³	MOIST %	DRY DENS. LBS/FT ³	MAX DENS. LBS/FT ³	% OF MAX DEN.
5	20' E By 10' N of SW Corner	1	113.5	8.2	104.9	110.0	95
6	10' W By 20' S of NE Corner	1	117.7	9.4	107.6	110.0	98
7	40' E By 30' S of NW Corner	2	118.6	9.6	108.2	110.0	98
8	10' W By 10' N of SE Corner	2	114.9	8.6	105.8	110.0	96
9	30' S By 20' W of SE Corner	2	117.8	9.2	107.9	110.0	98
10	20' N By 10' E of SW Corner	2	115.4	8.9	106.0	110.0	96

<u>Proctor No.</u>	<u>Soil Description</u>	<u>Proctor Value</u>	<u>Opt. Moist.</u>
1	Dark Gray Sand	110.0	10%

STANDARD (AASHTO T99): __ (ASTM D 698): __ MODIFIED (AASHTO T180): __ (ASTM D 1557): X

TESTS PERFORMED IN ACCORDANCE WITH FDOT SAMPLING & TESTING MANUAL.

REMARKS: Test numbers 1-8 were performed on the bag building pad.
Test numbers 9 & 10 were on 2nd lift of office pad and parking area.


K.H. Murphy,
President

Prepared by/return to:
Mark E. Raymond, Esq.
Post Office Box 3888
West Palm Beach, Florida 33402

24909
Permit No. 24910
Tax Folio No. _____

Inst:2006020361 Date:08/25/2006 Time:16:48
2.7 DC, P. Dewitt Cason, Columbia County B:1094 P:147

NOTICE OF COMMENCEMENT

STATE OF FLORIDA

COUNTY OF COLUMBIA

THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement. This notice shall be of no force and effect if construction is not commenced within ninety (90) days of recordation.

1. Legal Description of property: See Exhibit A
Street Address of property: 413 N.E. McCloskey Avenue, Lake City 32055
2. General description of improvements: Construction of fertilizer manufacturing plant
3. Owner: Mayo Fertilizer, Incorporated
P.O. Box 357
Mayo, Florida 32066
Interest in property: Fee
4. Contractor: Harlie Lynch Construction Company, Inc.
P.O. Box 187
Mayo, Florida 32066
Phone No.: (386) 294-1891
5. Surety: None
6. Lender: Bank of America, N.A.
9000 Southside Blvd.
Building 100
FL9-100-03-17
Jacksonville, Florida 32256
7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7, Florida Statutes: None


8. In addition to himself, Owner designates:

Bank of America, N.A.
9000 Southside Blvd.
Building 100
FL9-100-03-17
Jacksonville, Florida 32256

to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes.

9. Expiration date of notice of commencement: December 31, 2007.


MAYO FERTILIZER, INCORPORATED

By: 
Name: Michael H. Shaw
Its President

STATE OF FLORIDA
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 25th day of August, 2006, by Michael H. Shaw, President of Mayo Fertilizer, Inc. who produced a driver's license as identification.


NOTARY PUBLIC



ATTACHMENTS: (check if applicable)

X Legal Description, Exhibit "A"
 Bond, Exhibit "B" (a copy of Payment Bond, if any, must be attached)

Inst:2006020361 Date:08/25/2006 Time:16:48
_____DC,P.DeWitt Cason,Columbia County B:1094 P:148

EXHIBIT A

LEGAL DESCRIPTION

All that portion of the Northeast 1/4 of the Northwest 1/4 and the Northwest 1/4 of the Northeast 1/4 of Section 36, Township 3 South, Range 17 East, Columbia County, Florida, which lies East of Forest Service Road No. 236 and North of the Seaboard Coastline Railroad, and is described more particularly as follows:

Commence at the Northwest corner of Section 36, Township 3 South, Range 17 East, and thence run North 86 degrees 48 minutes 07 seconds East, along the North boundary of said Section 36 a distance of 1,675.73 feet to the Easterly right of way of Forest Service Road # 236 and the Point of Beginning; thence continue North 86 degrees 48 minutes 07 seconds East, still along the North boundary of said Section 36 a distance of 701.08 feet to the Northeast corner of the Northeast 1/4 of the Northwest 1/4 of said Section 36; thence North 86 degrees 50 minutes 08 seconds East, still along said North boundary of said Section 36 a distance of 1187.42 feet to the Northeast corner of the Northwest 1/4 of the Northeast 1/4 of said Section 36; thence South 1 degree 05 minutes 33 seconds West along the East line of the Northwest 1/4 of the Northeast 1/4 of said Section 36 a distance of 502.11 feet to the Northerly right of way of Seaboard Coastline Railroad; thence South 82 degrees 58 minutes 21 seconds West, along said Railroad right of way a distance of 1,847.50 feet to the Easterly right of way of Forest Service Road# 236; thence North 3 degrees 48 minutes 36 seconds West, along said Easterly right of way a distance of 624.90 feet to the Point of Beginning.

TOGETHER WITH:

Easement conveyed in Easement Deed recorded June 9, 2006 in Official Records Book 1086, Page 894, Public Records of Columbia County, Florida.

Inst:2006020361 Date:08/25/2006 Time:16:48
DC, P. DeWitt Cason, Columbia County B:1094 P:149


STATE OF FLORIDA, COUNTY OF COLUMBIA
I HEREBY CERTIFY, that the above and foregoing
is a true copy of the original filed in this office.
P. DEWITT CASON, CLERK OF COURTS

By

Rose Ann Aiello
Deputy Clerk

Date

August 25 2006



GENERAL MICHAEL

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 36-3S-17-07463-002

Building permit No. 000024909

Use Classification STORAGE BLDG

Fire: 11.04

Permit Holder HARLIE LYNCH

Waste: _____

Owner of Building MIKE SHAW/MAYO FERTILIZER

Total: 11.04

Location: 413 NE MCCLOSKEY AVE, LAKE CITY, FL

Date: 09/10/2007

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)



TEMPORARY

TEMPERARY OF COLUMBIA COUNTY

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 36-3S-17-07463-002

Building permit No. 24910

Use Classification OFFICE BUILDING

Fire: -0-

Permit Holder HARLIE LYNCH

Waste: -0-

Owner of Building MAYO FERTILIZER

Total: -0-

Location: 413 NE MCCLOSKEY AVENUE

****MUST PAY ONCE PERMANENT C.O. IS ISSUED**

Date: 12.20.2006



[Signature]
Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)

HARLIE LYNCH CONSTRUCTION CO.
P.O. BOX 187
MAYO, FL 32066

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
PB#54419

BUILDING LOADS / DESCRIPTION:

WIDTH: 60'-0" LENGTH: 80'-0" HEIGHT: 18'-0"
(BUILDING DIMENSIONS ARE NOMINAL. REFER TO PLANS).

THIS STRUCTURE IS DESIGNED UTILIZING THE LOADS INDICATED AND APPLIED AS REQUIRED BY : FBC 2004

THE CONTRACTOR IS TO CONFIRM THAT THESE LOADS COMPLY WITH THE REQUIREMENTS OF THE LOCAL BUILDING DEPARTMENT.

ROOF DEAD LOAD: 2.89 PSF
COLLATERAL LOAD: 0 PSF
ROOF LIVE LOAD: 20 PSF
ROOF SNOW LOAD: 0 PSF
BASIC WIND SPEED: 110 MPH
SEISMIC ZONE: -
IMPORTANCE FACTOR: 1.00
WIND LOAD: 1.00
SNOW LOAD: 1.0
SEISMIC LOAD: 1.00
EXPOSURE CLASS: C
OTHER LOADS:

ROOF PANELS:

BLDG. COLOR: 26 GA. PBR GALV

WALL PANELS:

COLOR: 26 GA. PBR COLOR T.B.D.

TRIM COLORS:

RAKE: T.B.D.

CORNER: T.B.D.

GUTTER & DOWNSPOUTS: T.B.D.

FRAMED OPENINGS: T.B.D.

FASCIA/PANELS:

COLOR: N/A

SPECIAL NOTES:

- <2> 3070 WALKDOORS W/KNOB LOCK
- <1> 16' X 12' ROLL UP DOOR WINDLOCK
- <2> 12' X 14' ROLL UP DOORS WINDLOCK
- 3' VR INSULATION IN ROOF & WALLS




Gregory S. Barfield
7-27-06

PURCHASER: Harlie Lynch Construction Co.
END USER: Mayo Fertilizer & Bagging
SITE: Lake City, FL


PROJECT: 60'-0" X 80'-0" X 18'-0" 1:12 PITCH
JOB NUMBER: 620
PAGE #1 OF 11
07-18-06

REVISIONS						
REV.	DESCRIPTION:	DATE	DLR	DATE	CHKR	APPD
#1	APPROVAL DWGS SUBMITTED	09-29	JAP		MSH	MSH




Frame Number 1
NOTE: POSITIVE REACTIONS ARE UP AND TO THE LEFT.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
26 D	1	-.94	1.74
26 D	8	.94	1.74
27 L	1	-3.91	7.20
27 L	8	3.91	7.20
28 V C1P L	1	7.29	-12.04
28 V C1P L	8	-2.39	-7.98
29 V C1P R	1	2.39	-7.98
29 V C1P R	8	-7.29	-12.04
30 V C1S L	1	6.04	-7.28
30 V C1S L	8	-1.14	-3.21
31 V C1S R	1	1.14	-3.21
31 V C1S R	8	-6.04	-7.28
32 V C2P L	1	2.57	-11.28
32 V C2P L	8	-2.99	-8.74
33 V C2P R	1	2.99	-8.74
33 V C2P R	8	-2.57	-11.28
34 V C2S L	1	1.32	-6.51
34 V C2S L	8	-1.74	-3.98
35 V C2S R	1	1.74	-3.98
35 V C2S R	8	-1.32	-6.51
36 E L	1	.07	-.04
36 E L	8	.07	.04
37 E R	1	-.07	.04
37 E R	8	-.07	-.04



FRONT ENDWALL
NOTE: POSITIVE VERTICAL REACTIONS ARE UP.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
1 D+L	2	.00	2.99
2 D+L+V	2	-2.11	-2.56
2 D+L+V	2	-1.39	-1.18
2 D+L+V	2	1.21	2.41
2 D+L+V	2	1.93	3.79
3 0.6D+V	2	-2.81	-6.31
3 0.6D+V	2	-1.86	-4.47
3 0.6D+V	2	1.62	.31
3 0.6D+V	2	2.57	2.16
1 D+L	3	.00	2.99
2 D+L+V	3	-2.11	-2.56
2 D+L+V	3	-1.39	-1.18
2 D+L+V	3	1.21	2.41
2 D+L+V	3	1.93	3.79
3 0.6D+V	3	-2.81	-6.31
3 0.6D+V	3	-1.86	-4.47
3 0.6D+V	3	1.62	.31
3 0.6D+V	3	2.57	2.16








BACK ENDWALL
NOTE: POSITIVE VERTICAL REACTIONS ARE UP.

DESCRIPTION	REACTION (KIPS)		
	SUPPORT	HORIZ	VERT
1 D+L	2	.00	2.99
2 D+L+V	2	-2.11	-2.56
2 D+L+V	2	-1.39	-1.18
2 D+L+V	2	1.21	2.41
2 D+L+V	2	1.93	3.79
3 0.6D+V	2	-2.81	-6.31
3 0.6D+V	2	-1.86	-4.47
3 0.6D+V	2	1.62	.31
3 0.6D+V	2	2.57	2.16
1 D+L	3	.00	2.99
2 D+L+V	3	-2.11	-2.56
2 D+L+V	3	-1.39	-1.18
2 D+L+V	3	1.21	2.41
2 D+L+V	3	1.93	3.79
3 0.6D+V	3	-2.81	-6.31
3 0.6D+V	3	-1.86	-4.47
3 0.6D+V	3	1.62	.31
3 0.6D+V	3	2.57	2.16

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

THIS DRAWING MEETS THE REQUIREMENTS OF THE ADEL, GA 31620		HARVEY LYNCH CONSTRUCTION CO. P.O. BOX 187 ADEL, GA 31620	
DATE 7/18/2006	BY 7/18/2006	DATE 7/18/2006	BY 7/18/2006
PROJECT Mayo Fertilizer & Baggging		PROJECT 60' x 80' x 18' 11.12	
SHEET 2 OF 11		SHEET 10 OF 22	
FRAME NUMBER 1		FRAME NUMBER 1	

Gregory S. Barfield
7-27-06



THIS BUILDING MEETS OR EXCEEDS CODE/CLASS: FOR A LOADING OF: LIVE (Person) DEAD WIND SNOW COLLATERAL				HARLIE LYNCH CONSTRUCTION CO. P.O. BOX 187 MAYO, FL 32066			
CUSTOMER: Mayo Fertilizer & Bagging PHONE: 620 SHEET: 3 OF 11				DESCRIPTION: 60' x 80' x 18' 11 12 WEIGHT: ABDT0101.dwg REVISION:			
UNITS: FEET & INCHES DATE: 7/18/2006 TIME: 10:32:23				PLOT NAME: SUPERVISOR:			

Gregory S. Barfield

7-27-06

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
PE #54419


Boyle & Boyle

7-27-06

QTY	DESCRIPTION	PROJECTION (IN)
12	AB 50x12	1.50
32	AB 62x12	1.50
24	AB 75x24	3.50

NOTE: ALL TAIL DIMENSIONS FOR OPENINGS ARE FROM STEEL LINE
NOTE: NOT TO SCALE

GREGORY S. BARFIELD, P.E.
2149 NEIL PURVIS ROAD
ADEL, GA 31620
P.E.#54419




THIS DRAWING IS THE PROPERTY OF HARRIS LYNCH CONSTRUCTION CO. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF HARRIS LYNCH CONSTRUCTION CO.			
PROJECT	DATE	SCALE	REVISIONS
Mayo Fertilizer & Bagging	7/18/2006	1/8" = 1'-0"	1
620	7/18/2006	1/8" = 1'-0"	2
4 DF 11	10-32-22	1/8" = 1'-0"	3

1.00/12

30' 0- 1/ 2
ERIL 5
08W10

30' 0- 1/ 2
ERIL 5
08W10

ENDWALL RAFTER
LENGTH
PART MARK
DESCRIPTION



PART MARK	LOCATION	LENGTH	DESCRIPTION	TOP OF COL.	BASE OF COL.	GIRT TO COL.
ECIL 5	1	16' 8- 1/ 8	8W15	DT12E	DT12F	DT48A
IC2 5	2	18' 3- 5/16	8W15	DT32E	DT28F	DT50A
IC3 5	3	18' 3- 5/16	8W15	DT32E	DT28F	DT50A
ECIR 5	4	16' 8- 1/ 8	8W15	DT12E	DT12F	DT48A

QTY	PART MARK	DESCRIP.	LENGTH	LAP TOWARDS LINE # A	LAP TOWARDS LINE # D
8	GT1	8Z2.5 2	18' 8		
12	GF1	8Z2.5 2	3' 6		
2	GF2	8Z2.5 2	11' 11- 1/ 2		
4	JB2	8C3.5 4	18' 7-13/16		
2	HD1	8C3.5 4	11' 11- 1/ 2		


FD = FRAMED OPENING
SVL = LEFT SIDEWALL
SVR = RIGHT SIDEWALL

1.00/12

30' 0- 1/ 2
ERIL 1
08W10

30' 0- 1/ 2
ERIL 1
08W10

ENDWALL RAFTER
LENGTH
PART MARK
DESCRIPTION




PART MARK	LOCATION	LENGTH	DESCRIPTION	TOP OF COL.	BASE OF COL.	GIRT TO COL.
ECIR 1	1	16' 8- 1/ 8	8W15	DT12E	DT12F	DT48A
IC2 1	2	18' 3- 5/16	8W15	DT32E	DT28F	DT50A
IC3 1	3	18' 3- 5/16	8W15	DT32E	DT28F	DT50A
ECIL 1	4	16' 8- 1/ 8	8W15	DT12E	DT12F	DT48A

THIS DRAWING IS THE PROPERTY OF THE ENGINEER FOR THE CLIENT'S USE ONLY NOT TO BE REPRODUCED OR COPIED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER			
FOR A LARGER COPY, CONTACT THE ENGINEER			
DATE	BY	DATE	BY
10.03.04	10.03.04	10.03.04	10.03.04
HARRIS LYNCH CONSTRUCTION CO. P.O. BOX 888 MILWAUKEE, WI 53208			
CUSTOMER Mayo Fertilizer & Baggins		REVISION 60' x 80' x 18' 11.12	
DESIGN 620		DATE 7/18/2006	
SHEET 7 OF 11		FRAME NUMBER 1	

GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419
7-27-06

SIDEWALL FRAMING PLAN



SECTION LAP AT SUPPORTS	
LAP INDICATOR	LAP LENGTH (FT & IN.)
1	1' 1-3/4
2	2' 1-3/4
3	3' 1-3/4


LONGITUDINAL BRACING DETAIL DESIGNATIONS
a = DT102A
b = DT102A

LONGITUDINAL BRACING DETAIL DESIGNATIONS
a = DT102A
b = DT102A

QTY	PART	DESCRIP	LENGTH	LAP TOWARDS LINE #. 1	LAP TOWARDS LINE #. 5
4	DB2	CA8 .25	24' 4-7/8	2 (1)	
6	GT2	8Z2.5 4	22' 1-1/2		1 (1)
4	GT3	8Z2.5 6	22' 3-1/2	1 (2)	
2	GT4	8Z2.5 4	22' 10		
2	GT5	8Z2.5 6	21' 8		
2	JB1	8C3.5 4	17' 3-3/4		
1	HD2	8C3.5 4	15' 11-1/2		

SIDEWALL AT A
GIRT CONNECTION DETAIL
FRAME LINE

DESCRIPTION
DT54A
DT54A
DT61AV
2 - 4



SECTION LAP INDICATORS


SIDEWALL AT B
GIRT CONNECTION DETAIL
FRAME LINE

DESCRIPTION
DT54A
DT54A
DT61AV
2 - 4


GREGORY S. BARFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

Gregory S. Barfield
7-27-06

THIS BUILDING MEETS OR EXCEEDS REQUIREMENTS FOR A LEADING CITY			
5.99 PER SQUARE FOOT	10.00 PER SQUARE FOOT	11.00 PER SQUARE FOOT	12.00 PER SQUARE FOOT
SUNSHINE LYNCH CONSTRUCTION CO. 1000 N. 10TH ST. ADEL, GA 31620			
DATE: 8 DE 11	FEET & INCHES: 7/18/2006	FR-3	Frame Number 1




ENDWALL AT 1



ENDWALL AT 5

NOTE:
PANEL FOR FRONT ENDWALL IS R C 26
PANEL FOR BACK ENDWALL IS R C 26



SCREWS ON 24" CENTERS

DETAIL 'A'

Gregory S. Barfield

7-27-06

GREGORY S. BARFIELD, P.E.
2149 NEIL PURVIS ROAD
ADEL, GA 31620
P E # 54419

THIS DRAWING MEETS OR EXCEEDS CONNECTIONS FOR A LUMBER OR TRIM PLANT				HARVEY LYNCH CONSTRUCTION CO. P.O. BOX 187 MARTIN, TN 38555			
DATE	12/01/2006	12/01/2006	12/01/2006	DATE	12/01/2006	12/01/2006	12/01/2006
BY	AS PER	AS PER	AS PER	BY	AS PER	AS PER	AS PER
10 OF 11	10 OF 11	10 OF 11	10 OF 11	10 OF 11	10 OF 11	10 OF 11	10 OF 11
Mayo Fertilizer & Bagging				Frame Number 1			
60' x 80' x 18'				1:12			
FEET & INCHES				TRIMPL01.DWG			
7/18/2006				REVISED			

30' 0

PANEL FASTENER SPACING AT EAVE STRUCTURE
DOWNLAYS, BASE & RIDGE

SCREWS ON 24" CENTERS

ROOF PANEL LAYOUT
PANEL FOR ROOF IS R GYM26
RIDGE CONDITION IS FL4950GM

GREGORY S. BARTFIELD, P.E.
2149 NELL PURVIS ROAD
ADEL, GA 31620
P E # 54419

[illegible]