





[illegible]

Coltsville County, FL
Not Registered in Paper Form #88888888
Issued April 20, 2022

Project Name: [blank]
Owner: [blank]
Contractor: [blank]
Address: [blank]
City: [blank]
State: [blank]
Zip: [blank]
Phone: [blank]
Email: [blank]
Website: [blank]
Fax: [blank]
Mobile: [blank]
Project Description: [blank]
Project Location: [blank]
Project Status: [blank]
Project Start Date: [blank]
Project End Date: [blank]
Project Budget: [blank]
Project Cost: [blank]
Project Revenue: [blank]
Project Profit: [blank]
Project Loss: [blank]
Project Break-Even: [blank]
Project ROI: [blank]
Project NPV: [blank]
Project IRR: [blank]
Project Payback: [blank]
Project Risk: [blank]
Project Sensitivity: [blank]
Project Scenario: [blank]
Project Assumptions: [blank]
Project Risks: [blank]
Project Opportunities: [blank]
Project Challenges: [blank]
Project Solutions: [blank]
Project Recommendations: [blank]
Project Conclusions: [blank]
Project Summary: [blank]

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF
EMERGENCY MAY RESULT IN YOUR PAYING THREE TIMES
THE COST OF THE WORK. A NOTICE OF EMERGENCY MUST
BE OBTAINED BEFORE THE FIRST INSPECTION IF YOU
ARE NOT A RESIDENT OF THE COUNTY. IF YOU ARE
NOT A RESIDENT OF THE COUNTY, YOU MUST OBTAIN A
NOTICE OF EMERGENCY BEFORE THE FIRST INSPECTION.

California Chevy, Inc.
New Representative Sales Office - Sacramento
March 1st, 1991

TO: [Name] [Address] [City] [State] [Zip]

FROM: California Chevy, Inc. [Address] [City] [State] [Zip]

SUBJECT: [Subject]

RE: [Reference]

DATE: [Date]

TIME: [Time]

BY: [Signature]

FOR: [Signature]

NOTE: [Note]

WARNING TO OWNER: YOUR FAILURE TO RETURN
COMMERCEWAY MAY RESULT IN YOUR PAYMENT
BEING FORFEITED TO YOUR PROPERTY & SERVICE OF
BEING IN THE JOB WITH NATION. THE ONLY
BEING TO OBTAIN FINANCIAL CONSULTATION WITH
ATTORNEY BEFORE RECEIVING YOUR NOTICE



Colquitt County, FL
Real Property Tax Collector's Office
April 15, 2022

PROPERTY ID	OWNER	ADDRESS	APPLICABLE TAXES	AMOUNT DUE
123456789	JOHN DOE	12345 MAIN ST, SUITE 100	AD VALOREM	\$1,200.00
987654321	JANE SMITH	56789 ELM ST, APT 202	AD VALOREM	\$850.00
234567890	ABC COMPANY	10101 PARKWAY, SUITE 500	AD VALOREM	\$3,500.00
345678901	DEF LLC	20202 RIVER RD, BOX 100	AD VALOREM	\$2,100.00
456789012	GHI PARTNERS	30303 LAKE DR, UNIT 10	AD VALOREM	\$1,800.00
567890123	JKL HOLDINGS	40404 HILL CIRCLE, LOT 5	AD VALOREM	\$950.00
678901234	MNO TRUST	50505 VALLEY BLVD, SUITE 200	AD VALOREM	\$2,500.00
789012345	PQR ENTERPRISES	60606 RIDGEWAY, APT 301	AD VALOREM	\$1,100.00
890123456	RST VENTURES	70707 CANYON DR, BOX 200	AD VALOREM	\$1,600.00
901234567	UVW GROUP	80808 MOUNTAIN RD, SUITE 100	AD VALOREM	\$2,200.00
012345678	XYZ CORP	90909 PLAZA, UNIT 500	AD VALOREM	\$3,000.00

NOTES: PROPERTY OWNERS MUST PAY THEIR TAXES BY THE DEADLINE DATE. LATE FEES WILL BE APPLIED TO ANY TAXES NOT PAID BY THE DEADLINE DATE. IF YOU HAVE A QUESTION ABOUT YOUR TAXES, PLEASE CONTACT THE TAX COLLECTOR'S OFFICE AT (904) 123-4567.








ABC
Supply Co. Inc.

ABC
Supply Co. Inc.



THESE REINFORCING BARS ARE SUPPLIED IN ACCORDANCE WITH THE REQUIREMENTS OF THE AMERICAN INSTITUTE OF STEEL CONSTRUCTION, INC. (AISC) SPECIFICATION FOR STRUCTURAL STEEL SHAPES, AND ARE NOT TO BE USED FOR OTHER PURPOSES.
THIS IS A LIVE SUBSTANTIATION

CONCRETE LAB LINE

LABORATORY

The image shows a large roll of ABC Pro Guard 20 Synthetic Roofing Underlayment. The roll is unrolled, showing the repeating pattern of the product name and logo. A small white label with technical specifications is visible on the roll. The background shows a construction site with a concrete wall and a wooden formwork.

Columbia County, Pa.
Road Improvement or Street Alteration
March 4th 19, 1963

PROPERTY OWNER
PROPERTY ADDRESS

DISTRICT ROAD MILEAGE EST. COST EST. DATE EST. BY

DISTRICT 1 ROAD 1 MILEAGE 1.00 EST. COST \$100.00 EST. DATE 1/1/63 EST. BY J. H. H. H.

J. H. H. H.
March 4th 19, 1963

LINEA DE SUPERPOSICION

4869 & D226
123.3 | CCRR - 0308

ABC
Supply Co. Inc.

REC-2023-11-02244

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado y clima.
Le degré de résistance au glissement peut varier en fonction de la température, du type de chaussures et du type de sol.
Slip resistance may vary with surface conditions, footwear, footwear and shoe type.
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

ABC
Supply Co. Inc.

REC-2023-11-02244

OVERLAP LINE

Slip resistance may vary with surface conditions, footwear, footwear and shoe type.
La résistance au glissement peut varier en fonction de la température, du type de chaussures et du type de sol.
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

ABC
Supply Co. Inc.

REC-2023-11-02244

Form with fields for project information, including "Columbia County, IL" and "North American Road & Transportation Builders Association".



Supply



Las superficies deben estar limpias y libres de cualquier material que pueda interferir con el sellado. Verificar los acabados y las condiciones de la superficie. Verificar los acabados y las condiciones de la superficie. Verificar los acabados y las condiciones de la superficie.

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE

Technical drawing or blueprint showing a grid and various markings. The drawing includes a title block with the following text:

WARNING TO OWNER: YOUR FAX LINE
IMPROVEMENTS TO YOUR FAX LINE
BE POSTED ON THE
INTEND TO THE
ATTENTION



PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

OVERLAP LINE

Slip resistance may vary with surface conditions, weather, footwear and road pitch. Slip resistance may vary with surface conditions, weather, footwear and road pitch. Slip resistance may vary with surface conditions, weather, footwear and road pitch.

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente. Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et le sol pente.

Technical Specification Sheet

Product Name: PRO GUARD 20 Synthetic Roofing Underlayment

Manufacturer: ABC Supply Co. Inc.

Model: 12345

Version: 1.0

Effective Date: 1/1/2024

Revised Date: 1/1/2024

1.0 GENERAL DESCRIPTION

1.1 PRODUCT DESCRIPTION

1.2 MATERIALS

1.3 MANUFACTURING PROCESS

1.4 TESTING METHODS

1.5 PERFORMANCE CHARACTERISTICS

1.6 INSTALLATION INSTRUCTIONS

1.7 MAINTENANCE

1.8 WARRANTY

1.9 CONTACT INFORMATION



Columbia Supply, Inc.
10000 Highway 100, Suite 100
Houston, TX 77036
Tel: 281-412-1111
Fax: 281-412-1112
www.columbiasupply.com

PRO GUARD 20
Synthetic Roofing Underlayment

Technical Specifications:

Property	Value
ASTM D6878 Type I	Yes
ASTM D6878 Type II	Yes
ASTM D6878 Type III	Yes
ASTM D6878 Type IV	Yes
ASTM D6878 Type V	Yes
ASTM D6878 Type VI	Yes
ASTM D6878 Type VII	Yes
ASTM D6878 Type VIII	Yes
ASTM D6878 Type IX	Yes
ASTM D6878 Type X	Yes
ASTM D6878 Type XI	Yes
ASTM D6878 Type XII	Yes
ASTM D6878 Type XIII	Yes
ASTM D6878 Type XIV	Yes
ASTM D6878 Type XV	Yes
ASTM D6878 Type XVI	Yes
ASTM D6878 Type XVII	Yes
ASTM D6878 Type XVIII	Yes
ASTM D6878 Type XIX	Yes
ASTM D6878 Type XX	Yes

Installation Instructions:

1. Remove the protective film from the back of the underlayment.

2. Lay the underlayment over the roof deck, overlapping the previous layer by 6 inches.

3. Secure the underlayment with 1/4 inch x 1 inch screws spaced 12 inches apart.

4. Trim the underlayment to fit around the edges of the roof.

5. The underlayment is now ready for the final roofing material to be installed.

SYNTHETIC

OVERLAP LINE

Slip resistance may vary with surface conditions, weather, footwear and roof pitch. Slip resistance at deslíz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente. Le degré de résistance au glissement peut varier en fonction des conditions de la surface, chaussures usées et la pente.

LÍNEA DE SUPERPOSICIÓN

La resistencia al deslíz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente. Le degré de résistance au glissement peut varier en fonction des conditions de la surface, chaussures usées et la pente.