



Columbia County, FL. Building & Zoning Culvert Permit #000039071



OWNER: ADAM CHAPITAL & SHAWN THOMAS

PHONE: 386-965-6175

DATE ISSUED: December 20, 2019

PARCEL ID: 03-4S-16-02732-560

ADDRESS:

327 SW WHITETAIL CIR
LAKE CITY, FL 32024

ACRES: 0.33

SUBDIVISION: DEER CREEK PHASE 3

LOT: 60

BLK:

PHASE: 3

UNIT:

ZONING: RESIDENTIAL - MODERATE
RSF/MH-3

FLOOD ZONE: X

Latitude: 30.174316

Longitude: -82.701625

CONTRACTOR

NAME: BRENT M STRICKLAND

ADDRESS:
1294 NW HAMP FARMER RD
LAKE CITY, FL 32055

PHONE: 386-365-7043

BUSINESS:

LICENSE: IH1104218 -

PROJECT DETAILS

MUST STRING FRONT SETBACK LINE FOR INSPECTION, MINIMUM FLOOR ELEVATION - 1 FOOT ABOVE THE ROAD

BUILDING PERMIT #:

000039070

STANDARDS:

Shall conform to Public Works Determinations as stated below

REQUIREMENTS:

Install min, 32' x 18" corr metal culvert w / concrete mitred ends, w / 6" x 6" welded wire, rebar or culvert bolts in mitred ends, concrete mitred ends W -3ft x L -4ft, with 4" of limerock on top cover.

STATUS:

Approved

Notice: in addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county. The issuance of this permit does not waive compliance by permittee with deed restrictions.

Notice: all other applicable state or federal permits shall be obtained before commencement of this permitted development.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous inspection.

2/26/2020 12:00 PM