

SCOPE OF WORK

PERMIT #: _____

JOB SITE ADDRESS [REDACTED] _____

BUILDING (INTERIOR)

☐ No structural work being done.

1. Remove and replace 14 windows sz/sz
- 2.
- 3.

BUILDING (EXTERIOR)

☒ No structural work being done.

- 1.
- 2.
- 3.

MECHANICAL

☒ No mechanical work being done.

- 1.
- 2.
- 3.

ELECTRICAL

☒ No electrical work being done.

- 1.
- 2.
- 3.

PLUMBING

☒ No plumbing work being done.

- 1.
- 2.
- 3.

GAS

☒ No gas work being done.

- 1.
- 2.
- 3.

ROOF

☒ No roof work being done.


- 1.
- 2.
- 3.

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG	Regency	Double Hung	31787.1 / 28486.1
B. HORIZONTAL SLIDER	Regency	Triple Slider and Double Slider	31786.1 / 31786.2
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES			
B. NON-STRUCTURAL METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCTURAL COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
6. NEW EXTERIOR			
ENVELOPE PRODUCTS			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.



Contractor OR Agent Signature

9/10/21

Date

NOTES: _____


KEITH Kennedy

J-232403

mobile Home

Need JChannel

- 1 MBED DH $30\frac{3}{8} \times 53\frac{3}{4}$
- 2 MBED DH $30\frac{1}{2} \times 53\frac{5}{8}$
- 3 LVRM 34ITE $95\frac{5}{8} \times 53\frac{1}{2}$ $1\frac{1}{4}$ $1\frac{1}{2}$ $1\frac{1}{4}$
- 4 OFFICE DH $46\frac{3}{8} \times 53\frac{3}{4}$
- 5 G BED DH $46\frac{1}{2} \times 53\frac{5}{8}$
- 6 Fam Rm DH $30\frac{3}{8} \times 53\frac{1}{2}$
- 7 Fam Rm DH $30\frac{3}{8} \times 53\frac{1}{2}$
- 8 Fam Rm DH $30\frac{1}{2} \times 53\frac{1}{2}$
- 9 Fam Rm DH $30\frac{1}{2} \times 53\frac{1}{2}$
- 10 Fam Rm DH $30\frac{1}{2} \times 53\frac{1}{2}$
- 11 Fam Rm DH $30\frac{3}{8} \times 53\frac{1}{2}$
- 12 3rd BED DH $46\frac{1}{2} \times 53\frac{3}{4}$
- 13 KITCHEN 2 LITE $62\frac{1}{2} \times 30\frac{3}{8}$
- 14 MBATH DH $40\frac{3}{8} \times 53\frac{5}{8}$ Tempored





WEST SHORE

HOME

WINDOW MEASURE SHEET

Customer: Keith Kennedy

Tech: Bob

Address: J-232403

Location	Quantity	Style	Width x Height	Misc.
m Bed	1	DH	30 ¹ / ₈ x 53 ¹ / ₂	
m Bed	1	DH	30 ¹ / ₄ x 53 ³ / ₈	
			X	
LIV Rm	1	3 LITE	95 ³ / ₈ x 53 ¹ / ₄	1/4 1/2 1/4
OFFICE	1	DH	46 ¹ / ₈ x 53 ¹ / ₂	
G Bed	1	DH	46 ¹ / ₄ x 53 ³ / ₈	
			X	
Fam Rm	2	DH	30 ¹ / ₈ x 53 ¹ / ₄	
Fam Rm	3	DH	30 ¹ / ₄ x 53 ¹ / ₄	
Fam Rm	1	DH	30 ¹ / ₈ x 53 ¹ / ₄	
			X	
3rd BED	1	DH	46 ¹ / ₄ x 53 ¹ / ₂	
			X	
KITCHEN	1	2 LITE	62 ¹ / ₄ x 30 ¹ / ₈	
			X	
M BATH	1	DH	40 ¹ / ₈ x 53 ³ / ₈	tempered glass
			X	
			X	
			X	
			X	

➤ Type of tear out: VINYL Frame

➤ Any mullions being removed: ☐ Yes ☒ No

➤ Will shutters/blinds fit again: ☒ Yes ☐ No

➤ Bays/Bows:

○ Roof or soffit tie in

○ Supports or brick underneath? Condition? _____

○ Need jamb depth & projection (degree _____)

▪ If in brick extend jamb to brick

○ Exterior Opening Size: _____

➤ Shoemold: _____

➤ Changes Made: ☐ Yes ☐ No

Notes: