



WEST SHORE

HOME

WINDOW MEASURE SHEET

OF INSTALLERS NEEDED: 10CUSTOMER: SOLERTECH: JESSEDAYS TO COMPLETE: 3ADDRESS: J-527769

	LOCATION	QUANTITY	STYLE	WIDTH X HEIGHT	WISC.
#1	ABOVE DOOR	1	CT	68 3/8 X 34 3/16	NEED INTERIOR + EXTERIOR SNAP TRIM
2,3	FRONT OFFICE	2	DH	68 5/8 X 60	MULL TO FIT 33 1/16 + 1 1/4 + 33 1/16 = 68 5/8
4	FRONT OFFICE 1	1	PW	68 5/8 X 31 3/8	TEMP
5	FRONT OFFICE 1	1	CT	68 5/8 X 34 5/16	INTERIOR + EXTERIOR SNAP TRIM
6,7	GARAGE	2	DH	69 5/8 X 58	MULL TO FIT 34 3/16 + 1 1/4 + 34 3/16 = 69 5/8
8	GARAGE	1	CT	69 5/8 X 34 13/16	INT. + EXT. SNAP TRIM
9	BEDROOM	1	DH	46 1/4 X 71	
10	GUEST BATH	1	2LS	46 X 23	OK
11	BEDROOM	1	DH	46 X 70 1/2	
12	FAMILY ROOM	1	DH	46 X 58 3/4	
13	FAMILY ROOM	1	PW	46 X 58 1/4	
14,15,16	FAMILY ROOM	1	DH	33 1/2 X 58 1/2	
17,18	KITCHENETTE	2	DH	57 X 70 1/2	MULL TO FIT 27 7/8 + 1 1/4 + 27 7/8 = 57
19	KITCHENETTE	1	PW	33 5/8 X 70 3/4	
20,21	KITCHENETTE	2	DH	57 1/4 X 70 3/4	MULL TO FIT 28 + 1 1/4 + 28 = 57 1/4

Type of tear out _____

Any mullions being removed ☐ Yes ☐ NoWill shutter/blinds fit again ☐ Yes ☐ No

Bays/Bows

Roof or soffit tie in

Supports or brick underneath? Condition? _____

Need jamb depth & projection (degree) _____

If in brick extend jamb to brick

Exterior opening size _____

Sill/mold _____

Changes Made ☐ Yes ☐ No

NOTES:

- NEED 4' WIDE 2 SECTIONS OF SCAFFOLDING X 2

- BRING A GRINDER FOR CUTTING STUCCO



WEST SHORE

HOME

WINDOW MEASURE SHEET

OF INSTALLERS NEEDED: _____

CUSTOMER: _____

TECH: _____

DAYS TO COMPLETE: _____

ADDRESS: _____

	LOCATION	QUANTITY	STYLE	WIDTH X HEIGHT	MISC.
22	HALL BATH	1	DH	28 X 34 3/4	TEMP
23, 24	MASTER BED	2	DH	21 5/8 X 70 3/4	
25, 26	MASTER BED	2	DH	33 5/8 X 46 3/4	
27	MASTER BATH	1	AWNING	57 5/8 X 21 3/4	TEMP
28	MASTER BATH	1	PW	45 5/8 X 34 3/4	TEMP, OBSCURE
29	MASTER BATH	1	CT	45 5/8 X 22 13/16	TEMP, OBSCURE INT/EXT. SNAP TRIM
30	WATER CLOSET	1	DH	21 3/4 X 46 1/4	
31, 32	FRONT OFFICE	2	DH	68 5/8 X 60	MULL TO FIT 33 1/16 X 1 1/4 + 33 1/16 = 68 5/8
33	FRONT OFFICE	1	PW	68 5/8 X 31 3/8	
34	FRONT OFFICE	1	CT	68 5/8 X 34 5/16	INT. / EXT. SNAP TRIM
				X	
				X	
				X	
				X	
				X	

- Type of tear out _____

- Any mullions being removed ☐ Yes ☐ No- Will shutter/blinds fit again ☐ Yes ☐ No

- Bayes/Bows

- Roof or soffit tie in

- Supports or brick underneath? Condition? _____

- Need jamb depth & projection (degree _____)


- If in brick extend jamb to brick

- Exterior opening size _____

- Sill/mold _____

- Changes Made ☐ Yes ☐ No

NOTES:



BACK

FRONT