




26492



Project Information for: L260956

Builder: GIEBEIG HOMES
 Lot : 10
 Subdivision: MAY-FAIR
 County: COLUMBIA
 Truss Count: 32
 Design Program: MiTek 20/20 6.3
 Building Code: FBC2004/TPI2002

Truss Design Load Information:

Gravity: **Wind:**

Roof (psf): 42.0 Wind Standard: ASCE 7-02 Wind Exposure: B
 Floor (psf): N/A Wind Speed (mph): 110

Note: See the individual truss drawings for special loading conditions.

Contractor of Record, responsible for structural engineering:

Brian T. Giebeig Florida Registered Residential Contractor License No. RR282811523

Address: Trent Giebeig Construction, Inc. 462 Southwest Fairlington Court Lake City, Florida 32025

Truss Design Engineer: Julius Lee, PE Florida P.E. License No. 34869

Address: 1109 Coastal Bay Blvd. Boynton Beach, FL 33435

Notes:

1. Determination as to the suitability of these truss components for the structure is the responsibility of the building designer/engineer of record, as defined in ANSI/TPI 1-2002 Section 2.2
2. The seal date shown on the individual truss component drawings must match the seal date on this index sheet.
3. The Truss Design Engineer's responsibility relative to this structure consists solely of the design of the individual truss components and does not include the design of any additional structural elements including but not limited to continuous lateral bracing elements in the web and chord planes. See Florida Administrative Code 61G15-31.003 sections 3 c) & 5 and Chapter 2 of the National Design Standard for Metal Plate Connected Wood Truss Construction ANSI/TPI 1-2002 for additional information on the responsibilities of the delegated "Truss Design Engineer". Builders FirstSource and Julius Lee, PE do not accept any additional delegations beyond the scope of work described in the referenced documents above.

No.	Drwg. #	Truss ID	Date	No.	Drwg. #	Truss ID	Date
1	J1910577	CJ1	11/16/07	29	J1910605	T18	11/16/07
2	J1910578	CJ3	11/16/07	30	J1910606	T19	11/16/07
3	J1910579	CJ3A	11/16/07	31	J1910607	T20	11/16/07
4	J1910580	CJ5	11/16/07	32	J1910608	T21	11/16/07
5	J1910581	CJ5A	11/16/07				
6	J1910582	EJ3	11/16/07				
7	J1910583	EJ7	11/16/07				
8	J1910584	EJ7A	11/16/07				
9	J1910585	HJ4	11/16/07				
10	J1910586	HJ9	11/16/07				
11	J1910587	HJ9A	11/16/07				
12	J1910588	T01	11/16/07				
13	J1910589	T02	11/16/07				
14	J1910590	T03	11/16/07				
15	J1910591	T04	11/16/07				
16	J1910592	T05	11/16/07				
17	J1910593	T06	11/16/07				
18	J1910594	T07	11/16/07				
19	J1910595	T08	11/16/07				
20	J1910596	T09	11/16/07				
21	J1910597	T10	11/16/07				
22	J1910598	T11	11/16/07				
23	J1910599	T12	11/16/07				
24	J1910600	T13	11/16/07				
25	J1910601	T14	11/16/07				
26	J1910602	T15	11/16/07				
27	J1910603	T16	11/16/07				
28	J1910604	T17	11/16/07				

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:55 2007 Page 1



Builders
FirstSource

Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ1	ROOF TRUSS	18	1	J1910577
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:55 2007 Page 2

LOAD CASE(S) Standard

Julian Lee
Truss Design Engineer
Florida PE No. 041800
1400 Coastal Bay Blvd
Dayton Beach, FL 32008

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ3	ROOF TRUSS	10	1	J1910578
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:56 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	-0.00	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.06	Vert(TL)	-0.01	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 13 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 3=31/Mechanical, 2=250/0-3-8, 4=14/Mechanical

Max Horz 2=132(load case 6)
Max Uplift 3=-28(load case 7), 2=-203(load case 6)
Max Grav 3=31(load case 1), 2=250(load case 1), 4=42(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-57/7
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.13

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 28 lb uplift at joint 3 and 203 lb uplift at joint 2.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida PE No. 31808
1100 Coastal Bay Blvd
Dayton Beach, FL 32117

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ3	ROOF TRUSS	10	1	J1910578
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:56 2007 Page 2

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PE No. 31889
1105 Coastal Hwy Blvd
Boynton Beach, FL 33426

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ3A	ROOF TRUSS	4	1	J1910579
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:56 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.01	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.08	Vert(TL)	-0.01	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 13 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 3=31/Mechanical, 2=250/0-3-8, 4=14/Mechanical

Max Horz 2=132(load case 6)

Max Uplift 3=-28(load case 7), 2=-238(load case 6), 4=-27(load case 4)

Max Grav 3=31(load case 1), 2=250(load case 1), 4=42(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-57/7

BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.13

NOTES

1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.

2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.

3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi

4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 28 lb uplift at joint 3, 238 lb uplift at joint 2 and 27 lb uplift at joint 4.

Continued on page 2

Julius Lee
Truss Design Engineer
Printed on 11/16/2007
1100 Coastal Bay Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ3A	ROOF TRUSS	4	1	J1910579
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:56 2007 Page 2

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PE No. 0-15558
1100 Coastal Bay Blvd
Weymouth Beach, FL 33408

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 8300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ5	ROOF TRUSS	10	1	J1910580
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:57 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	-0.03	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.16	Vert(TL)	-0.05	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
										Weight: 19 lb

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 5-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 3=103/Mechanical, 2=295/0-3-8, 4=24/Mechanical
Max Horz 2=178(load case 6)
Max Uplift 3=-87(load case 6), 2=-199(load case 6)
Max Grav 3=103(load case 1), 2=295(load case 1), 4=72(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-88/36
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.14

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 87 lb uplift at joint 3 and 199 lb uplift at joint 2.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida Professional Engineer
1100 Coastal Bay Blvd
Boynton Beach, FL 33438

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	CJ5	ROOF TRUSS	10	1	J1910580
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:57 2007 Page 2

LOAD CASE(S) Standard

Julian Lee
Truss Design Engineer
Phone 813 744 3100
4155 Coastal Way Blvd
Gwynn Beach, FL 32438

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	ROBINSON - BROWN ADDITION
L260956	CJ5A	ROOF TRUSS	4	1	J1910581
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Apr 19 2006 MiTek Industries, Inc. Fri Nov 16 11:08:57 2007 Page 1



Scale = 1:16.5

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.09	2-4	>663	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.24	Vert(TL)	-0.05	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 19 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 5-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 3=103/Mechanical, 2=295/0-3-8, 4=24/Mechanical
Max Horz 2=178(load case 6)
Max Uplift 3=-87(load case 6), 2=-260(load case 6), 4=-46(load case 4)
Max Grav 3=103(load case 1), 2=295(load case 1), 4=72(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-88/36
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.15

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 87 lb uplift at joint 3, 260 lb uplift at joint 2 and 46 lb uplift at joint 4.

Julius Lee
Truss Design Engineer
Florida PE No. 31200
1100 Coastal Hwy Blvd
Waynton Beach, FL 33426

LOAD CASE(S) Standard

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	EJ3	ROOF TRUSS	3	1	J1910582
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:58 2007 Page 1



Scale = 1:12.5

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.01	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.08	Vert(TL)	-0.01	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 13 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or
3-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc
bracing.

REACTIONS (lb/size) 3=31/Mechanical, 2=250/0-3-8, 4=14/Mechanical

Max Horz 2=132(load case 6)
Max Uplift 3=-28(load case 7), 2=-238(load case 6), 4=-27(load case 4)
Max Grav 3=31(load case 1), 2=250(load case 1), 4=42(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-57/7
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.13

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 28 lb uplift at joint 3, 238 lb uplift at joint 2 and 27 lb uplift at joint 4.

Continued on page 2

John A. Lee
Truss Design Engineer
Florida PE No. 2-10000
1150 Coastal Bay Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	EJ3	ROOF TRUSS	3	1	J1910582
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:58 2007 Page 2

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Phone: 904.750.3122
1150 Coastal Bay Blvd
Boynton Beach, FL 33426

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719.



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	EJ7	ROOF TRUSS	25	1	J1910583
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:59 2007 Page 1




Plate Offsets (X,Y): [2:0-1-12,Edge]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.48	Vert(LL)	-0.08	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.28	Vert(TL)	-0.16	2-4	>501	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 26 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 6'-0" oc purlins.
BOT CHORD Rigid ceiling directly applied or 10'-0" oc bracing.

REACTIONS (lb/size) 3=154/Mechanical, 2=352/0-3-8, 4=45/Mechanical

Max Horz 2=161(load case 6)
Max Uplift 3=-84(load case 6), 2=-139(load case 6)
Max Grav 3=154(load case 1), 2=352(load case 1), 4=94(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-119/54
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.77

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 84 lb uplift at joint 3 and 139 lb uplift at joint 2.

Julian Lee
Truss Design Engineer
Windcode PWS No. 2-1999
1100 Coastal Bay Blvd
Boynton Beach, FL 33435

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	EJ7	ROOF TRUSS	25	1	J1910583
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:48:59 2007 Page 2

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida Feb 15 2006
1100 Coastal Bay Blvd
Weymouth Beach, FL 33458

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	ROBINSON - BROWN ADDITION
L260956	EJ7A	ROOF TRUSS	2	1	J1910584
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Apr 19 2006 MiTek Industries, Inc. Fri Nov 16 11:09:35 2007 Page 1



Scale = 1/20 8

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.50	Vert(LL)	0.33	2-4	>250	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.45	Vert(TL)	-0.16	2-4	>501	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 26 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 6'-0"-0" oc purlins.
BOT CHORD Rigid ceiling directly applied or 10'-0"-0" oc bracing.

REACTIONS (lb/size) 3=154/Mechanical, 2=352/0-3-8, 4=45/Mechanical

Max Horz 2=161(load case 6)
Max Uplift 3=-94(load case 6), 2=-224(load case 6), 4=-65(load case 5)
Max Grav 3=154(load case 1), 2=352(load case 1), 4=94(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-131/54
BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.58

NOTES

1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.

Julius L. Lee
Truss Design Engineer
Florida P.E. No. 31880
1105 Coastal Pkwy. Altamonte
Springs, FL 32714

November 16, 2007

Continued on page 2

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Ondrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	ROBINSON - BROWN ADDITION
L260956	EJ7A	ROOF TRUSS	2	1	J1910584
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Apr 19 2006 MiTek Industries, Inc. Fri Nov 16 11:09:35 2007 Page 2

NOTES

- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 94 lb uplift at joint 3, 224 lb uplift at joint 2 and 65 lb uplift at joint 4.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PB No. 21804
1100 Coastal Hwy Blvd
Boynton Beach, FL 33426

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ4	ROOF TRUSS	2	1	J1910585
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:00 2007 Page 1



LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.53	Vert(LL)	0.02	2-4	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.10	Vert(TL)	-0.02	2-4	>999	240		
BCLL 10.0	* Rep Stress Incr	NO	WB 0.00	Horz(TL)	-0.00	3	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 18 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-2-15 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 3=15/Mechanical, 2=275/0-4-15, 4=14/Mechanical

Max Horz 2=98(load case 3)

Max Uplift 3=-6(load case 6), 2=-302(load case 3), 4=-41(load case 3)

Max Grav 3=32(load case 7), 2=275(load case 1), 4=54(load case 2)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/50, 2-3=-37/10

BOT CHORD 2-4=0/0

JOINT STRESS INDEX

2 = 0.11

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 6 lb uplift at joint 3, 302 lb uplift at joint 2 and 41 lb uplift at joint 4.

John Lee
Truss Design Engineer
Phone 888 No 3188
1100 Coastal Bay Blvd
Gwynn Beach, FL 32055

Continued on page 2

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ4	ROOF TRUSS	2	1	J1910585
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:00 2007 Page 2

NOTES

5) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-2=-54

Trapezoidal Loads (plf)

Vert: 2=-3(F=26, B=26)-to-3=-57(F=-2, B=-2), 2=-0(F=5, B=5)-to-4=-11(F=-0, B=-0)

Julius Lee
Truss Design Engineer
Florida Professional Engineer
1100 Coastal Bay Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ9	ROOF TRUSS	5	1	J1910586
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:00 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.60	Vert(LL)	-0.04	6-7	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.40	Vert(TL)	-0.11	6-7	>999	240		
BCLL 10.0	* Rep Stress Incr	NO	WB 0.36	Horz(TL)	0.01	5	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
										Weight: 45 lb

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 4=267/Mechanical, 2=453/0-4-15, 5=220/Mechanical
Max Horz 2=269(load case 3)
Max Uplift 4=-231(load case 3), 2=-278(load case 3), 5=-63(load case 3)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/50, 2-3=-650/121, 3-4=-105/65
BOT CHORD 2-7=-309/603, 6-7=-309/603, 5-6=0/0
WEBS 3-7=0/186, 3-6=-627/322

JOINT STRESS INDEX

2 = 0.76, 3 = 0.16, 6 = 0.17 and 7 = 0.13

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone; Lumber DOL=1.60 plate grip DOL=1.60.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 231 lb uplift at joint 4, 278 lb uplift at joint 2 and 63 lb uplift at joint 5.
- 5) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

Continued on page 2

Julius Law
Truss Design Engineer
Phone 813 716 3180
1175 Coastal May Blvd
Stoventon Beach, FL 33480

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ9	ROOF TRUSS	5	1	J1910586
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:00 2007 Page 2

LOAD CASE(S) Standard

1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-2=-54

Trapezoidal Loads (plf)

Vert: 2=-3(F=26, B=26)-to-4=-134(F=-40, B=-40), 2=-0(F=5, B=5)-to-5=-25(F=-7, B=-7)

Julius Lee
Truss Design Engineer
Florida P.E. No. 24888
1100 Coastal Bay Blvd
Beynton Beach, FL 33435

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ9A	ROOF TRUSS	2	1	J1910587
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:01 2007 Page 1



LOADING (psf)	SPACING	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	TC 0.60	Vert(LL)	0.09	6-7	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25	BC 0.40	Vert(TL)	-0.11	6-7	>999	240		
BCLL 10.0	* Rep Stress Incr NO	WB 0.36	Horz(TL)	0.01	5	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002	(Matrix)							
									Weight: 45 lb

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-11-7 oc bracing.

REACTIONS (lb/size) 4=267/Mechanical, 2=453/0-4-15, 5=220/Mechanical
Max Horz 2=269(load case 3)
Max Uplift 4=-233(load case 3), 2=-399(load case 3), 5=-183(load case 3)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/50, 2-3=-650/365, 3-4=-105/65
BOT CHORD 2-7=-538/603, 6-7=-538/603, 5-6=0/0
WEBS 3-7=-89/186, 3-6=-627/559

JOINT STRESS INDEX

2 = 0.76, 3 = 0.22, 6 = 0.17 and 7 = 0.13

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS gable end zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60.
- 2) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 3) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 4) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 233 lb uplift at joint 4, 399 lb uplift at joint 2 and 183 lb uplift at joint 5.

Julian Lee
Truss Design Engineer
P.O. Box 100
1000 Central Expressway
Weymouth, MA 01988

Continued on page 2

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oroff Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	HJ9A	ROOF TRUSS	2	1	J1910587
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:01 2007 Page 2

NOTES

5) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-2=-54

Trapezoidal Loads (plf)

Vert: 2=-3(F=26, B=26)-to-4=-134(F=-40, B=-40), 2=0(F=5, B=5)-to-5=-25(F=-7, B=-7)

Julius L. Lee
Truss Design Engineer
Printed: Feb 15 2006
1155 Central Bay Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T01	ROOF TRUSS	1	1	J1910588
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:02 2007 Page 1




Plate Offsets (X,Y): [2:0-8-0,0-0-6], [4:0-4-3,Edge], [5:0-8-0,0-0-6]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.53	Vert(LL)	-0.09	7-9	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.48	Vert(TL)	-0.19	7-9	>999	240		
BCLL 10.0	* Rep Stress Incr	NO	WB 0.18	Horz(TL)	0.07	5	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 88 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-8-5 oc purlins.
BOT CHORD Rigid ceiling directly applied or 8-0-10 oc bracing.

REACTIONS (lb/size) 2=1381/0-3-8, 5=1381/0-3-8
Max Horz 2=77(load case 5)
Max Uplift 2=-474(load case 5), 5=-474(load case 6)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-2416/730, 3-4=-2101/687, 4-5=-2415/730, 5-6=0/47
BOT CHORD 2-9=-619/2080, 8-9=-590/2100, 7-8=-590/2100, 5-7=-586/2079
WEBS 3-9=-125/568, 4-9=-124/126, 4-7=-108/516

JOINT STRESS INDEX

2 = 0.74, 3 = 0.82, 4 = 0.85, 5 = 0.74, 7 = 0.37, 8 = 0.77 and 9 = 0.36

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS; Lumber DOL=1.60 plate grip DOL=1.60.
- Provide adequate drainage to prevent water ponding.
- *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi

John Lee
Truss Design Engineer
Florida P.E. No. 21888
1300 Coastal Bay Blvd
Boynton Beach, FL 33498

November 16, 2007

Continued on page 2

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T01	ROOF TRUSS	1	1	J1910588
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:02 2007 Page 2

NOTES

- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 474 lb uplift at joint 2 and 474 lb uplift at joint 5.
- 7) Girder carries hip end with 7'-0" end setback.
- 8) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-3=-54, 3-4=-118(F=-64), 4-6=-54, 2-9=-10, 7-9=-22(F=-12), 5-7=-10

Concentrated Loads (lb)

Vert: 9=-411(F) 7=-411(F)

Justin Lee
Truss Design Engineer
1100 S. 1st St. #200
Boynton Beach, FL 33438

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oro Drive, Madison, WI 53719.



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T02	ROOF TRUSS	1	1	J1910589
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:02 2007 Page 1




Plate Offsets (X,Y): [2:0-1-5,0-0-7], [7:0-1-5,0-0-7]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	2-0-0	TC 0.29	Vert(LL)	-0.13	2-11	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25		BC 0.42	Vert(TL)	-0.25	2-11	>965	240		
BCLL 10.0	* Rep Stress Incr YES		WB 0.12	Horz(TL)	0.03	7	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 104 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 10-0-0 oc bracing.

REACTIONS (lb/size) 2=747/0-3-8, 7=747/0-3-8

Max Horz 2=-89(load case 7)

Max Uplift 2=-229(load case 6), 7=-229(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1067/567, 3-4=-805/447, 4-5=-675/453, 5-6=-806/448, 6-7=-1067/567, 7-8=0/47

BOT CHORD 2-11=-346/898, 10-11=-143/674, 9-10=-143/674, 7-9=-346/898

WEBS 3-11=-258/229, 4-11=-61/210, 5-9=-61/209, 6-9=-257/228, 4-9=-104/109

JOINT STRESS INDEX

2 = 0.85, 3 = 0.33, 4 = 0.45, 5 = 0.37, 6 = 0.33, 7 = 0.85, 9 = 0.64, 10 = 0.59 and 11 = 0.34

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida PE No. 71889
1155 Coastal Bay Blvd
Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719.



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T02	ROOF TRUSS	1	1	J1910589
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:02 2007 Page 2

NOTES

- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 229 lb uplift at joint 2 and 229 lb uplift at joint 7.

LOAD CASE(S) Standard

Julian Lee
Truss Design Engineer
Florida P.E. No. 31888
1100 Coastal Bay Blvd
Weymouth Beach, FL 33435

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T03	ROOF TRUSS	5	1	J1910590
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:03 2007 Page 1



LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	2-0-0	TC 0.36	Vert(LL)	0.24	8-10	>989	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.66	Vert(TL)	-0.37	8-10	>640	240		
BCLL 10.0	* Rep Stress Incr	NO	WB 0.18	Horz(TL)	0.04	6	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 97 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-9-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-9-10 oc bracing.

REACTIONS (lb/size) 2=960/0-3-8, 6=960/0-3-8
Max Horz 2=-95(load case 7)
Max Uplift 2=-292(load case 6), 6=-292(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1609/870, 3-4=-1438/813, 4-5=-1438/813, 5-6=-1609/870, 6-7=0/47
BOT CHORD 2-10=-621/1374, 9-10=-316/925, 8-9=-316/925, 6-8=-621/1374
WEBS 3-10=-216/200, 4-10=-263/547, 4-8=-263/547, 5-8=-216/200

JOINT STRESS INDEX

2 = 0.69, 3 = 0.33, 4 = 0.82, 5 = 0.33, 6 = 0.69, 8 = 0.40, 9 = 0.53 and 10 = 0.40

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 292 lb uplift at joint 2 and 292 lb uplift at joint 6.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida P.E. No. 31858
1100 Coastal Bay Blvd
Daytona Beach, FL 32118

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T03	ROOF TRUSS	5	1	J1910590
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:03 2007 Page 2

NOTES

6) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-4=-54, 4-7=-54, 2-10=-10, 8-10=-70(F=-60), 6-8=-10

Julius Lee
Truss Design Engineer
Florida PE #12 0-1888
1100 Coastal Bay Blvd
Gwynn Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T04	ROOF TRUSS	1	1	J1910591
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:04 2007 Page 1





Plate Offsets (X,Y): [2:0-3-13,Edge], [7:0-3-13,Edge], [9:0-3-8,0-1-8], [10:0-4-0,0-3-0], [11:0-3-8,0-1-8]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	2-0-0	TC 0.61	Vert(LL)	-0.31	10	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25		BC 0.99	Vert(TL)	-0.63	10-11	>565	240		
BCLL 10.0	* Rep Stress Incr NO		WB 0.97	Horz(TL)	0.20	7	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 141 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2
 WEBS 2 X 4 SYP No.3
 WEDGE
 Left: 2 X 4 SYP No.3, Right: 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 2-6-7 oc purlins.
 BOT CHORD Rigid ceiling directly applied or 5-2-2 oc bracing.

REACTIONS (lb/size) 2=2084/0-3-8, 7=2084/0-3-8
 Max Horz 2=-77(load case 6)
 Max Uplift 2=-660(load case 5), 7=-660(load case 6)

FORCES (lb) - Maximum Compression/Maximum Tension
 TOP CHORD 1-2=0/47, 2-3=-3937/1255, 3-4=-3479/1162, 4-5=-4602/1496, 5-6=-3479/1162, 6-7=-3937/1255, 7-8=0/47
 BOT CHORD 2-11=-1083/3426, 10-11=-1482/4531, 9-10=-1464/4531, 7-9=-1049/3426
 WEBS 3-11=-388/1308, 4-11=-1374/541, 4-10=0/216, 5-10=0/216, 5-9=-1374/541, 6-9=-388/1308

JOINT STRESS INDEX

2 = 0.83, 3 = 0.71, 4 = 0.39, 5 = 0.39, 6 = 0.71, 7 = 0.83, 9 = 0.82, 10 = 0.96 and 11 = 0.82

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS; Lumber DOL=1.60 plate grip DOL=1.60.
- Provide adequate drainage to prevent water ponding.

Julian Lee
 Truss Design Engineer
 Florida PE No. 31998
 1100 Coastal Bay Blvd
 Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T04	ROOF TRUSS	1	1	J1910591
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:04 2007 Page 2

NOTES

- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 660 lb uplift at joint 2 and 660 lb uplift at joint 7.
- 7) Girder carries hip end with 7-0-0 end setback.
- 8) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-3=-54, 3-6=-118(F=-64), 6-8=-54, 2-11=-10, 9-11=-22(F=-12), 7-9=-10

Concentrated Loads (lb)

Vert: 11=-411(F) 9=-411(F)

Julius Lee
Truss Design Engineer
Florida PE No. 31800
1400 Coastal Bay Blvd
Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T05	ROOF TRUSS	1	1	J1910592
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:05 2007 Page 1




Plate Offsets (X,Y): [2:0-1-5,0-0-7], [8:0-1-5,0-0-7], [11:0-3-0,0-3-0]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.31	Vert(LL)	-0.15	2-12	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.52	Vert(TL)	-0.29	2-12	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.38	Horz(TL)	0.08	8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 154 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-8-4 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-8-15 oc bracing.

REACTIONS (lb/size) 2=1069/0-3-8, 8=1069/0-3-8
Max Horz 2=89(load case 6)
Max Uplift 2=-267(load case 6), 8=-267(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1745/913, 3-4=-1515/815, 4-5=-1325/788, 5-6=-1325/788,
6-7=-1515/815, 7-8=-1745/913, 8-9=0/47
BOT CHORD 2-12=-649/1494, 11-12=-617/1570, 10-11=-617/1570, 8-10=-650/1494
WEBS 3-12=-208/198, 4-12=-138/397, 5-12=-401/176, 5-11=0/128, 5-10=-401/176,
6-10=-138/397, 7-10=-208/198

JOINT STRESS INDEX

2 = 0.82, 3 = 0.33, 4 = 0.60, 5 = 0.56, 6 = 0.60, 7 = 0.33, 8 = 0.82, 10 = 0.56, 11 = 0.37 and 12 = 0.56

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.

Continued on page 2

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T05	ROOF TRUSS	1	1	J1910592
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:05 2007 Page 2

NOTES

- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 267 lb uplift at joint 2 and 267 lb uplift at joint 8.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida Professional Engineer
1100 Central Key Blvd
Waynton Beach, FL 32609

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719.



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T06	ROOF TRUSS	1	1	J1910593
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:06 2007 Page 1




Plate Offsets (X,Y): [2:0-1-9,0-0-7], [8:0-1-9,0-0-7], [11:0-4-0,0-3-0]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	2-0-0	TC 0.31	Vert(LL)	-0.10	2-12	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.38	Vert(TL)	-0.20	2-12	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.11	Horz(TL)	0.07	8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 157 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-8-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-7-4 oc bracing.

REACTIONS (lb/size) 2=1069/0-3-8, 8=1069/0-3-8
Max Horz 2=-101(load case 7)
Max Uplift 2=-280(load case 6), 8=-280(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1762/938, 3-4=-1531/851, 4-5=-1268/798, 5-6=-1268/798,
6-7=-1531/851, 7-8=-1762/938, 8-9=0/47
BOT CHORD 2-12=-675/1511, 11-12=-417/1186, 10-11=-417/1186, 8-10=-675/1511
WEBS 3-12=-269/264, 4-12=-116/322, 4-11=-78/263, 5-11=-190/87, 6-11=-78/263,
6-10=-116/322, 7-10=-269/264

JOINT STRESS INDEX

2 = 0.75, 3 = 0.33, 4 = 0.50, 5 = 0.33, 6 = 0.50, 7 = 0.33, 8 = 0.75, 10 = 0.44, 11 = 0.34 and 12 = 0.44

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- Provide adequate drainage to prevent water ponding.

Continued on page 2

Truss Design Engineer
Plate # J1910593
11000 Central Bay Blvd
Boynton Beach, FL 33435

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719

Builders
FirstSource

Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T06	ROOF TRUSS	1	1	J1910593
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:07 2007 Page 2

NOTES

- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 280 lb uplift at joint 2 and 280 lb uplift at joint 8.

LOAD CASE(S) Standard

James Lee
Truss Design Engineer
Florida PE No. 21808
1406 Coastal Bay Blvd
Daytona Beach, FL 32118

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L290956	T07	ROOF TRUSS	1	1	J1910594
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:07 2007 Page 1




Plate Offsets (X,Y): [2:0-1-7,0-0-9]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.43	Vert(LL)	0.20	12-13	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.49	Vert(TL)	-0.32	12-13	>932	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.37	Horz(TL)	0.14	9	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 132 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2
 WEBS 2 X 4 SYP No.3 *Except*
 6-9 2 X 6 SYP No.1D

BRACING

TOP CHORD Structural wood sheathing directly applied or
 3-8-6 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-6-7 oc
 bracing.
 WEBS T-Brace: 2 X 4 SYP No.3 -
 3-12
 Fasten T and I braces to narrow edge of web
 with 10d Common wire nails, 9in o.c., with 4in
 minimum end distance.
 Brace must cover 90% of web length.

REACTIONS (lb/size) 2=917/0-3-8, 9=817/0-3-8
 Max Horz 2=175(load case 6)
 Max Uplift 2=-268(load case 6), 9=-159(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/46, 2-3=-2571/1373, 3-4=-1192/685, 4-5=-891/626, 5-6=-1096/609, 6-7=0/10,
 6-9=-766/496
 BOT CHORD 2-13=-1276/2285, 12-13=-1217/2161, 11-12=-468/1004, 10-11=-468/1004,
 9-10=-272/372, 8-9=0/0
 WEBS 3-13=-249/610, 3-12=-1207/779, 4-12=-182/371, 4-10=-297/99, 5-10=-25/227,
 6-10=-136/540

JOINT STRESS INDEX

2 = 0.78, 3 = 0.44, 4 = 0.80, 5 = 0.61, 6 = 0.77, 9 = 0.58, 10 = 0.28, 11 = 0.35, 12 = 0.34 and 13 = 0.72

Continued on page 2

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T07	ROOF TRUSS	1	1	J1910594
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:07 2007 Page 2

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 268 lb uplift at joint 2 and 159 lb uplift at joint 9.

LOAD CASE(S) Standard

Justin Lane
Truss Design Engineer
Florida PE No. 21699
1150 Coastal Pkwy Blvd
Waynton Beach, FL 33410

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T08	ROOF TRUSS	4	1	J1910595
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:08 2007 Page 1




Plate Offsets (X,Y): [4:0-6-12,0-3-0], [11:0-6-0,0-3-0]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.39	Vert(LL)	0.21 11-12	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.49	Vert(TL)	-0.34 11-12	>883	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.54	Horz(TL)	0.13 10	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						
Weight: 130 lb									

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2
 WEBS 2 X 4 SYP No.3 *Except*
 7-10 2 X 6 SYP No.1D

BRACING

TOP CHORD Structural wood sheathing directly applied or
 3-7-13 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-7-4 oc
 bracing.

REACTIONS (lb/size) 2=917/0-3-8, 10=817/0-3-8
 Max Horz 2=187(load case 6)
 Max Uplift 2=-276(load case 6), 10=-171(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension
 TOP CHORD 1-2=0/46, 2-3=-2537/1353, 3-4=-2492/1493, 4-5=-963/614, 5-6=-965/615,
 6-7=-317/165, 7-8=0/10, 7-10=-261/204
 BOT CHORD 2-12=-1252/2249, 11-12=-720/1325, 10-11=-485/896, 9-10=0/0
 WEBS 3-12=-216/240, 4-11=-627/465, 5-11=-311/517, 6-11=-174/176, 6-10=-856/524,
 4-12=-708/1197

JOINT STRESS INDEX

2 = 0.79, 3 = 0.33, 4 = 0.32, 5 = 0.54, 6 = 0.30, 7 = 0.39, 10 = 0.77, 11 = 0.53 and 12 = 0.63

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.

Continued on page 2

Julius Lee
 Truss Design Engineer
 1100 Coastal Hwy Blvd
 Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T08	ROOF TRUSS	4	1	J1910595
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:08 2007 Page 2

NOTES

- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 5) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 276 lb uplift at joint 2 and 171 lb uplift at joint 10.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Truss Plate Inst. 3-1888
1100 Coastal Hwy Blvd
Waynton Wagon, FL 32055

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T09	ROOF TRUSS	1	1	J1910596
					Job Reference (optional)
Builders FirstSource, Lake City, FL 32055 6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:09 2007 Page 1					




Plate Offsets (X,Y): [2:0-3-13,Edge], [5:0-4-0,0-3-0]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25		TC 0.76	Vert(LL)	-0.28	11	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25		BC 0.96	Vert(TL)	-0.58	9-11	>615	240	MT20H	187/143
BCLL 10.0	* Rep Stress Incr NO		WB 0.88	Horz(TL)	0.19	8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 150 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2
 WEBS 2 X 4 SYP No.3
 WEDGE
 Left: 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 2-4-4 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-0-11 oc bracing.
 WEBS T-Brace: 2 X 4 SYP No.3 - 6-8
 Fasten T and I braces to narrow edge of web with 10d Common wire nails, 9in o.c., with 4in minimum end distance.
 Brace must cover 90% of web length.

REACTIONS (lb/size) 8=2108/0-3-8, 2=2051/0-3-8
 Max Horz 2=163(load case 5)
 Max Uplift 8=-727(load case 4), 2=-641(load case 5)

FORCES (lb) - Maximum Compression/Maximum Tension
 TOP CHORD 1-2=0/47, 2-3=-3862/1259, 3-4=-3411/1166, 4-5=-4456/1501, 5-6=-3299/1099,
 6-7=-78/14, 7-8=-274/136
 BOT CHORD 2-12=-1151/3359, 11-12=-1558/4437, 10-11=-1516/4297, 9-10=-1516/4297,
 8-9=-929/2619
 WEBS 3-12=-382/1241, 4-12=-1246/526, 4-11=0/190, 5-11=0/246, 5-9=-1342/561,
 6-9=-315/1260, 6-8=-3085/1111

Julius Lee
 Truss Design Engineer
 1100 Coastal Hwy Blvd
 Daytona Beach, FL 32118

JOINT STRESS INDEX

2 = 0.82, 3 = 0.69, 4 = 0.41, 5 = 0.66, 6 = 0.92, 7 = 0.48, 8 = 0.74, 9 = 0.92, 10 = 0.86, 11 = 0.41 and 12 = 0.79

November 16, 2007

Continued on page 2

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oro Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L250956	T09	ROOF TRUSS	1	1	J1910596
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:09 2007 Page 2

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS;
Lumber DOL=1.60 plate grip DOL=1.60.
- 2) Provide adequate drainage to prevent water ponding.
- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All plates are MT20 plates unless otherwise indicated.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 727 lb uplift at joint 8 and 641 lb uplift at joint 2.
- 7) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25
Uniform Loads (plf)
Vert: 1-3=-54, 3-7=-118(F=-64), 2-12=-10, 8-12=-22(F=-12)
Concentrated Loads (lb)
Vert: 12=-411(F)

Julius Lee
Truss Design Engineer
Florida PE No. 3-1888
1450 Coastal Bay Blvd
Boynton Beach, FL 33426

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T10	ROOF TRUSS	1	1	J1910597
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:10 2007 Page 1




Plate Offsets (X,Y): [2:0-1-9,0-0-7]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	2-0-0	TC 0.70	Vert(LL)	-0.20	9-10	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.57	Vert(TL)	-0.37	9-10	>967	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.53	Horz(TL)	0.07	9	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 155 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-8-3 oc purlins, except end verticals.
BOT CHORD Rigid ceiling directly applied or 6-6-0 oc bracing.
WEBS T-Brace: 2 X 4 SYP No.3 - 5-12, 7-9
Fasten T and I braces to narrow edge of web with 10d Common wire nails, 9in o.c., with 4in minimum end distance.
Brace must cover 90% of web length.

REACTIONS (lb/size) 9=949/0-3-8, 2=1073/0-3-8
Max Horz 2=195(load case 6)
Max Uplift 9=-259(load case 5), 2=-260(load case 6)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1758/878, 3-4=-1536/781, 4-5=-1346/760, 5-6=-1400/730, 6-7=-1400/730, 7-8=-58/13, 8-9=-170/118
BOT CHORD 2-12=-928/1504, 11-12=-881/1581, 10-11=-881/1581, 9-10=-631/1136
WEBS 3-12=-188/191, 4-12=-100/396, 5-12=-283/158, 5-10=-293/245, 7-10=-160/464, 7-9=-1308/743

Julius Lee
Truss Design Engineer
Florida PE No. 31889
1100 Coastal May Blvd
Boynton Beach, FL 33426

JOINT STRESS INDEX

2 = 0.77, 3 = 0.33, 4 = 0.71, 5 = 0.38, 6 = 0.32, 7 = 0.38, 8 = 0.38, 9 = 0.58, 10 = 0.38, 11 = 0.59 and 12 = 0.56

Continued on page 2

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T10	ROOF TRUSS	1	1	J1910597
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:10 2007 Page 2

NOTES

- 1) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 2) Provide adequate drainage to prevent water ponding.
- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All plates are 3x6 MT20 unless otherwise indicated.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 259 lb uplift at joint 9 and 260 lb uplift at joint 2.

LOAD CASE(S) Standard

Justin Lee
Truss Design Engineer
Florida PE No. 21888
1100 Coastal Way Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T11	ROOF TRUSS	1	1	J1910598
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:11 2007 Page 1




Plate Offsets (X,Y): [2:0-0-10,Edge], [7:0-3-8,Edge]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.52	Vert(LL)	-0.25	2-11	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.62	Vert(TL)	-0.47	2-11	>756	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.44	Horz(TL)	0.05	8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 157 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2
 WEBS 2 X 4 SYP No.3 *Except*
 7-8 2 X 4 SYP No.2

BRACING

TOP CHORD Structural wood sheathing directly applied or
 4-7-5 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 6-11-8 oc
 bracing.

REACTIONS (lb/size) 2=1073/0-3-8, 8=949/0-3-8

Max Horz 2=147(load case 6)

Max Uplift 2=-280(load case 6), 8=-163(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1730/929, 3-4=-1419/784, 4-5=-1220/765, 5-6=-1048/691,
 6-7=-1265/678, 7-8=-908/533

BOT CHORD 2-11=-814/1478, 10-11=-609/1264, 9-10=-609/1264, 8-9=-171/211

WEBS 3-11=-306/286, 4-11=-107/369, 5-11=-187/118, 5-9=-410/171, 6-9=-16/272,
 7-9=-326/850

JOINT STRESS INDEX

2 = 0.79, 3 = 0.33, 4 = 0.68, 5 = 0.36, 6 = 0.72, 7 = 0.64, 8 = 0.37, 9 = 0.37, 10 = 0.59 and 11 = 0.56

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- Provide adequate drainage to prevent water ponding.

Continued on page 2

Julius Lee
 Truss Design Engineer
 1105 Coastal Hwy Blvd
 Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T11	ROOF TRUSS	1	1	J1910598
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:11 2007 Page 2

NOTES

- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 280 lb uplift at joint 2 and 163 lb uplift at joint 8.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida P.E. No. 31888
1850 Coastal Hwy. #104
Boynton Beach, FL 33435

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T12	ROOF TRUSS	1	1	J1910599
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:12 2007 Page 1




Plate Offsets (X,Y): [4:0-4-3,Edge], [11:0-8-0,0-3-8]

LOADING (psf)	SPACING		CSI	DEFL	in	(loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	2-0-0	TC 0.41	Vert(LL)	0.28	14-15	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25		BC 0.61	Vert(TL)	-0.52	10	>687	240		
BCLL 10.0	* Rep Stress Incr YES		WB 0.50	Horz(TL)	0.26	8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 172 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2 *Except*
 6-9 2 X 4 SYP No.3
 WEBS 2 X 4 SYP No.3 *Except*
 7-8 2 X 4 SYP No.1D
 OTHERS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or
 3-2-11 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-1-3 oc
 bracing.
 WEBS T-Brace: 2 X 4 SYP No.3 -
 3-14, 4-12
 Fasten T and I braces to narrow edge of web
 with 10d Common wire nails, 9in o.c., with 4in
 minimum end distance.
 Brace must cover 90% of web length.
 1 Brace at Jt(s): 11

REACTIONS (lb/size) 2=1082/0-3-8, 8=979/0-3-8
 Max Horz 2=158(load case 6)
 Max Uplift 2=-287(load case 6), 8=-160(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/46, 2-3=-3222/1660, 3-4=-1675/910, 4-5=-1317/807, 5-6=-1516/832,
 6-7=-1919/940, 7-8=-983/522
 BOT CHORD 2-15=-1503/2876, 14-15=-1432/2723, 13-14=-642/1446, 12-13=-642/1446,
 11-12=-783/1677, 9-11=0/197, 6-11=0/309, 9-10=0/0, 8-9=-67/4
 WEBS 3-15=-307/748, 3-14=-1333/822, 4-14=-175/461, 4-12=-281/107, 5-12=-125/397,
 6-12=-419/254, 8-11=-28/129, 7-11=-708/1570

Julius Lee
 Truss Design Engineer
 1100 Coastal Hwy Blvd
 Boynton Beach, FL 33435

Continued on page 2

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T12	ROOF TRUSS	1	1	J1910599
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:12 2007 Page 2

JOINT STRESS INDEX

2 = 0.74, 3 = 0.54, 4 = 0.66, 5 = 0.81, 6 = 0.39, 7 = 0.72, 8 = 0.38, 9 = 0.40, 10 = 0.33, 11 = 0.47, 12 = 0.56, 13 = 0.46, 14 = 0.36, 15 = 0.84 and 16 = 0.33

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 287 lb uplift at joint 2 and 160 lb uplift at joint 8.

LOAD CASE(S) Standard

Justin Lee
Truss Design Engineer
Florida PE No. 31800
1100 Coastal Bay Blvd
Davenport, FL 33436

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T13	ROOF TRUSS	1	1	J1910600
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:13 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.43	Vert(LL)	0.29 16-17	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.60	Vert(TL)	-0.53 12	>672	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.63	Horz(TL)	0.25 10	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)					Weight: 182 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2 *Except*
 8-11 2 X 4 SYP No.3
 WEBS 2 X 4 SYP No.3
 OTHERS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or
 3-2-2 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-1-7 oc
 bracing. Except:
 1 Row at midpt 13-14
 JOINTS 1 Brace at Jt(s): 13

REACTIONS (lb/size) 2=1082/0-3-8, 10=979/0-3-8
 Max Horz 2=170(load case 6)
 Max Uplift 2=-297(load case 6), 10=-172(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/46, 2-3=-3207/1644, 3-4=-3151/1769, 4-5=-3069/1782, 5-6=-1397/825,
 6-7=-1179/787, 7-8=-1400/792, 8-9=-1931/957, 9-10=-976/519
 BOT CHORD 2-17=-1484/2858, 16-17=-886/1755, 15-16=-491/1205, 14-15=-491/1205,
 13-14=-845/1749, 11-13=0/196, 8-13=0/360, 11-12=0/0, 10-11=-98/11
 WEBS 3-17=-205/233, 5-17=-780/1402, 5-16=-697/498, 6-16=-263/489, 7-14=-104/344,
 8-14=-610/382, 10-13=0/159, 9-13=-744/1602, 6-14=-218/124

JOINT STRESS INDEX

2 = 0.74, 3 = 0.33, 4 = 0.57, 5 = 0.88, 6 = 0.51, 7 = 0.59, 8 = 0.85, 9 = 0.82, 10 = 0.37, 11 = 0.43, 12 = 0.33, 13 = 0.53, 14 = 0.62, 15 = 0.51, 16 = 0.34, 17 = 0.80 and 18 = 0.33

NOTES

1) Unbalanced roof live loads have been considered for this design.

Johns Law
 Truss Design Engineer
 1100 Central Expressway
 Weymouth Beach, FL 33596

Continued on page 2

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and/or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T13	ROOF TRUSS	1	1	J1910600
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:13 2007 Page 2

NOTES

- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All plates are 3x6 MT20 unless otherwise indicated.
- 6) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 7) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 8) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 297 lb uplift at joint 2 and 172 lb uplift at joint 10.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida P.E. No. 31866
1100 Central Bay Blvd
Dayton Beach, FL 32117

November 16,2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L230956	T14	ROOF TRUSS	2	1	J1910601
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:14 2007 Page 1



LOADING (psf)	SPACING		CSI	DEFL	in (loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	2-0-0	TC 0.43	Vert(LL)	-0.30 14-16	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.69	Vert(TL)	-0.64 14-16	>558	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.69	Horz(TL)	0.25 10	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)					Weight: 175 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
 BOT CHORD 2 X 4 SYP No.2 *Except*
 8-11 2 X 4 SYP No.3
 WEBS 2 X 4 SYP No.3
 OTHERS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or
 3-2-0 oc purlins, except end verticals.
 BOT CHORD Rigid ceiling directly applied or 5-1-0 oc
 bracing.

REACTIONS (lb/size) 2=1082/0-3-8, 10=979/0-3-8
 Max Horz 2=179(load case 6)
 Max Uplift 2=-303(load case 6), 10=-180(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/46, 2-3=-3213/1658, 3-4=-3152/1780, 4-5=-3066/1793, 5-6=-1282/771,
 6-7=-1254/784, 7-8=-1888/1065, 8-9=-1878/942, 9-10=-985/534
 BOT CHORD 2-16=-1495/2865, 15-16=-893/1734, 14-15=-893/1734, 13-14=-617/1338,
 11-13=0/195, 8-13=-242/248, 11-12=0/0, 10-11=-112/0
 WEBS 3-16=-194/226, 5-16=-779/1421, 5-14=-763/556, 6-14=-441/772, 7-14=-398/287,
 7-13=-225/537, 10-13=-20/177, 9-13=-711/1537

JOINT STRESS INDEX

2 = 0.74, 3 = 0.33, 4 = 0.57, 5 = 0.64, 6 = 0.64, 7 = 0.39, 8 = 0.33, 9 = 0.71, 10 = 0.38, 11 = 0.44, 12 = 0.33, 13 = 0.94, 14 =
 0.56, 15 = 0.61, 16 = 0.87 and 17 = 0.33

NOTES

1) Unbalanced roof live loads have been considered for this design.

John L. Lee
 Truss Design Engineer
 1100 Coastal Hwy Blvd
 Boynton Beach, FL 33426

November 16, 2007

Continued on page 2

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
 This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oroffio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10 J1910601
L250956	T14	ROOF TRUSS	2	1	Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:14 2007 Page 2

NOTES

- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 5) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 303 lb uplift at joint 2 and 180 lb uplift at joint 10.

LOAD CASE(S) Standard

Julian Lee
Truss Design Engineer
FirstSource, Inc.
1100 Central Bay Blvd
Dayton Beach, FL 32117

November 16, 2007


Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oro Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L250956	T15	ROOF TRUSS	4	1	J1910602
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:15 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	I/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.42	Vert(LL)	-0.31 11-13	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.70	Vert(TL)	-0.66 11-13	>540	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.68	Horz(TL)	0.19 8	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						
Weight: 147 lb									

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-2-6 oc purlins.
BOT CHORD Rigid ceiling directly applied or 5-4-6 oc bracing.

REACTIONS (lb/size) 2=1069/0-3-8, 8=1069/0-3-8
Max Horz 2=163(load case 6)
Max Uplift 2=-308(load case 6), 8=-289(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension
TOP CHORD 1-2=0/46, 2-3=-3167/1585, 3-4=-3108/1709, 4-5=-3022/1723, 5-6=-1247/759,
6-7=-1255/762, 7-8=-1704/907, 8-9=0/47
BOT CHORD 2-13=-1343/2823, 12-13=-779/1697, 11-12=-779/1697, 10-11=-620/1439,
8-10=-620/1439
WEBS 3-13=-194/232, 5-13=-732/1417, 5-11=-754/530, 6-11=-399/712, 7-11=-474/340,
7-10=0/185

JOINT STRESS INDEX

2 = 0.73, 3 = 0.33, 4 = 0.54, 5 = 0.63, 6 = 0.74, 7 = 0.39, 8 = 0.74, 10 = 0.33, 11 = 0.56, 12 = 0.59 and 13 = 0.87

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida PE No. 34888
1100 Coastal Bay Blvd
Daytona Beach, FL 32119

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oro Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10 J1910602
L260956	T15	ROOF TRUSS	4	1	Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:15 2007 Page 2

NOTES

- 4) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 5) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 308 lb uplift at joint 2 and 289 lb uplift at joint 8.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PE No. 34889
1100 Coastal Bay Blvd
Daytona Beach, FL 32116

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oro Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T16	ROOF TRUSS	1	1	J1910603
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:16 2007 Page 1




Plate Offsets (X,Y): [9:0-1-8,0-0-7]

LOADING (psf)	SPACING		CSI	DEFL	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase 1.25	2-0-0	TC 0.41	Vert(LL)	0.28 14-15	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase 1.25		BC 0.59	Vert(TL)	-0.53 14-15	>680	240		
BCLL 10.0	* Rep Stress Incr YES		WB 0.56	Horz(TL)	0.20 9	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						
Weight: 162 lb									

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-2-10 oc purlins.
BOT CHORD Rigid ceiling directly applied or 5-4-10 oc bracing.

REACTIONS (lb/size) 2=1069/0-3-8, 9=1069/0-3-8
Max Horz 2=156(load case 6)
Max Uplift 2=-303(load case 6), 9=-282(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/46, 2-3=-3159/1578, 3-4=-3120/1729, 4-5=-3066/1738, 5-6=-1332/807,
6-7=-1124/768, 7-8=-1330/776, 8-9=-1768/921, 9-10=0/47
BOT CHORD 2-15=-1339/2815, 14-15=-695/1591, 13-14=-375/1150, 12-13=-375/1150,
11-12=-657/1511, 9-11=-657/1511
WEBS 3-15=-238/269, 5-15=-819/1510, 5-14=-632/455, 6-14=-280/524, 7-12=-102/306,
8-12=-437/307, 8-11=0/201, 6-12=-224/107

JOINT STRESS INDEX

2 = 0.73, 3 = 0.33, 4 = 0.65, 5 = 0.75, 6 = 0.45, 7 = 0.80, 8 = 0.39, 9 = 0.76, 11 = 0.33, 12 = 0.64, 13 = 0.52, 14 = 0.35 and 15 = 0.78

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.

Continued on page 2

Julius Lee
Truss Design Engineer
Florida PE No. 3-1888
1100 Central Expressway
Waynton, FL 32793

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T16	ROOF TRUSS	1	1	J1910603
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:16 2007 Page 2

NOTES

- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 303 lb uplift at joint 2 and 282 lb uplift at joint 9.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PE No. 24888
1400 Coastal Bay Blvd
Boynton Beach, FL 33438

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T17	ROOF TRUSS	1	1	J1910604
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:17 2007 Page 1




Plate Offsets (X,Y): [4:0-4-3,Edge], [7:0-0-10,Edge]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in (loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.40	Vert(LL)	0.27 11-12	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.60	Vert(TL)	-0.48 7-9	>751	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.43	Horz(TL)	0.21 7	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						
Weight: 148 lb									

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 3-3-3 oc purlins.
BOT CHORD Rigid ceiling directly applied or 5-4-5 oc bracing.
WEBS T-Brace: 2 X 4 SYP No.3 - 3-11
Fasten T and I braces to narrow edge of web with 10d Common wire nails, 9in o.c., with 4in minimum end distance.
Brace must cover 90% of web length.

REACTIONS (lb/size) 2=1069/0-3-8, 7=1069/0-3-8
Max Horz 2=144(load case 6)
Max Uplift 2=-293(load case 6), 7=-270(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension
TOP CHORD 1-2=0/46, 2-3=-3177/1592, 3-4=-1614/880, 4-5=-1258/781, 5-6=-1459/797, 6-7=-1749/947, 7-8=0/47
BOT CHORD 2-12=-1355/2836, 11-12=-1293/2685, 10-11=-527/1386, 9-10=-527/1386, 7-9=-681/1502
WEBS 3-12=-267/742, 3-11=-1352/795, 4-11=-175/421, 4-9=-282/110, 5-9=-104/367, 6-9=-274/263

JOINT STRESS INDEX

2 = 0.73, 3 = 0.53, 4 = 0.64, 5 = 0.76, 6 = 0.33, 7 = 0.84, 9 = 0.56, 10 = 0.44, 11 = 0.37 and 12 = 0.82

Continued on page 2

Julius L. Design Engineer
Truss Design No. 2-1555
1100 Central Bay Blvd
Boynton Beach, FL 33426

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T17	ROOF TRUSS	1	1	J1910604
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:17 2007 Page 2

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCFL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) Provide adequate drainage to prevent water ponding.
- 4) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 5) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi
- 6) Bearing at joint(s) 2 considers parallel to grain value using ANSI/TPI 1 angle to grain formula. Building designer should verify capacity of bearing surface.
- 7) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 293 lb uplift at joint 2 and 270 lb uplift at joint 7.

LOAD CASE(S) Standard

James Lane
Truss Design Engineer
6300 Enterprise Lane, Suite 300
Madison, WI 53719
608.261.1111

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



6.300 s Apr 19 2006 MiTek Industries, Inc. Fri Nov 16 11:11:43 2007 Page 1



Job	Truss	Truss Type	Qty	Ply	ROBINSON - BROWN ADDITION
L260956	T18	ROOF TRUSS	1	1	J1910605
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Apr 19 2006 MiTek Industries, Inc. Fri Nov 16 11:11:43 2007 Page 2

NOTES

8) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-3=-54, 3-4=-64(F=-10), 4-6=-54, 2-9=-10, 7-9=-12(F=-2), 5-7=-10

Concentrated Loads (lb)

Vert: 9=-48(F) 7=-48(F)

Julius Law
Truss Design Engineer
P.O. Box 21808
1400 Coastal Bay Blvd
Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Oroffo Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T19	ROOF TRUSS	2	1	J1910606
					Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:18 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.29	Vert(LL)	0.03	4-5	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.13	Vert(TL)	-0.02	4-5	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.04	Horz(TL)	-0.01	4	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
									Weight: 33 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 9-8-7 oc bracing.

REACTIONS (lb/size) 4=242/0-3-8, 2=389/0-3-8
Max Horz 2=74(load case 6)
Max Uplift 4=-155(load case 7), 2=-262(load case 6)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-341/525, 3-4=-335/514
BOT CHORD 2-5=-390/255, 4-5=-390/255
WEBS 3-5=-243/134

JOINT STRESS INDEX

2 = 0.58, 3 = 0.43, 4 = 0.58 and 5 = 0.10

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi

Julius Lee
Truss Design Engineer
Florida PE No. 24888
11105 Coastal Bay Blvd
Boynton Beach, FL 33436

November 16, 2007

Continued on page 2

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE
This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 563 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T19	ROOF TRUSS	2	1	J1910606
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:18 2007 Page 2

NOTES

- 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 155 lb uplift at joint 4 and 262 lb uplift at joint 2.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida PE No. 31868
1490 Coastal Hwy Blvd
Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719.



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T20	HIP	1	1	J1910607
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:19 2007 Page 1




Plate Offsets (X,Y): [2:0-1-9,0-0-7], [5:0-1-9,0-0-7]

LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.40	Vert(LL)	0.12	2-8	>999	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.42	Vert(TL)	-0.14	2-8	>999	240		
BCLL 10.0	* Rep Stress Incr	NO	WB 0.19	Horz(TL)	0.04	5	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)						Weight: 72 lb	

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 4-4-10 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-5-5 oc bracing.

REACTIONS (lb/size) 2=1103/0-3-8, 5=1103/0-3-8
Max Horz 2=-77(load case 6)
Max Uplift 2=-595(load case 5), 5=-595(load case 6)

FORCES (lb) - Maximum Compression/Maximum Tension

TOP CHORD 1-2=0/47, 2-3=-1778/804, 3-4=-1526/770, 4-5=-1781/806, 5-6=0/47
BOT CHORD 2-8=-675/1504, 7-8=-684/1523, 5-7=-658/1507
WEBS 3-8=-262/480, 4-7=-303/592, 3-7=-146/159

JOINT STRESS INDEX

2 = 0.77, 3 = 0.87, 4 = 0.76, 5 = 0.77, 7 = 0.38 and 8 = 0.34

NOTES

- Unbalanced roof live loads have been considered for this design.
- Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60.
- Provide adequate drainage to prevent water ponding.
- *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi

Continued on page 2

John Lee
Truss Design Engineer
Florida PE No. 31880
1108 Coastal Pkwy SW
Boynton Beach, FL 33438

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10 J1910607
L260956	T20	HIP	1	1	Job Reference (optional)

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:19 2007 Page 2

NOTES

- 6) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 595 lb uplift at joint 2 and 595 lb uplift at joint 5.
- 7) Girder carries hip end with 7'-0" end setback.
- 8) In the LOAD CASE(S) section, loads applied to the face of the truss are noted as front (F) or back (B).

LOAD CASE(S) Standard

- 1) Regular: Lumber Increase=1.25, Plate Increase=1.25

Uniform Loads (plf)

Vert: 1-3=-54, 3-4=-118(F=-64), 4-6=-54, 2-8=-10, 7-8=-22(F=-12), 5-7=-10

Concentrated Loads (lb)

Vert: 8=-411(F) 7=-411(F)

Julius Lee
Truss Design Engineer
Florida P.E. No. 21888
1400 Coastal Bay Blvd
Boynton Beach, FL 33436

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE


This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T21	QUEENPOST	3	1	J1910608
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:20 2007 Page 1



LOADING (psf)	SPACING	2-0-0	CSI	DEFL	in	(loc)	l/defl	L/d	PLATES	GRIP
TCLL 20.0	Plates Increase	1.25	TC 0.51	Vert(LL)	0.24	4-6	>779	360	MT20	244/190
TCDL 7.0	Lumber Increase	1.25	BC 0.38	Vert(TL)	-0.14	4-6	>999	240		
BCLL 10.0	* Rep Stress Incr	YES	WB 0.14	Horz(TL)	-0.02	4	n/a	n/a		
BCDL 5.0	Code FBC2004/TPI2002		(Matrix)							
Weight: 63 lb										

LUMBER

TOP CHORD 2 X 4 SYP No.2
BOT CHORD 2 X 4 SYP No.2
WEBS 2 X 4 SYP No.3

BRACING

TOP CHORD Structural wood sheathing directly applied or 6-0-0 oc purlins.
BOT CHORD Rigid ceiling directly applied or 7-1-0 oc bracing.

REACTIONS (lb/size) 2=619/0-3-8, 4=619/0-3-8
Max Horz 2=83(load case 6)
Max Uplift 2=-404(load case 6), 4=-404(load case 7)

FORCES (lb) - Maximum Compression/Maximum Tension
TOP CHORD 1-2=0/47, 2-3=-720/981, 3-4=-720/981, 4-5=0/47
BOT CHORD 2-6=-689/562, 4-6=-689/562
WEBS 3-6=-489/273

JOINT STRESS INDEX

2 = 0.69, 3 = 0.93, 4 = 0.69 and 6 = 0.19

NOTES

- 1) Unbalanced roof live loads have been considered for this design.
- 2) Wind: ASCE 7-02; 110mph (3-second gust); h=13ft; TCDL=4.2psf; BCDL=3.0psf; Category II; Exp B; enclosed; MWFRS and C-C Exterior(2) zone; porch left and right exposed; Lumber DOL=1.60 plate grip DOL=1.60. This truss is designed for C-C for members and forces, and for MWFRS for reactions specified.
- 3) *This truss has been designed for a 10.0 psf bottom chord live load nonconcurrent with any other live loads.
- 4) All bearings are assumed to be SYP No.2 crushing capacity of 565.00 psi

Truss Design Engineer
Florida Reg. No. 31888
11110 Central Expressway
Boynton Beach, FL 33435

Continued on page 2

November 16, 2007

Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Orofino Drive, Madison, WI 53719



Job	Truss	Truss Type	Qty	Ply	GIEBEIG HOMES - MAY-FAIR LOT 10
L260956	T21	QUEENPOST	3	1	J1910608
Job Reference (optional)					

Builders FirstSource, Lake City, FL 32055

6.300 s Feb 15 2006 MiTek Industries, Inc. Thu Nov 15 16:49:20 2007 Page 2

NOTES

- 5) Provide mechanical connection (by others) of truss to bearing plate capable of withstanding 404 lb uplift at joint 2 and 404 lb uplift at joint 4.

LOAD CASE(S) Standard

Julius Lee
Truss Design Engineer
Florida P.E. No. 21888
1100 Coastal Bay Blvd
Gwynn Beach, FL 32430

November 16, 2007


Warning - Verify design parameters and READ NOTES ON THIS AND INCLUDED MITEK REFERENCE PAGE MII-7473 BEFORE USE

This design is based only upon the parameters shown for an individual building component that is installed and loaded vertically and fabricated with MiTek connectors. Applicability of design parameters and proper incorporation of component into the overall building structure, including all temporary and permanent bracing, is the responsibility of building designer and / or contractor per ANSI / TPI 1 as referenced by the building code. For general guidance regarding storage, delivery, erection and bracing, consult BCSI-1 or HIB-91 Handling, Installing and Bracing Recommendation available from the Wood Truss Council of America, 1 WTCA Center, 6300 Enterprise Lane, Madison, WI 53719 or the Truss Plate Institute, 583 D'Onofrio Drive, Madison, WI 53719




Symbols

PLATE LOCATION AND ORIENTATION



* Center plate on joint unless dimensions indicate otherwise. Dimensions are in inches. Apply plates to both sides of truss and securely seat.



* For 4 x 2 orientation, locate plates 1/8" from outside edge of truss and vertical web.



* This symbol indicates the required direction of slots in connector plates.

PLATE SIZE

4 X 4


The first dimension is the width perpendicular to slots. Second dimension is the length parallel to slots.

LATERAL BRACING




Indicates location of required continuous lateral bracing.

BEARING



Indicates location of joints at which bearings (supports) occur.

Numbering System



JOINTS AND CHORDS ARE NUMBERED CLOCKWISE AROUND THE TRUSS STARTING AT THE LOWEST JOINT FARTHEST TO THE LEFT.

WEBS ARE NUMBERED FROM LEFT TO RIGHT

CONNECTOR PLATE CODE APPROVALS

BOCA	96-31, 96-67
ICBO	3907, 4922
SBCCI	9667, 9432A
WISC/DILHR	960022-W, 970036-N
NER	561



MiTek Engineering Reference Sheet: MIT-7473




General Safety Notes

Failure to Follow Could Cause Property Damage or Personal Injury

1. Provide copies of this truss design to the building designer, erection supervisor, property owner and all other interested parties.
2. Cut members to bear tightly against each other.
3. Place plates on each face of truss at each joint and embed fully. Avoid knots and wane at joint locations.
4. Unless otherwise noted, locate chord splices at 1/4 panel length (± 6" from adjacent joint.)
5. Unless otherwise noted, moisture content of lumber shall not exceed 19% at time of fabrication.
6. Unless expressly noted, this design is not applicable for use with fire retardant or preservative treated lumber.
7. Camber is a non-structural consideration and is the responsibility of truss fabricator. General practice is to camber for dead load deflection.
8. Plate type, size and location dimensions shown indicate minimum plating requirements.
9. Lumber shall be of the species and size, and in all respects, equal to or better than the grade specified.
10. Top chords must be sheathed or purlins provided at spacing shown on design.
11. Bottom chords require lateral bracing at 10 ft. spacing, or less, if no ceiling is installed, unless otherwise noted.
12. Anchorage and / or load transferring connections to trusses are the responsibility of others unless shown.
13. Do not overload roof or floor trusses with stacks of construction materials.
14. Do not cut or alter truss member or plate without prior approval of a professional engineer.
15. Care should be exercised in handling, erection and installation of trusses.

© 1993 MiTek® Holdings, Inc.

MAX GABLE VERTICAL LENGTH															
GABLE VERTICAL SPACING	2x4 SPECIES	BRACE	NO BRACERS	(1) 1x4 T ¹ BRACE *		(1) 2x4 T ¹ BRACE *		(2) 2x4 T ¹ BRACE **		(1) 2x6 T ¹ BRACE *		(2) 2x8 T ¹ BRACE **			
				GROUP A	GROUP B	GROUP A	GROUP B	GROUP A	GROUP B	GROUP A	GROUP B	GROUP A	GROUP B		
12" O.C.	SPF	#1 / #2	#1	3' 2"	6' 6"	6' 6"	6' 6"	6' 9"	7' 10"	8' 0"	10' 3"	10' 7"	12' 3"	12' 7"	
			#3	3' 1"	4' 5"	4' 5"	5' 10"	5' 10"	7' 10"	8' 1"	9' 1"	12' 3"	12' 3"		
		STUD	#1	8' 1"	4' 6"	4' 5"	6' 10"	6' 10"	7' 10"	8' 1"	9' 1"	12' 3"	12' 3"		
			STANDARD	2' 11"	8' 9"	3' 9"	6' 0"	6' 0"	6' 9"	7' 10"	7' 10"	10' 7"	10' 7"		
	HF	#1	#1	3' 6"	5' 8"	5' 11"	6' 8"	7' 0"	7' 10"	8' 5"	10' 3"	11' 1"	12' 3"	13' 2"	
			#3	3' 6"	5' 6"	5' 11"	6' 6"	7' 0"	7' 10"	8' 5"	10' 3"	11' 1"	12' 3"	13' 2"	
		STUD	#1	3' 3"	4' 6"	4' 6"	6' 0"	6' 0"	7' 10"	8' 1"	9' 4"	12' 3"	12' 6"	12' 6"	
			STANDARD	3' 3"	4' 6"	4' 6"	5' 11"	5' 11"	7' 10"	8' 0"	9' 3"	9' 3"	12' 3"	12' 6"	
	DFL	#1 / #2	STANDARD	3' 0"	3' 10"	3' 10"	6' 1"	6' 1"	8' 11"	8' 11"	8' 0"	8' 0"	10' 10"	10' 10"	
			#3	3' 8"	6' 4"	6' 6"	7' 6"	7' 6"	8' 11"	9' 2"	11' 9"	12' 1"	14' 0"	14' 0"	
		STUD	#1	3' 7"	5' 5"	5' 5"	7' 2"	7' 2"	8' 11"	8' 11"	11' 2"	11' 2"	14' 0"	14' 0"	
			STANDARD	3' 7"	5' 5"	5' 5"	7' 2"	7' 2"	8' 11"	8' 11"	11' 2"	11' 2"	14' 0"	14' 0"	
16" O.C.	SPF	#1	#1	4' 0"	6' 11"	7' 2"	8' 3"	8' 3"	9' 10"	10' 1"	12' 11"	13' 4"	14' 0"	14' 0"	
			#3	4' 0"	6' 11"	7' 2"	8' 3"	8' 3"	9' 10"	10' 1"	12' 11"	13' 4"	14' 0"	14' 0"	
		STUD	#1	3' 7"	4' 8"	4' 6"	6' 2"	6' 2"	8' 3"	8' 3"	9' 7"	8' 7"	18' 11"	18' 11"	
			STANDARD	3' 7"	4' 8"	4' 6"	6' 2"	6' 2"	8' 3"	8' 3"	9' 7"	8' 7"	18' 11"	18' 11"	
	HF	#1	#1	4' 0"	8' 10"	8' 10"	7' 8"	8' 1"	8' 11"	8' 7"	12' 8"	14' 0"	14' 0"	14' 0"	
			#3	3' 11"	8' 4"	8' 4"	6' 10"	7' 6"	8' 1"	8' 11"	9' 7"	11' 9"	14' 0"	14' 0"	
		STUD	#1	3' 8"	5' 7"	5' 7"	6' 7"	7' 4"	7' 4"	8' 11"	8' 6"	11' 5"	11' 6"	14' 0"	14' 0"
			STANDARD	3' 8"	5' 7"	5' 7"	6' 7"	7' 4"	7' 4"	8' 11"	8' 6"	11' 5"	11' 6"	14' 0"	14' 0"
	DFL	#1 / #2	STANDARD	3' 6"	4' 9"	4' 9"	6' 3"	6' 3"	8' 5"	8' 5"	11' 4"	11' 4"	14' 0"	14' 0"	
			#3	4' 0"	6' 11"	6' 11"	7' 2"	7' 2"	8' 5"	8' 5"	11' 4"	11' 4"	14' 0"	14' 0"	
		STUD	#1	4' 0"	6' 11"	6' 11"	7' 2"	7' 2"	8' 5"	8' 5"	11' 4"	11' 4"	14' 0"	14' 0"	
			STANDARD	4' 0"	6' 11"	6' 11"	7' 2"	7' 2"	8' 5"	8' 5"	11' 4"	11' 4"	14' 0"	14' 0"	
24" O.C.	SPF	#1	#1	3' 11"	6' 3"	6' 3"	8' 3"	8' 3"	9' 10"	9' 10"	12' 11"	12' 11"	14' 0"	14' 0"	
			#3	3' 11"	6' 3"	6' 3"	8' 3"	8' 3"	9' 10"	9' 10"	12' 11"	12' 11"	14' 0"	14' 0"	
		STUD	#1	3' 11"	6' 3"	6' 3"	8' 3"	8' 3"	9' 10"	9' 10"	12' 11"	12' 11"	14' 0"	14' 0"	
			STANDARD	3' 11"	6' 3"	6' 3"	8' 3"	8' 3"	9' 10"	9' 10"	12' 11"	12' 11"	14' 0"	14' 0"	
	HF	#1	#1	4' 5"	6' 11"	7' 6"	8' 3"	8' 3"	9' 10"	10' 7"	12' 11"	13' 11"	14' 0"	14' 0"	
			#3	4' 4"	6' 11"	7' 6"	8' 3"	8' 3"	9' 10"	10' 7"	12' 11"	13' 11"	14' 0"	14' 0"	
		STUD	#1	4' 2"	6' 6"	6' 6"	8' 3"	8' 3"	9' 10"	10' 4"	12' 11"	13' 3"	14' 0"	14' 0"	
			STANDARD	4' 2"	6' 6"	6' 6"	8' 3"	8' 3"	9' 10"	10' 4"	12' 11"	13' 3"	14' 0"	14' 0"	
	DFL	#1 / #2	STANDARD	4' 0"	5' 6"	5' 6"	7' 3"	7' 3"	8' 8"	8' 8"	11' 4"	11' 4"	14' 0"	14' 0"	
			#3	4' 0"	5' 6"	5' 6"	7' 3"	7' 3"	8' 8"	8' 8"	11' 4"	11' 4"	14' 0"	14' 0"	
		STUD	#1	4' 0"	5' 6"	5' 6"	7' 3"	7' 3"	8' 8"	8' 8"	11' 4"	11' 4"	14' 0"	14' 0"	
			STANDARD	4' 0"	5' 6"	5' 6"	7' 3"	7' 3"	8' 8"	8' 8"	11' 4"	11' 4"	14' 0"	14' 0"	



BRACING GROUP SPECIES AND GRADES:	
GROUP A:	RED-FIR
SPECIES-PINE-TS	#1 / #2
STUD	STUD
STANDARD	STANDARD
DOUGLAS FIR-LARCH	DOUGLAS FIR-LARCH
STUD	STUD
STANDARD	STANDARD
GROUP B:	RED-FIR
#1 & #2	#1 & #2
DOUGLAS FIR-LARCH	DOUGLAS FIR-LARCH
#1	#1
#2	#2

CABLE TRUSS DETAIL NOTES:

- LIVE LOAD DEPOSITION CRITERIA IS 1/240.
- PROVIDE UPRAIR CONNECTIONS FOR 160 PSF OVER CONTINUOUS BRACING (6 PSF TO DEAD LOAD).
- CABLE END SUPPORTS LOAD FROM 4' 0" OUTLEAKERS WITH 8' 0" OVERHANG, OR 12' PLYWOOD OVERHANG.
- ATTACH EACH T¹ BRACE WITH 104 NAILS.
- # FOR (1) T¹ BRACE, BRACE NAILS AT 8" O.C. IN 18" END ZONES AND 4" O.C. BETWEEN ZONES.
- ** FOR (2) T¹ BRACES, BRACE NAILS AT 8" O.C. IN 18" END ZONES AND 8" O.C. BETWEEN ZONES.
- T¹ BRACING MUST BE A MINIMUM OF BOX OF WEB MEMBER LENGTH.

CABLE VERTICAL PLATE SIZES	
VERTICAL LENGTH	NO BRACE
LESS THAN 4' 0"	1x4 OR 2x4
GREATER THAN 4' 0"	2x4
LESS THAN 11' 0"	2x4
GREATER THAN 11' 0"	2x6

+ REFER TO COMMON TRUSS DESIGN FOR TRUSS BRACING, AND BRACE PLATES.

BRACINGS: TRUSSES REQUIRE EXTREME CARE IN ERECTING, HANDLING, SHIPPING, INSTALLING AND BRACING. REFER TO BEST PRACTICES FOR BRACING INFORMATION. PUBLISHED BY THE TRUSS PLATE INSTITUTE, 2820 BUNKER RD., SUITE 200, HOUSTON, TX 77057 AND 1700 LINDEN TRAIL, SUITE 200, HOUSTON, TX 77057. UNLESS OTHERWISE INDICATED, THE CHART SHALL HAVE BEEN PREPARED BY THE TRUSS PLATE INSTITUTE. UNLESS OTHERWISE INDICATED, THE CHART SHALL HAVE BEEN PREPARED BY THE TRUSS PLATE INSTITUTE.


JULIUS LEE'S
CONS. ENGINEERS P.A.
1465 BR 4th AVENUE
OCEAN BEACH, FL 33414-8601

No. 34608
STATE OF FLORIDA


MAX. TOT. LD. 60 PSF
MAX. SPACING 24.0"

REF ASCE 7-02-CAB13030
DATE 11/26/03
DWG LATE STD GABLE 90' x 10'
-ENG


TYPICAL ATTIC TRUSS BRACING



TYPICAL ALTERNATE BRACING DETAIL FOR EXTERIOR FLAT GIRDER TRUSS




CABLE END TRUSS DETAIL




REINFORCE BRACING ON GABLE TRUSS OTHER PERMANENT BRACING DESIGNS BY ARCHITECT OR EOR

TYPICAL WALL GIRDER VERTICAL WEB BRACING DETAIL



SEE ROOF TRUSSES FOR UPLIFT-
ROOF 24" O/C

SEE CABLE END DETAIL FOR T-BRACE BEHIND EACH VERTICAL



JULIUS LEE'S
CONS. ENGINEERS P.A.
1425 SW 4th AVENUE
ORLANDO, FL 32811-2601

No. 84869
STATE OF FLORIDA

TOP CHORD 2X4 #8 OR BETTER
BOT CHORD 2X4 #2 OR BETTER
WEBS 2X4 #3 OR BETTER

PIGGYBACK DETAIL

REFER TO SEALED DESIGN FOR DASHED PLATES.

SPACE PIGGYBACK VERTICALS AT 4' OC MAX.

TOP AND BOTTOM CHORD SPICES MUST BE STAGGERED SO THAT ONE SPICE IS NOT DIRECTLY OVER ANOTHER.

PIGGYBACK BOTTOM CHORD MAY BE OMITTED. ATTACH VERTICAL WEBS TO TRUSS TOP CHORD WITH 1.5X3 PLATE.

ATTACH PURLINS TO TOP OF FLAT TOP CHORD. IF PIGGYBACK IS SOLID LUMBER OR THE BOTTOM CHORD IS OMITTED, PURLINS MAY BE APPLIED BENEATH THE TOP CHORD OF SUPPORTING TRUSS.

REFER TO ENGINEER'S SEALED DESIGN FOR REQUIRED PURLIN SPACING.

THIS DETAIL IS APPLICABLE FOR THE FOLLOWING WIND CONDITIONS:

110 MPH WIND, 30' MEAN HGT, ASCE 7-02, CLOSED BLDG, LOCATED ANYWHERE IN ROOF, 1 MI FROM COAST




CAT 1, EXP C, WIND TC DL=6 PSF, WIND BC DL=6 PSF

110 MPH WIND, 30' MEAN HGT, PFC ENCLOSED BLDG, LOCATED ANYWHERE IN ROOF

WIND TC DL=6 PSF, WIND BC DL=6 PSF

FRONT FACE (B,*) PLATES MAY BE OFFSET FROM BACK FACE PLATES AS LONG AS BOTH FACES ARE SPACED 4' OC MAX.

130 MPH WIND, 30' MEAN HGT, ASCE 7-02, CLOSED BLDG, LOCATED ANYWHERE IN ROOF, CAT II, EXP. C, WIND TC DL=6 PSF, WIND BC DL=6 PSF




*ATTACH PIGGYBACK WITH 5X6 TRUSS OR ALPINE PIGGYBACK SPECIAL PLATE.

REMARKS: TRUSSES REQUIRE DETRICE TIME IN FABRICATING, HANDLING, SHIPPING, INSTALLING AND BRACING. REFER TO SEALED DESIGN FOR DASHED PLATES. THE CHORD BRACE PLATES MUST BE ATTACHED TO THE CHORD MEMBERS PRIOR TO PERFORMING THESE FUNCTIONS. UNLESS OTHERWISE INDICATED, TOP CHORD SHALL HAVE PROPERLY ATTACHED STRUCTURAL PANELS AND BOTTOM CHORD SHALL HAVE A PROPERLY ATTACHED BRIDG CEILING.


JOINT TYPE	SPANS UP TO			
	30'	34'	38'	62'
A	2X4	2.5X4	2.5X4	3X6
B	4X6	6X6	6X6	6X6
C	1.5X3	1.5X4	1.5X4	1.5X4
D	5X4	6X6	6X6	6X6
E	4X6 OR 5X6 TRUSS AT 4' OC, ROTATED VERTICALLY			

ATTACH TRUSS PLATES WITH (6) 0.180" X 1.375" NAILS, OR EQUAL, PER FACE PER PLY. (4) NAILS IN EACH MEMBER TO BE CONNECTED. REFER TO DRAWING 160 TL FOR TRUSS INFORMATION.

WEB LENGTH	WEB BRACING CHART
0' TO 7'9"	NO BRACING
7'9" TO 10'	1X4 "T" BRACE, SAME GRADE, SPECIES AS WEB MEMBER, OR BETTER, AND 80% LENGTH OF WEB MEMBER. ATTACH WITH 6d NAILS AT 4' OC.
10' TO 14'	2X4 "T" BRACE, SAME GRADE, SPECIES AS WEB MEMBER, OR BETTER, AND 80% LENGTH OF WEB MEMBER. ATTACH WITH 16d NAILS AT 4' OC.



* PIGGYBACK SPECIAL PLATE
ATTACH TEETH TO THE PIGGYBACK AT THE TIME OF FABRICATION. ATTACH TO SUPPORTING TRUSS WITH (4) 0.180" X 1.375" NAILS PER FACE PER PLY. APPLY PIGGYBACK SPECIAL PLATE TO EACH TRUSS FACE AND SPACE 4' OC OR LESS.



THIS DRAWING REPLACES DRAWINGS 634.016 634.017 & 647.045

JULIUS LEE'S
CONS. ENGINEERS P.A.
1460 NW 42nd AVENUE
OCEAR BEACH, FL 33444-2161

MAX LOADING
65 PSF AT
1.33 DUR. FAC.
60 PSF AT
1.25 DUR. FAC.
47 PSF AT
1.15 DUR. FAC.
SPACING 24.0"





REF PIGGYBACK
DATE 09/12/07
DRWG/ITEK STD PIGGY
-ENG JL

No: 34868
STATE OF FLORIDA

VALLEY TRUSS DETAIL

TOP CHORD 2X4 SP #2 OR SPF #1/#2 OR BETTER.
BOT CHORD 2X3(*) OR 2X4 SP #2N OR SPF #1/#2 OR BETTER.
WEBS 2X4 SP #3 OR BETTER.

- * 2X3 MAY BE RIPPED FROM A 2X6 (PITCHED OR SQUARE).
- ** ATTACH EACH VALLEY TO EVERY SUPPORTING TRUSS WITH:
(2) 16d BOX (0.135" X 3.5") NAILS TOE-NAILED FOR
FBC 2004 110 MPH, ASCE 7-02 110 MPH WIND OR (3) 16d FOR
ASCE 7-02 130 MPH WIND. 16' MEAN HEIGHT, ENCLOSED
BUILDING, EXP. C, RESIDENTIAL, WIND TC DL=5 PSF.



SUPPORTING TRUSSES AT 24" OC MAXIMUM SPACING.

UNLESS SPECIFIED ON ENGINEER'S SEALED DESIGN, APPLY 1X4 "I"-BRACE, 80% LENGTH OF WEB, VALLEY WEB, SAME SPECIES AND GRADE OR BETTER, ATTACHED WITH 8d BOX (0.113" X 2.6") NAILS AT 6" OC, OR CONTINUOUS LATERAL BRACING, EQUALLY SPACED, FOR VERTICAL VALLEY WEBS GREATER THAN 7'9".


MAXIMUM VALLEY VERTICAL HEIGHT MAY NOT EXCEED 12'0".

TOP CHORD OF TRUSS BENEATH VALLEY SET MUST BE BRACED WITH:
PROPERLY ATTACHED, RATED SHEATHING APPLIED PRIOR TO VALLEY TROSS
INSTALLATION
OR
PURLINS AT 24" OC OR AS OTHERWISE SPECIFIED ON ENGINEERS' SEALED DESIGN
OR
BY VALLEY TRUSSES USED IN LIEU OF PURLIN SPACING AS SPECIFIED ON
ENGINEERS' SEALED DESIGN.

*** NOTE THAT THE PURLIN SPACING FOR BRACING THE TOP CHORD OF THE TRUSS
BENEATH THE VALLEY IS MEASURED ALONG THE SLOPE OF THE TOP CHORD.

++ LARGER SPANS MAY BE BUILT AS LONG AS THE VERTICAL HEIGHT DOES
NOT EXCEED 12'0".


BOTTOM CHORD MAY BE SQUARE OR PITCHED CUT AS SHOWN.



SQUARE CUT
BOTTOM CHORD
VALLEY

OPTIONAL STUB
END DETAIL

OPTIONAL HIP
JOINT DETAIL



COMMON TRUSSES
AT 24" OC

PARTIAL FRAMING
PLAN

BYVARUING TRUSSES BECOME EXTENSIVE CASE IN FABRICATING, HANDLING, SUPPORTING, INSTALLING AND
BRACING. REFER TO ACI L-10, BRACING CONCRETE SAFETY INFORMATION, PUBLISHED BY THE TRUSS
PLATE INSTITUTE, 580 DOWNSIDE DR., SUITE 200, WASHINGTON, VA 22070, AND VITAC TRUSS COUNCIL
OF AMERICA, 6300 ENTERPRISE LN, WATSON, VT 55770 FOR SAFETY PRACTICES PRIOR TO PERFORMING
THESE FUNCTIONS. UNLESS OTHERWISE INDICATED, TOP CHORD SHALL HAVE PROPERLY ATTACHED
STRUCTURAL PANELS AND BOTTOM CHORD SHALL HAVE A PROPERLY ATTACHED RIBB CEILING.

JULIUS LEE'S
CONS. ENGINEERS P.A.

1555 SW 4th AVENUE
MIAMI BEACH, FL 33444-0001

Reg. 34869
STATE OF FLORIDA

THIS DRAWING REPLACES DRAWING A105

TC IL	20	20	PSF	REF	VALLEY DETAIL
TC DL	7	15	PSF	DATE	11/26/03
BC DL	5	5	PSF	DRWG	VALTRUSS1103
BC IL	0	0	PSF	ENG	JL
TOT. LD.	32	40	PSF		

DUR.FAC. 1.25	1.25
SPACING	24"

TOE-NAIL DETAIL

TOE-NAILS TO BE DRIVEN AT AN ANGLE OF APPROXIMATELY THIRTY DEGREES WITH THE PIECE AND STARTED APPROXIMATELY ONE-THIRD THE LENGTH OF THE NAIL FROM THE END OF THE MEMBER.

PER ANSI/APA NDS-2001 SECTION 12.4.1 - EDGE DISTANCE, END DISTANCE, SPACING, EDGE DISTANCES, END DISTANCES AND SPACINGS FOR NAILS AND SPIKES SHALL BE SUFFICIENT TO PREVENT SPLITTING OF THE WOOD.


THE NUMBER OF TOE-NAILS TO BE USED IN A SPECIFIC APPLICATION IS DEPENDENT UPON PROPERTIES FOR THE CHORD SIZE, LUMBER SPECIES, AND NAIL TYPE. PROPER CONSTRUCTION PRACTICES AS WELL AS GOOD JUDGEMENT SHOULD DETERMINE THE NUMBER OF NAILS TO BE USED.

THIS DETAIL DISPLAYS A TOE-NAILED CONNECTION FOR JACK FRAMING INTO A SINGLE OR DOUBLE PLY SUPPORTING GIRDER.

MAXIMUM VERTICAL RESISTANCE OF 16d (0.162"x3.5") COMMON TOE-NAILS

NUMBER OF TOE-NAILS	SOUTHERN PINE		DOUGLAS FIR-LARCH		HEM-FIR		SPRUCE PINE FIR	
	1 PLY	2 PILES	1 PLY	2 PILES	1 PLY	2 PILES	1 PLY	2 PILES
2	187#	256#	181#	234#	156#	203#	154#	189#
3	286#	383#	271#	351#	234#	304#	230#	288#
4	394#	511#	361#	468#	312#	406#	307#	397#
5	493#	639#	452#	585#	390#	507#	384#	496#

ALL VALUES MAY BE MULTIPLIED BY APPROPRIATE DURATION OF LOAD FACTOR.



THIS DRAWING REPLACES DRAWING 784040

WARNING: TRUSSES REQUIRE EXTREME CARE IN FABRICATING, HANDLING, SHIPPING, INSTALLING AND BRACING. REFER TO BCST 1-43 CONTAINING CONCRETE SAFETY INFORMATION, PUBLISHED BY THE TRUSS PLATE INSTITUTE, 988 JONAS DR., SUITE 200, NASHVILLE, TN 37219 AND VITA (WOOD TRUSS EDUCATIONAL CENTER) 6800 ENTERPRISE LN., NATION, TN 37070 FOR SAFETY PRACTICES PRIOR TO FABRICATING TRUSSES. ALL TRUSSES MUST BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH THE TRUSS MANUFACTURING STRUCTURAL PANELS AND BOTTOM CHORD SHALL HAVE A PROPERLY ATTACHED ROOF CEILING.

JULIUS LEE'S
CONS. ENGINEERS P.A.
1406 ST 4TH AVENUE
DEMOBIL GULCH, FL 33411-1101

No. 34069
STATE OF FLORIDA

TC LL	PSF	REF	TOE-NAIL
TC DL	PSF	DATE	09/12/07
BC DL	PSF	DRWG	CNTONALL103
BC LL	PSF	ENG	JL
TOT. LD.	PSF		
DUR. FAC.	1.00		
SPACING			

* GRADE AND SPECIES AS SPECIFIED ON THE ALPINE DESIGN.

TYPICAL LOCATION OF 1/2" DIAMETER THRU BOLTS. BOLT QUANTITIES AS NOTED ON SEALED DESIGN MUST BE APPLIED IN ONE OF THE PATTERNS SHOWN BELOW.



2X8 DETAIL

WARNING- THESE REQUIRE EXTENSIVE CARE IN FABRICATING, HANDLING, SHIPPING, INSTALLING AND MOVING. REFER TO ASH-10 BUILDING DEPARTMENT SAFETY REGULATION, PUBLISHED BY THE STEEL RESEARCH AND DEVELOPMENT INSTITUTE, 400 NORTH 6TH, MILWAUKEE, WI. 53233 AND ALSO CITED TRUST COUNCIL OF AMERICA, 6301 ENTERPRISE LN, WATSON, MI 48090 FOR SAFETY PRACTICES PERTAIN TO PERFORMING THESE FUNCTIONS. UNLESS OTHERWISE INDICATED, THE DESIGN SHALL HAVE PROPERLY ATTACHED STRUCTURAL PANELS AND BOTTOM CHORD SHALL HAVE A PROPERLY ATTACHED BOOM CEILING.

JULIUS LEE'S
CONS. ENGINEERS P.A.

1400 9th AVE
DULUTH BEACH, FL 33444-2101

TC LL	PSF	REF	BOLT SPACING
TC DL	PSF	DATE	11/26/03
BC DL	PSF	DRWG	CNBOLTSF1103
BC LL	PSF	-ENG	JL
TOT. LD.	PSF		

No: 94809
STATE OF FLORIDA

DUR. FAC.	
SPACING	

TRULOX CONNECTION DETAIL


11 GAUGE (0.120" X 1.375") NAILS REQUIRED FOR TRULOX PLATE ATTACHMENT. FILL ROWS COMPLETELY WHERE SHOWN (Φ).

* NAILS MAY BE OMITTED FROM THESE ROWS.

THIS DETAIL MAY BE USED WITH SO. PINE, DOUGLAS-FIR OR HEM-FIR CHORDS WITH A MINIMUM 1.00 DURATION OF LOAD OR SPRUCE-PINE-FIR CHORDS WITH A MINIMUM 1.15 DURATION OF LOAD. CHORD SIZE OF BOTH TRUSSES MUST EXCEED THE TRULOX PLATE WIDTH.


TRULOX PLATE IS CENTERED ON THE CHORDS AND BENT BETWEEN NAIL ROWS.

REFER TO ENGINEER'S SEALED DESIGN REFERENCING THIS DETAIL FOR LUMBER, PLATES, AND OTHER INFORMATION NOT SHOWN.



MINIMUM 3X6 TRULOX PLATE

TRULOX PLATE SIZE	REQUIRED NAILS PER TRUSS	MAXIMUM LOAD UP OR DOWN
3X6	9	350#
6X6	16	990#



MINIMUM 5X6 TRULOX PLATE

THIS DRAWING REPLACES DRAWINGS 1,158,989 1,158,989/R 1,154,844 1,152,217 1,152,017 1,159,154 & 1,151,524


WARNING TRUSSES REQUIRE EXTREME CARE IN FABRICATING, HANDLING, SHIPPING, INSTALLING AND BRACING. REFER TO AISC 1-60 (BUILDING DEPARTMENT SAFETY REFORMATION, PUBLISHED BY THE TRUSS PLATE INSTITUTE, 280 JEFFERSON DR., SUITE 600, MARTIN, VA 22750) AND VITA (WOOD TRUSS COUNCIL OF AMERICA, 6300 ENTERPRISE LN, WARDEN, VT 05750) FOR SAFETY PRACTICES PRIOR TO PERFORMING THESE FUNCTIONS. UNLESS OTHERWISE INDICATED, TOP CHORD SHALL HAVE PROPERLY ATTACHED STRUCTURAL PANELS AND BOTTOM CHORD SHALL HAVE A PROPERLY ATTACHED ROOF CEILING.

JULIUS LEE'S
CONS. ENGINEERS P.A.
1455 SW 4th AVENUE
MIRALTA BEACH, FL 33444-8188


Reg. 34869
STATE OF FLORIDA

REF	TRULOX
DATE	11/26/03
DRWG	CNTRULOX1103
-ENG	JL

STRONG BACK DETAIL SYSTEM-42 OR FLAT TRUSS



ALTERNATE DETAIL FOR STRONG BACK WITH VERTICAL NOT LINING UP



JULIUS LEE'S
CONS. ENGINEERS P.A.
1466 SW 4th AVENUE
OZARK, MISSOURI, 65754-2001

No. 84860
STATE OF FLORIDA