

DATE 02/24/2009

Columbia County Building Permit
This Permit Must Be Prominently Posted on Premises During Construction

PERMIT
000027652

APPLICANT ROCKY FORD PHONE 386.497.2311
ADDRESS P.O. BOX 39 FL 32038
OWNER BETTY & HUBERT GAY(A. MARTIN M/H) PHONE 386.961.1496
ADDRESS 2957 SW FRY AVENUE FT. WHITE FL 32038
CONTRACTOR CHESTER KNOWLES PHONE 386.755.6441
LOCATION OF PROPERTY 47-S TO US 27, TL TO FRY AVE., TR GO APPROX. 2 1/2 MILES
PROPERTY ON L.
TYPE DEVELOPMENT M/H/UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 2 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 22-7S-16-04282-000 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 19.00

IH0000509
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 09-0099-N CFS HD N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD.

Check # or Cash 4421

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
 date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
 date/app. by date/app. by
Reconnection Pump pole Utility Pole
 date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 97.76 WASTE FEE \$ 134.00
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 606.76
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-10-08) Zoning Official alo 2/23/09 Building Official HO 2-23-09

AP# 0902-20 Date Received 2/18/09 By LS Permit # 27652

Flood Zone X Development Permit --- Zoning A3 Land Use Plan Map Category A-3

Comments _____

FEMA Map# _____ Elevation ✓ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH # _____ ☐ EH Release ☒ Well letter ☐ Existing well

☒ Recorded Deed or Affidavit from land owner ☒ Letter of Auth. from installer ☐ State Road Access

☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter

IMPACT FEES: EMS 29.88 Fire 78.63 Corr 442.89 Road/Code 1046.00/210

School 1500.00 = TOTAL 3097.40 - 4425

Property ID # 22-75-16-04282-00 Subdivision NA


- New Mobile Home ☒ Used Mobile Home _____ MH Size 28x48 Year 08
- Applicant Wendy Grennell / Dale Burd / Rudy Ford Phone # 386-497-2311
- Address PO Box 39 Ft White FL 32038
- Name of Property Owner Betty + Hubert Gay Phone# 386-961-1496
- 911 Address 2957 SW Fry AVENUE, Ft White, FL 32038
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home Alan + Sandra Martin Phone # 386-961-1496
Address 2889 SW Fry Ave Ft White FL 32038
- Relationship to Property Owner son-in-law + daughter
- Current Number of Dwellings on Property 2
- Lot Size Designated 5 Acres Total Acreage 19
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home No (owes)
- Driving Directions to the Property Hwy 47 South to US 27 turn (L) to SW Fry Ave turn (R) go approx 2 1/2 miles property on (L)
- Name of Licensed Dealer/Installer Chester Knowles Phone # 386-755-6441
- Installers Address 5801 SW SR 47 Lake City FL 32024
- License Number IH0000509 Installation Decal # 300529

**STATE OF FLORIDA
DEPARTMENT OF HEALTH**
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number _____

----- PART II - SITEPLAN -----

Scale: 1 inch = 50 feet.



Notes: 1 of 19 ACRES

Site Plan submitted by: Rock D F

MASTER CONTRACTOR

Plan Approved _____ Not Approved _____

Date _____

By _____ County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

A & B Well Drilling, Inc.
5673 NW Lake Jeffery Road
Lake City, FL, 32055
386-758-3409

2/18/2009

To: Columbia County Building Department

Description of well to be installed for Customer: Alan & Sandra Martin
Located at Address: SW Fry Ave Ft White FL

1 hp 20 gpm- 1 1/4" drop over 82 gallon equivalent captive tank with cycle stop and back flow prevention. With SRWM permit.


William Bias

Columbia County Property Appraiser

DB Last Updated: 1/12/2009

2008 Tax Year

Tax Record

Property Card

Interactive GIS Map

Print

Parcel: 22-7S-16-04282-000 HX VX

Owner & Property Info

Search Result: 1 of 1

Owner's Name	GAY HUBERT LEE & BETTY G		
Site Address	FRY		
Mailing Address	2889 SW FRY AVE FT WHITE, FL 32038		
Use Desc. (code)	IMPROVED A (005000)		
Neighborhood	22716.00	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	19.000 ACRES		
Description	SE1/4 OF NE1/4 EX 1.16 AC DESC ORB 725-430 & EX 8.84 AC DESC ORB 987-1949, & EX 10 AC DESC IN ORB 1011-2787. EX 1 AC IN SW COR DESC ORB 1044-2710		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (3)	\$14,550.00
Ag Land Value	cnt: (1)	\$4,284.00
Building Value	cnt: (2)	\$48,197.00
XFOB Value	cnt: (2)	\$400.00
Total Appraised Value		\$67,431.00

Just Value	\$155,487.00
Class Value	\$67,431.00
Assessed Value	\$38,833.00
Exempt Value	(code: HX VX) \$30,000.00
Total Taxable Value	\$8,833.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
NONE						

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SINGLE FAM (000100)	1960	Conc Block (15)	1248	1300	\$38,351.00
2	SINGLE FAM (000100)	1987	WD or PLY (08)	960	960	\$9,846.00
Note: All S.F. calculations are based on exterior building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0297	SHED CONCR	0	\$300.00	1.000	0 x 0 x 0	(.00)
0296	SHED METAL	0	\$100.00	1.000	0 x 0 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000100	SFR (MKT)	1.000 AC	1.00/1.00/1.00/1.00	\$10,550.36	\$10,550.00

>> [Print as PDF](#) <<

SE1/4 OF NE1/4 EX 1.16 AC DESC GAY HUBERT LEE & BETTY G 22-7S-16-04282-000 Columbia Cou
 ORB 725-430 & EX 8.84 AC DESC 2889 SW FRY AVE
 ORB 987-1949, & EX 10 AC DESC FT WHITE, FL 32038
 IN ORB 1011-2787. PRINTED 1/09/2009 10:01
 APPR 10/02/2002 DF

BUSE	000100	SINGLE	FAM	AE?	Y	1248	HTD AREA	93.400	INDEX	22716.00	DIST	3	PUSE	0050
MOD	1	SFR	BATH	1.00		1258	EFF AREA	47.634	E-RATE	100.000	INDX	STR	22- 7S- 16	
EXW	15	CONC BLOCK	FIXT			59924	RCN			1960	AYB	MKT AREA	02	
	20%	08 WD OR PLY	BDRM	3		64.00	%GOOD	38,351	B BLDG VAL	1960	EYB	(PUD1		
RSTR	03	GABLE/HIP	RMS									AC	19.000	
RCVR	03	COMP SHNGL	UNTS									NTCD		
	%	N/A	C-W%									APPR CD		
INTW	05	DRYWALL	HGHT									CNDO		
	%	N/A	PMTR									SUBD		
FLOR	06	VINYL ASB	STYS	1.0								BLK		
	%	N/A	ECON									LOT		
HTTP	02	CONVECTION	FUNC									MAP#		
A/C	02	WINDOW	SPCD AP	6.00								HX VX		
QUAL	05	05	DEPR	52								TXDT	003	
FNDN	N/A		UD-1	N/A										
SIZE	03	RECTANGLE	UD-2	N/A										
CEIL	N/A		UD-3	N/A										
ARCH	N/A		UD-4	N/A										
FRME	01	NONE	UD-5	N/A										
KTCH	01	01	UD-6	N/A										
WINDO	N/A		UD-7	N/A										
CLAS	N/A		UD-8	N/A										
OCC	N/A		UD-9	N/A										
COND	03	03	%	N/A										
SUB	A-AREA	%	E-AREA	SUB VALUE										
BAS93	1248	100	1248	38046										
UOP93	52	20	10	305										

AE	BN	CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT	PRICE	ADJ	UT	PR	SPCD	%
Y	0297		SHED CONCRET				1	0000	1.00		1.000	UT	300.000		300.000			10
Y	0296		SHED METAL				1	0000	1.00		1.000	UT	100.000		100.000			10

AE	CODE	LAND	DESC	ZONE	ROAD	{UD1	{UD3	FRONT	DEPTH	FIELD CK:	ADJUSTMENTS	UNITS	UT	PRICE	ADJ	UT	PR
Y	000100	SFR		A-1	0002					1.00 1.00 1.00 1.00		1.000	AC	10550.360		10550.360	
N	005500	TIMBER 2		A-1	0002					1.00 1.00 1.00 1.00		18.000	AC	238.000		238.000	
N	009910	MKT.VAL.AG		A-1	0002					1.00 1.00 1.00 1.00		18.000	AC				
Y	009945	WELL/SEPT		A-1	0002					1.00 1.00 1.00 1.00		1.000	UT	2000.000		2000.000	
N	009945	WELL/SEPT			0002					1.00 1.00 1.00 1.00		1.000	UT	2000.000		2000.000	

2009

SE1/4 OF NE1/4 EX 1.16 AC DESC GAY HUBERT LEE & BETTY G 22-7S-16-04282-000 Columbia Cou
 ORB 725-430 & EX 8.84 AC DESC 2889 SW FRY AVE
 ORB 987-1949, & EX 10 AC DESC FT WHITE, FL 32038
 IN ORB 1011-2787. PRINTED 1/09/2009 10:01
 APPR 10/02/2002 DF

BUSE	000100	SINGLE	FAM	AE?	N	960	HTD AREA	78.104	INDEX	22716.00	DIST	3	PUSE	0050
MOD	1	SFR	BATH	1.00		960	EFF AREA	39.833	E-RATE	100.000	INDX	STR	22- 7S- 16	
EXW	08	WD OR PLY	FIXT			38240	RCN			1987	AYB	MKT AREA	02	
	%	0000000000	BDRM	3		25.75	%GOOD	9,846	B BLDG VAL	1987	EYB	(PUD1		
RSTR	03	GABLE/HIP	RMS									AC	19.000	
RCVR	01	MINIMUM	UNTS									NTCD		
	%	N/A	C-W%									APPR CD		
INTW	02	WALL BD/WD	HGHT									CNDO		

http://www.columbia.floridapa.com/GIS/Show_FieldCard.asp?PIN=22-7S-16-04282-000 2/16/2009

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said License shall be renewed annually, and each licensee shall pay a fee of \$150.

I, Jessie L. "Chester" Knowles, license number IH - 0000509 do hereby

state that the installation of the manufactured home for (applicant) Dale Burd,

Rocky Ford or Wendy Grennell for (customer name)

Gay/Martin in Columbia County


will be done under my supervision.

Jessie L. "Chester" Knowles
Signature

Sworn to and subscribed before me this 16 day of Feb, 2009.

Personally Known: ✓
Produced ID (Type):

Notary Public:



(stamp)

LIMITED POWER OF ATTORNEY

I, Jessie L. "Chester" Knowles License IH - 0000509 authorize Dale Burd,
Rocky Ford or Wendy Grennell to be my representative and act on my behalf in all
aspects of applying for a MOBILE HOME PERMIT to be installed any of the
following Counties; Alachua, Baker, Bradford, Clay, Citrus, Columbia, Dixie,
Duval, Gilchrist, Hamilton, Jackson, Jefferson, Lafayette, Lake, Leon, Levy,
Madison, Marion, Nassau, Pasco, Putnam, Sarasota, Suwannee Taylor, Union,
Volusia & Wakulla. This Power of attorney is valid thru 12/12/2010.

Jessie L. "Chester" Knowles
(Signature)


2-16-09
(Date)

Sworn and subscribed before me this 16 day of FEB, 2008.9

Personally Known: ✓

Produced ID (Type):

Notary Public



PERMIT WORKSHEET

page 1 of 2

PERMIT NUMBER

Installer Jessie L. Chester-Knowles License # 1H 0000-509




Address of home being installed 500 Fry Ave

Manufacturer Fleetwood Length x width 28x48

NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials JKK



New Home ☒ Used Home ☐ Year Model 2008

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15-C

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 300529

Triple/Quad ☐ Serial # ORDER

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4'	5'	6'	7'	8'	8'	8'
2000 psf	5'	6'	7'	8'	8'	8'	8'
2500 psf	6'	7'	8'	8'	8'	8'	8'
3000 psf	7'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17 1/2 x 25 1/2

Perimeter pier pad size 16 x 16

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 10' x

Pier pad size

23 1/2 x 31 1/2 Plus
17 x 22 / 17 x 25

ANCHORS

4 ft ☒ 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

OLIVER Technology

OTHER TIES

Number

Sidewall

Longitudinal

Marriage wall

Shearwall

16

11014

MIN 2

2

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to psf or check here to declare 1000 lb. soil without testing.

x 110 x 110 x 110 x 110

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 110 x 110 x 110 x 110

TORQUE PROBE TEST

The results of the torque probe test is 114 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4600 lb. holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Jessie L. Chester Knowles
Date Tested 2-16-09

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C-1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C-1
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C-1

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☒ Pad ☒ Other

Fastening multi wide units

Floor: Type Fastener: LAGS Length: 6" Spacing: 20"
Walls: Type Fastener: SCREWS Length: 4" Spacing: 24"
Roof: Type Fastener: STRAPS Length: 1 1/2" Spacing: 48" plus ridge cap.
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials JFK

Type gasket Factory Roll Foam
Pg. 15C-1

Installed:
Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 15C-1
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☒ No ☒
Dryer vent installed outside of skirting. Yes ☒ N/A ☒
Range downflow vent installed outside of skirting. Yes ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: 15C-1 may or may NOT have page# in Manual.


Installer verifies all information given with this permit worksheet is accurate and true based on the

manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature Jessie L. Chester Knowles

Date 2-16-09

LOT MODEL # 15



THE VALUE X

Alan & Sandra Martin

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 • FAX: (386) 758-1365 • Email: roa_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 2/17/2009 DATE ISSUED: 2/19/2009

ENHANCED 9-1-1 ADDRESS:

2957 SW FRY AVE
FORT WHITE FL 32038
PROPERTY APPRAISER PARCEL NUMBER:
22-78-16-04282-000

Remarks:

Application #
0902-20

Address Issued By: John Croft
Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE


1385

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT**

Permit Application Number 09-0099-N

----- PART II - SITEPLAN ----- Martin #0902-20

Scale: 1 inch = 50 feet.



Notes:

1 of 19 ACRES

Site Plan submitted by:

Rock D F

MASTER CONTRACTOR

Plan Approved ☒

Not Approved ☐

Date 2-17-09

By

Mrs. A. Zander

Columbia

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

COLUMBIA COUNTY, FLORIDA

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 22-7S-16-04282-000

Building permit No. 000027652

Permit Holder CHESTER KNOWLES

Owner of Building BETTY & HUBERT GAY(A. MARTIN M/H

Location: 2957 SW FRY AVE., FT. WHITE, FL

Date: 03/16/2009



[Signature]

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)