

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000001836**

DATE 07/13/2010 PARCEL ID # 12-7S-16-04184-103
APPLICANT THOMAS J. GLENN, Jr. PHONE 386.497.3795
ADDRESS 608 SW BEAR LANE FT. WHITE FL 32038
OWNER THOMAS J. GLENN, JR. PHONE 386.497.3795
ADDRESS 654 SW TIMUQUA TERRACE FT. WHITE FL 32038
CONTRACTOR THOMAS J. GLENN, JR. PHONE 386.497.3795
LOCATION OF PROPERTY 47-S TO US 27, TL TO TIMUQUA TERRACE, TL PAST BEAR LN &
PROPERTY IS ON THE L @ MAILBOX MARKED #607

SUBDIVISION/LOT/BLOCK/PHASE/UNIT TIMUQUA 3 A

SIGNATURE 

INSTALLATION REQUIREMENTS

☒

Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
 - b) the driveway to be served will be paved or formed with concrete.
- Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.

☐

Culvert installation shall conform to the approved site plan standards.

☐

Department of Transportation Permit installation approved standards.

☐

Other _____

**ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALLATION OF THE CULVERT.**

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00

