

Fun State Pools

332-POOL

3601 N.W. 97th Blvd.
Gainesville, Florida 32606

REF. NO.

POOL SHAPE RANDOM

JOB NO.

SIZE 14 X 28 DEPTH 3 TO 6 PERM 72 AREA 330

DECK 570 SF DECK SURFACE SWDECK DECK-O-DRAIN Yes

COPING N/A CANTILEVER Yes

TILE Yes COLOR Blue

STEP COLOR N/A COLOR N/A

TURNOVER 4hr FILTER TYPE PM SIZE 150 PUMP 1550/15

SKIMMER Yes INLETS 5 MAIN DRAIN Yes

GRAB RAILS No HAND RAIL Yes LADDER N/A

POOL LIGHT Yes VOLTS 120 WATTS 400

AUTOMATIC CHLORINATOR Set TIMER on PUMP

CLEANING EQUIPMENT WALK-BE-HIND YES SIZE Pool

ROPE & FLOATS No ROPE ANCHORS Ad

AUTOMATIC CLEANING SYSTEM II POOL HEATER Ad

GAS LINE BY: WMA SLIDE No SIZE Ad

SPA SPECIFICATIONS

SIZE Ad DEPTH Ad JETS Ad

BLOWER Ad SKIMMER Ad LIGHT Ad

SPLITWAY Ad HEATER Ad MAIN DRAIN Ad

SCREEN ENCLOSURE No SCREEN ROOF Ad DOORS Ad

ALUM. ROOF Ad GUTTER Ad

REMOVE FENCE WMA REPLACE FENCE WMA TEMP. FENCE WMA

TREE REMOVAL WMA STUMP REMOVAL WMA

SHRUBS WMA SAVE WMA HAUL AWAY WMA

SEPTIC TANK WMA SEWER LINE WMA

*POWER LINE WMA RELOCATE WMA

GAS LINE WMA WATERLINE WMA

SPRINKLERS WMA REROUTE WMA CAP WMA

PHONE LINE WMA ACCESS PERMISSION WMA

RETAINING WALL WMA

Custom Design... FUN-STATE POOLS

NAME Steve Wong

ADDRESS 462 FAIRLINGTON CT

CITY LAKE CITY 32025 PHONE: 386-758-8996

Part 2 of contract dated

LOT

SUB

For pool at

BOOK

PAGE

ALSO DEVELOPER'S

DATE

5/2/13

DATE


DATE

PLOT PLAN

SCALE: 1/8" = 1'0"


Tom Bush
Design and
Sales Consultant

Voice: 352-332-7665
Fax: 352-332-0266
t.bush@funstatepools.com



4-19-13
5-1-13

Septic



* OWNER
Wishes
To Keep
Some Existing Soil

Child Safety
Fence

* No Footing
* No Screening

* Has A Dog!
Imp!! Keep Temporary
Fence Up!

Steve Wong
462 SW FAIRLINGTON CT
LAKE CITY 32025
"C"

5 Box
Pool
Equip

Equipment Bonding Grid
as per NEC 680-26 (Code)
Note - Pool shall be wired
as per NEC and all metal
within 5' of pool shall be
bonded

Note - At the disposal of
existing foundation shall not
be disturbed by pool
excavation work.

Notes: All plan dimensions
are approximate.