

45

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ [www.floridabuilding.org](http://www.floridabuilding.org)

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
<b>1. EXTERIOR DOORS</b>	Jeld Wen	30 Steel Door	
A. SWINGING	—		
B. SLIDING	—		
C. SECTIONAL/ROLL UP	—		
D. OTHER	—		
<b>2. WINDOWS</b>			
A. SINGLE/DOUBLE HUNG	Della	SH	
B. HORIZONTAL SLIDER	—		
C. CASEMENT	—		
D. FIXED	—		
E. MULLION	—		
F. SKYLIGHTS	—		
G. OTHER	—		
<b>3. PANEL WALL</b>			
A. SIDING	James Hardie Wood	Hardi Board	
B. SOFFITS	—		
C. STOREFRONTS	—		
D. GLASS BLOCK	—		
E. OTHER	—		
<b>4. ROOFING PRODUCTS</b>			
A. ASPHALT SHINGLES	—		
B. NON-STRUCT METAL	—		
C. ROOFING TILES	—		
D. SINGLE PLY ROOF	—		
E. OTHER	—		
<b>5. STRUCT COMPONENTS</b>			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
<b>6. NEW EXTERIOR ENVELOPE PRODUCTS</b>			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite: 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements. Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

NOTES: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

65346

319 SW Chippewa Gl'n 32038

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
<b>1. EXTERIOR DOORS</b>			
A. SWINGING	Jeld Wen	6 Panel Steel	FL/TD1#1456
B. SLIDING	—		
C. SECTIONAL/ROLL UP	—		
D. OTHER	—		
<b>2. WINDOWS</b>			
A. SINGLE/DOUBLE HUNG	Jeld Wen	Single Hung Window	FBC-14095
B. HORIZONTAL SLIDER	—		
C. CASEMENT	—		
D. FIXED	—		
E. MULLION	—		
F. SKYLIGHTS	—		
G. OTHER	—		
<b>3. PANEL WALL</b>			
A. SIDING			
B. SOFFITS	—		
C. STOREFRONTS	—		
D. GLASS BLOCK	—		
E. OTHER			
<b>4. ROOFING PRODUCTS</b>			
A. ASPHALT SHINGLES	GAF	Dimensional Shingles	FL10124.1
B. NON-STRUCTURAL METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
<b>5. STRUCTURAL COMPONENTS</b>			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
<b>6. NEW EXTERIOR ENVELOPE PRODUCTS</b>			

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.


Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

*White*  
Contractor OR Agent Signature \_\_\_\_\_ Date \_\_\_\_\_

NOTES: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PRODUCT INFORMATION SHEET****Timberline HD® Shingles**

Made To Protect Your Home. Your Story. And Those Of Over 50 Million Of Your Fellow North Americans!

**PRODUCT INFORMATION**

"Value and performance in a genuine wood-shake look"

**Timberline HD® Shingles Provide These Unique Benefits:**

- **Dimensional Look** . . . Features GAF's proprietary color blends and enhanced shadow effect for a genuine wood-shake look
- **Highest Fire Rating** . . . Class A fire rating from Underwriters Laboratories
- **High Performance** . . . Designed with Advanced Protection® Shingle Technology, which reduces the use of natural resources while providing excellent protection for your home (visit [gaf.com/aps](http://gaf.com/aps) to learn more)
- **Stays In Place** . . . Dura Grip™ Adhesive seals each shingle tightly and reduces the risk of shingle blow-off. Shingles warranted to withstand winds up to 130 mph (209 km/h).<sup>1</sup>
- **Peace Of Mind** . . . Lifetime Ltd. transferable warranty with Smart Choice® Protection (non-prorated material and installation labor coverage) for the first ten years<sup>2</sup>
- **Perfect Finishing Touch** . . . Use Timbertex® Premium Ridge Cap Shingles or Ridglass® Premium Ridge Cap Shingles<sup>3</sup>

<sup>1</sup>This wind speed coverage requires special installation; see *GAF Shingle & Accessory Ltd. Warranty* for details.

<sup>2</sup>See *GAF Shingle & Accessory Ltd. Warranty* for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the *GAF Shingle & Accessory Ltd. Warranty* and means as long as the original individual owner(s) of a single-family detached residence [or the second owner(s) in certain circumstances] owns the property where the shingles are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable.

<sup>3</sup>These products are not available in all areas. See [www.gaf.com/ridgecapavailability](http://www.gaf.com/ridgecapavailability) for details.

**COLORS/AVAILABILITY**

- **COLORS:** Barkwood, Birchwood, Biscayne Blue, Canadian Driftwood, Charcoal, Copper Canyon, Driftwood, Fox Hollow Gray, Golden Amber, Hickory, Hunter Green, Mission Brown, Oyster Gray, Patriot Red, Pewter Gray, Shakewood, Slate, Sunset Brick, Weathered Wood, White, and Williamsburg Slate
- **REGIONAL AVAILABILITY:** Northeast, Southeast, Southwest, West, and Central Areas

<sup>4</sup>See [http://www.gaf.com/Roofing/Residential/Products/Shingles/Timberline/High\\_Definition](http://www.gaf.com/Roofing/Residential/Products/Shingles/Timberline/High_Definition) for color availability in your area

## APPLICABLE STANDARDS & PROTOCOLS

- UL 790, Class A
- Miami-Dade County Product Control Approved – 130419.04 (Location dependent; contact Technical Services at 800.766.3411)
- Florida Building Code Approved FL10124-R12
- UL 997 modified to 110 mph
- ASTM D7158, Class H
- ASTM D3161, Class F
- ASTM D3018, Type 1
- ASTM D3462
- ICC ESR-1475, ESR-3267\*\*
- Texas Department of Insurance
- CSA A123.5\*\*\*
- ENERGY STAR® Qualified (White Only) (U.S. Only)
- Title 24 Compliant, CRRC Listed, and Meets Los Angeles Green Building Code (Birchwood, Copper Canyon, Golden Amber, and White Only)

Effective 7/1/08, existing NYC MEA's may be used but are no longer required.

\*\* Obtained ESR 3267 evaluation from ICC Evaluation Services based on compliance with the requirements of AC438, an acceptance criteria established by ICC Evaluation Services to evaluate asphalt shingles that contains performance tests in addition to those required by the building code. (ICC Evaluation Services provides technical evaluations of building products that directly address the issue of code compliance. Building inspectors use these evaluation reports to help determine code compliance and enforce building regulations.)

\*\*\* Refers to shingles sold in Canada only.

## PRODUCT/SYSTEM SPECIFICS†

- Fiberglass Asphalt Construction
- Dimensions (approx.): 13 1/4" x 39 3/8" (337 x 1,000 mm)
- Exposure: 5 5/8" (143 mm)
- Bundles/Square: 3
- Pieces/Square: 64
- Nails/Square: 256 (384 where 6 nails per shingle is required)††
- StainGuard® Protection: Yes (Location dependent; contact Technical Services at 800.766.3411)
- Hip/Ridge: Timbertex®; Seal-A-Ridge®; Z® Ridge; Ridglass® 8"; Ridglass® 10"
- Starter: ProStart® & WeatherBlocker™

†Refer to complete published installation instructions.

††Required by some local codes and required for enhanced wind coverage on certain products.

## INSTALLATION

Detailed installation instructions are provided on the inside of each bundle wrapper of Timberline HD® Shingles. Installation instructions may also be obtained at [www.gaf.com](http://www.gaf.com).