


NOTES:
 THIS ELECTRICAL PLAN IS A SCHEMATIC WITH SUGGESTED
 SWITCH, RECEPTACLE AND LIGHT FIXTURE LOCATIONS, DUE
 TO VARYING LOCAL AND STATE CODES AND ORDINANCES.
 ALL SMOKE DETECTORS TO BE WIRED TOGETHER TO
 ACTIVATE AS ONE UNIT.
 ALL OUTLETS TO BE GFCI PROTECTED CIRCUIT.
 ALL RECEPTACLES NEAR
 ALL EXTERIOR OUTLETS.
 OUTLETS SUPPLYING POWER TO THE STOVE, RANGE,
 A/C, WATER HEATER, DRYER AND WASH WASHER ARE
 WIRED ON SEPARATE DEDICATED CIRCUITS.

SMOKE DETECTORS TO BE WIRED TO BATTERY
WIRE ALL OUTLETS TO BE GFCI PROTECTED CIRCUIT.
ALL RECEPTACLES NEAR
ALL EXTERIOR OUTLETS.



**TELEPHONE, TELEVISION, AND OTHER LOW VOLTAGE DEVICES OR
 OUTLETS SHALL BE AS PER THE OWNER'S DIRECTIONS, AND IN
 ACCORDANCE WITH APPLICABLE SECTIONS OF NEC-LATEST
 EDITION 2020. NEC. ALL BEDROOM RECEPTACLES SHALL BE
 AFCI. 2020 (ARC FAULT CIRCUIT INTERRUPT)**

R34.1.1
 ANY BUILDINGS HAVING A FOSSIL-FUEL-BURNING HEATER OR
 APPLIANCE, A FIREPLACE, OR AN ATTACHED GARAGE SHALL
 HAVE CARBON MONOXIDE DETECTORS WITHIN 10' OF EACH
 ROOM USED FOR SLEEPING PURPOSES. R315.1

**NOTE: ALL 15 AND 20 AMP BRANCH CIRCUITS THAT SUPPLY
 120 VOLT OUTLETS IN HABITABLE ROOMS SHALL BE ARC FAULT
 PROTECTED (FCP)**