DATE 11/23	Columbia County B This Permit Must Be Prominently Posted	uilding Permit	PERMIT 000029023
A DDI ICANE		PHONE 904-887-3109	
APPLICANT ADDRESS	ENVER SAKIRI 4113 RUSTY RUN COURT	JACKSONVILLE	FL 32257
OWNER	ENVER SAKIRI	PHONE 904-887-3109	
ADDRESS	340 NW MILO TERR	LAKE CITY	FL 32055
CONTRACTO	The control of the co	PHONE	
LOCATION OF			•
Doctriio.	L NW MILO TERR, 2ND PROPI		
TYPE DEVELO	OPMENT SFD, UTILITY ES	STIMATED COST OF CONSTRUCTION	271750.00
HEATED FLOO	OR AREA 3864.00 TOTAL AR	EA 5435.00 HEIGHT 3	30.00 STORIES 2
FOUNDATION	CONCRETE WALLS FRAMED	ROOF PITCH 10/12 FI	LOOR SLAB
LAND USE &	ZONING AG-3	MAX. HEIGHT	35
Minimum Set B	Back Requirments: STREET-FRONT 30.00	REAR 25.00	SIDE 25.00
NO. EX.D.U.	0 FLOOD ZONE XPP	DEVELOPMENT PERMIT NO.	
PARCEL ID	08-3S-16-02032-125 SUBDIVISIO	ON HILLS OF HUNSTVILLE	
LOT 25	BLOCK PHASE UNIT	TOTAL ACRES 5	.36
000001864		Ewe Un	<u> </u>
Culvert Permit N	No. Culvert Waiver Contractor's License Nu		-/Contractor
CULVERT	10-0505 BK	TC	Y
Driveway Conne	ection Septic Tank Number LU & Zoni	ing checked by Approved for Issuand	ce New Resident
COMMENTS:	PLAT REQUIRES MINIMUM FLOOR ELEVATION (@ 104.38, NEED ELEVATION	((
CONFIRMATIO	ON LETTER AT SLAB		
NOC ON FILE		Check # or C	ash
	FOR BUILDING & ZONII	NG DEPARTMENT ONLY	(footer/Slab)
Temporary Pow	Foundation	Monolithic	-
	date/app. by	date/app. by	date/app. by
Under slab roug			Nailing
Framing	date/app. by	date/app. by	date/app. by
	date/app. by Insulation dat	te/app. by	
Pough-in plumb	oing above slab and below wood floor	Electrical rough-in	
Rough-in plumo		date/app. by	date/app. by
Heat & Air Duc	t Peri. beam (Linte	el) Pool	
Permanent powe	date/app. by C.O. Final	date/app. by	date/app. by
	1000-000	date/app. by Culvert	date/app. by
Pump pole da	Utility Pole M/H tie d	downs, blocking, electricity and plumbing	date/app. by
Reconnection	RV	Re-roof	2 AUGUSTA - CONTROL - CONT
	date/app. by	date/app. by	date/app. by
BUILDING PER	RMIT FEE \$ 1360.00 CERTIFICATION FE	E \$ SURCHARGE	E FEE \$
MISC. FEES \$	0.00 ZONING CERT. FEE \$ 50.00	FIRE FEE \$ 0.00 WAST	E FEE \$
FLOOD DEVEL	OPMENT FEE \$ FLOOD ZONE FEE \$ 25.0	0 CULVERT FEE \$ 25.00 TO	TAL FEE 1514.36
INSPECTORS C	OFFICE U	CLERKS OFFICE	7/

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

				Langua			100
Applicator - White Permit File - Canary Permit Holder - Pink	If this notice is for the final exterior treatment, initial this line 1- 4- 4:30 TERRY MARTINE Date Time Print Technician's Name Remarks:	As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.	Area Treated Area Treated	Product used Active Ingredient % Concentration ☑ Premise Imidacloprid 0.1% ☐ Termidor Fipronil 0.12% ☐ Bora-Care Disodium Octaborate Tetrahydrate 23.0%	Applicator: Florida rest Control & Chemical Co. (WWWapple.) Address: 536 St. PAN Sple. Address: 536 St. PAN Sple. Phone 386-752-1703 Phone 386-752-1703 Site Location: Subdivision MUS OF HONTSUIUE Lot # 25 Block# Permit # Address	29023	

Columbia County Building Permit Application / 3 / 1 / 26
For Office Use Only Application # 1010 - 47 Date Received 10/25/10 By CH Permit # 1864/ 29023
Zoning Official Date // II Flood Zone Land Use Land Use
EEMA Man # NA Elevation 04.38 MFE 105.5 River NA Plans Examiner 7.C. Date 1/16-16
Comments Der Plat ON Lot Elevation Continuation hether Required at Stab
NOC (DEH) Deed or PA Site Plant State Road Info Dearent Parcel #
Dev Permit # □ In Floodway Letter of Auth. from Contractor □ F W Comp. letter
IMPACT FEES: EMSFireCorrRoad/Code
School = TOTAL NA Suspended LIAVE form South Remait No. 10-0505 Faver Sakiri Fax 386-755-1031
Sepric Permit No. 10
Name Authorized Person Signing Permit Wordy Grennet Phone 386-288-2428
Address ALLS RUSTY RUN COURT / JIVILE, +1, 3215)
Owners Name Enver Sakini Phone 904-887-3109
(911 Address) 340 NW Milo Terry Lalce City fc 32055
Contractors Name (0)(1) NOR Phone 904-887-3109
Address 41/3 Rusty Run Court Jacksonville FL 32257
Fee Simple Owner Name & Address NA
Bonding Co. Name & Address
Architect/Engineer Name & Address Builder Boy Design Mangement 7855-803 Argule Forest BLVD Jax Cc 32204
Mortgage Lenders Name & Address Westridge Inc. POBOX 766 Lala City, fc 32056
Circle the correct power company - FL Power & Light - Clay Elec Suwannee Valley Elec Progress Energy
Property ID Number 08-35-16-02032-125 Estimated Cost of Construction 150,000
Subdivision Name H1/13 of Huntsville Lot Block Unit Phase
Driving Directions 90 w B Lake Jeffery Rd , & Huntsville Church Dr.
10 NW Milo Ferr, End property on B
Number of Existing Dwellings on Property
Construction of SFD - Utility Total Acreage 5.36 Lot Size 5.36
Do you need a Culvert Permit or Culvert Waiver or Have an Existing Drive Total Building Height
DO YOU NEED OF CONTENT OF THE PARTY OF THE P
Action District of Oriotation with the party
Number of Stories 2 Heated Floor Area 3864 Total Floor Area 5435 Roof Pitch 10/12
Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction. CODE: Florida Building Code 2007 with 2009 Supplements and the 2008 National Electrical Code . Page 1 of 2 (Both Pages must be submitted together.) Revised 6-19-09

Spoke to Wendy 11-17-10 LH

Columbia County Building Permit Application

TIME LIMITATIONS OF APPLICATION: An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

<u>TIME LIMITATIONS OF PERMITS:</u> Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

<u>WARNING TO OWNER:</u> YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

<u>NOTICE TO OWNER:</u> There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. It may be to your advantage to check and see if your property is encumbered by any restrictions.

Ewer Vi	
Owners Signature **OWNER BUILDERS MUST	PERSONALLY APPEAR AND SIGN THE BUILDING PERMIT.
CONTRACTORS AFFIDAVIT: By my signature I understar written statement to the owner of all the above written this Building Permit including all application and permited the statement of the contract of the co	responsibilities in Columbia County for obtaining
Contractor's Signature (Permitee)	Contractor's License Number Columbia County Competency Card Number
Affirmed under penalty of perjury to by the Contractor and s	ubscribed before me this 19 day of Databace 20 1 9
Personally known or Produced Identification	DL
Spely my Bennett S	EAL: SHIRLEY M. BENNETT
State of Florida Notary Signature (For the Contractor)	EXPIRES July 08, 2012
	(407) 395-0153 FloridzNotaryService.com

(Owners Must Sign All Applications Before Permit Issuance.)

Sakiri App# 1010-47

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyflu.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED:

10/25/2010

DATE ISSUED:

10/28/2010

ENHANCED 9-1-1 ADDRESS:

340

NW MILO

TER

LAKE CITY

FL 32055

PROPERTY APPRAISER PARCEL NUMBER:

08-35-16-02032-125

Remarks:

LOT 25 HILLS OF HUNTSVILLE S/D

Address Issued By:

Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

Columbia County Building Department Culvert Permit

Culvert Permit No. 000001864

DATE 11/2	23/2010 PA	ARCEL ID # 08-35-16-02	2032-125		
APPLICANT	ENVER SAKIRI		_ PHONE 90	4-887-3109	
ADDRESS _	4113 RUSTY RUN COURT		CKSONVILLE	FL	32257
OWNER E	NVER SAKIRI		PHONE 904	-887-3109	
ADDRESS _3	340 NW MILO TERR	LA	KE CITY	FL	32055
CONTRACTO	OWNER BUILDER		PHONE _		
LOCATION O	OF PROPERTY 90 W, R LA	AKE JEFFERY RD, L HUNTS	VILLE CHURCH I	OR,	
L MILO TERR, 2	ND PROPERTY ON RIGHT				
	 b) the driveway to be seen Turnouts shall be conconcrete or paved dri 	DUIREMENTS thes in diameter with a tot s will be mitered 4 foot wire slab.	al lenght of 32 fe th a 4 : 1 slope a as follows: turnouts are pa med with concre m of 12 feet wide ter. The width sh	ved, or; te. e or the width o	h a 4 inch
	Culvert installation shall	conform to the approved	site plan standa	rds.	
	Department of Transport	ation Permit installation	approved standa	rds.	
	Other			9	
	<u> </u>			1	

ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED DURING THE INSTALATION OF THE CULVERT.

135 NE Hernando Ave., Suite B-21

Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00



			SUBCONTRACTOR VER	RIFICATION FORM	
APPLICATION NUM	MBER		CONTRACTOR _	OWNER OR TO THE ISSUANCE OF	PHONE 904 - 887-3
records of the s Ordinance 89-6 exemption, ger	subcontract 6, a contract neral liabilit	ermit will cover al tors who actually tor shall require a y insurance and a	I trades doing work did the trade specif Il subcontractors to valid Certificate of	c at the permitted s fic work under the p provide evidence Competency licens	site. It is <u>REQUIRED</u> that we have permit. Per Florida Statute 440 and of workers' compensation or se in Columbia County.
start of that su	bcontracto	r beginning any v	vork. Violations wi	ll result in stop wor	rk orders and/or fines.
ELECTRICAL	Print Name License #:	Enver:	Saluri	Signature EV Pho	one #:
MECHANICAL/ A/C	Print Name License #:				me#:
PLUMBING/ GAS	Print Name License #:	1		Signature Pho	one #:
ROOFING	Print Name License #:	9			one #:
SHEET METAL	Print Name License #:				one #:
FIRE SYSTEM/ SPRINKLER	Print Name License#:				one #:
SOLAR	Print Name License #:			Signature Pho	one #:
Specialty Li	cense	License Number	Sub-Contracto	ors Printed Name	Sub-Contractors Signature
MASON			Enver So	akiri	Enver Illiani
CONCRETE FIN	IISHER				Eures This
FRAMING					Enver 11
INSULATION					
STUCCO					
DRYWALL					
PLASTER	11				
CABINET INSTA	ALLER				
PAINTING					
ACOUSTICAL C	EILING				
GLASS					
CERAMIC TILE					
FLOOR COVER	ING				

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Contractor Forms: Subcontractor form: 6/09

ALUM/VINYL SIDING GARAGE DOOR

METAL BLDG ERECTOR



STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL

	10-0000
PERMIT NO. DATE PAID:	98493
FRE PAID:	13/01:00
RECEIPT #:	1033553

APPLICATION F	OR CONSTRUCTION	PERMIT	
APPLICATION FOR: (X) New System [] Ex [] Repair [] Ab	isting System andonment	[] Holding Tank	[] Innovative
APPLICANT: ENVER SAKI	<u> </u>		
AGENT: WENDY GRENNET			elephone: <u>376-288-21</u> 7
MAILING ADDRESS: 3104 SW	OLD WIKE RO	FTWHITE	FL 32038
TO BE COMPLETED BY APPLICANT BY A PERSON LICENSED PURSUANT APPLICANT'S RESPONSIBILITY TO PLATTED (MM/DD/YY) IF REQUEST	TO 489.105(3)(m)	TON OF THE DATE T	HE LOT WAS CREATED OR
PROPERTY INFORMATION			
LOT: 25 BLOCK:	SUBDIVISION: HILLS	of HUNTSVIL	CE PLATTED:
PROPERTY ID #: 08-35-16-6			
PROPERTY SIZE: 5-36 ACRES	WATER SUPPLY: [X]	PRIVATE PUBLIC (]<=2000GPD []>2000GFD
IS SEWER AVAILABLE AS PER 38	1.0065, FS? [Y /Œ)ı pıs	TANCE TO SEWER: NA FT
PROPERTY ADDRESS: 340	NW MILOTE	RRACE	
PERSONAL TO PROPERTY: 90	TO LAKE JE	FFERY RD R	GAT TO NW
HUNTSVILLE CHUNC	H RD LEFT	TO NW Mi	LO TERR. PROP
ON RIGHT LOT 2			
BUILDING INFORMATION	(X) RESIDENTIAL	[] COMME	
Unit Type of No Establishment	No. of Building Bedrooms Area S	ng Commercial/Ins oft Table 1, Chapt	stitutional System Design ter 64E-6, FAC
1 SFR	3 3864		
2			Held for complete
3		مرم	
4			
[] Floor/Equipment Drains	[] Other (Spe	ecify)	
SIGNATURE: ALL BUZ	osipric LL	e msrc	DATE: 11-10-10
		ich may not be use	7//O Page 1 of 4

DH 4015, 10/95 (Replaces KRS-H Form 4016 which may be used) (Stock Number: 5744-002-40 6-6)


NOTICÉ OF COMMENCEMENT

County Clerk's Office Stamp or Seal


Tax Parcel Identification Number 08-35-16-02032-125 THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the
or it control the following information is provided in this NUTICE OF COMMENTER.
1. Description of property (legal description): Lot 25 Hills of Huntsville a) Street (job) Address: Nw mile Terrace Lake City FC 2. General description of improvements: Cesidential construction
2 General description of improvements: (esidential construction
a) Name and address: Enver + Jody Salari 4113 Rusty Run Ct. Jacksmolless b) Name and address of fee simple titleholder (if other than owner)
c) Interest in property
4. Contractor Information
4. Contractor Information a) Name and address: Owner - Enver Solvini b) Telephone No.: 909 - 887 - 3109 Fax No. (Opt.)
5. Surety Information
a) Name and address: b) Amount of Bond: c) Telephone No.: Fax No. (Opt.)
c) Telephone No.:Fax No. (Opt.)
6. Lender a) Name and address: Westridge Inc. PO Box 766 Lake City FL 32056 b) Phone No.
b) Findle 140.
a) Name and address: b) Telephone No.: Fax No. (Opt.)
b) Telephone No.: Fax No. (Opt.)
8. In addition to himself, owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.13(I)(b), Florida Statutes:
a) Name and address: b) Telephone No.: Fax No. (Opt.)
9. Expiration date of Notice of Commencement (the expiration date is one year from the date of recording unless a different date is specified):
WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING
YOUR NOTICE OF COMMENCEMENT.
YOUR NOTICE OF COMMENCE CENTER !
_ \(\) \(\) \(\)
STATE OF FLORIDA COUNTY OF COLUMBIA 10. Entre of Owner's Authorized Office/Director/Partner/Manager
COUNTY OF COLUMBIA Signature of Owner's Authorized Office/Director/Partner/Manager
10 / ///// //
COUNTY OF COLUMBIA Signature of Owner's Authorized Office/Director/Partner/Manager
The foregoing instrument was acknowledged before me, a Florida Notary, this 19 day of October 20 10, by: Enver Galia as 6 well (type of authority, e.g. officer, trustee, attorney)
The foregoing instrument was acknowledged before me, a Florida Notary, this
The foregoing instrument was acknowledged before me, a Florida Notary, this
Signature of Owner or Owner's Authorized Office/Director/Partner/Manager Enver Sour
Signature of Owner or Owner's Authorized Office/Director/Partner/Manager Enver Salir
Signature of Owner or Owner's Authorized Office/Director/Partner/Manager Enver Salir
Signature of Owner or Owner's Authorized Office/Director/Partner/Manager Enver Sair (Print Name
Signature of Owner or Owner's Authorized Office/Director/Partner/Manager Figure First Name


SITE PLAN EXAMPLE / WORKSHEET

Enver Sakini Lot 25 Hills of Huntsville



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them, Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.





>> Print as PDF <<

ND 1138-2317, CT	HUNTSVILLE. 1172-1931,	re.	SAKIRI ENVE	R & JODY E		08-3S-16-0						(CARD 00	1 of	001
ND 1181-1561			JACKSONVILL	E, FL 32257			APP	R	10/11/201 12/01/200)6 C	M		BY J	EFF	
BUSE		AE?		HTD AREA	.000	INDEX	8316.00	DIST	3						
1OD	BATH			EFF AREA	63.975	E-RATE	.000	INDX	STR	8-	3S-16E				
XX	FIXT			RCN				AYB	MKT AR	REA.	01			0	BLDG
8	BDRM			%GOOD		BLDG VAL		EYB	(PUD1					0	XFOB
STR	RMS								AC		5.360		50,	000	LAND
CVR	UNTS		FIELD CK	(:				3	NTCD					0	
8	C-M#		*LOC:					3	APPR C	CD			- Carrier III		MKAG
NTW	HGHT		3					3	CNDO				50,		
8	PMTR		,					3	SUBD					0	CLAS
LOR %	STYS		,					,	BLK						
TTP	ECON		,					3	LOT						SOHD
/C	FUNC		3						MAP#						ASSD
UAL	DEPR		,						TXDT		03				EXPT
NDN	UD-1		3						TXDI	U	03			U	COTXE
IZE	UD-2		3					3			BIDG	TDAVET	ocr	2121212	
EIL	UD-3		3					3.			DLDG	INNARI	NOE		
RCH	UD-4		3					а							
RME	UD-5		3					3							
TCH	UD-6		3					3							
NDO	UD-7		3					3							
LAS	UD-8		3					3							
occ	UD-9		3					3							
OND	*		3					3			PE	RMITS -			
UB A-AREA %	E-AREA S	SUB VALI	UE 3						NUMBER						
			3					3							
			3					35							
			3					3				SALE			
			3					3	BOOK PA	AGE	DAT	E		F	RICE
			3					3	BOOK PA 1181	156	1 9/17	/2009 (2 V		5990
			3						GRANTOR W	VEST	RIDGE I	NC			
			,						GRANTEE E						
			3						1172				JV		10
			3						GRANTOR C						
									GRANTEE W	VEST	RIDGE I	NC			
TOTAL															
COTAL EXTRA FE NE BN CODE				FI	ELD CK:			-							

Inst. Number: 200912016373 Book: 1181 Page: 1561 Date: 9/30/2009 Time: 3:17:32 PM Page 1 of 2

Prepared by and return to:

Law office of Dana Edmisten Hill 230 Court Street SE Live Oak, FL 32064 386-362-1900 File Number: 09234

Inst 200912016373 Date:9/30/2009 Time:3.17 PM
Doc Stamp-Deed:419.30

______DC_P.DeWitt Cason,Columbia County Page 1 of 2 B:1181 P:1561

[Space Above This Line For Recording Data]

Warranty Deed

This Warranty Deed made this ______ day of September, 2009 between Westridge, Inc., a Florida corporation, whose post office address is P. O. Box 766, Lake City, FL 32056, grantor, and Enver Sakiri and Jody E. Sakiri, husband and wife, whose post office address is 4113 Rusty Run Court, Jacksonville, FL 32257, grantee:

(Whenever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth, that said grantor, for and in consideration of the sum of Fifty-Nine Thousand Eight Hundred Ninety-Five and 00/100 Dollars (\$59,895.00) and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said grantee, and grantee's heirs and assigns forever, the following described land, situate, lying and being in Columbia County, Florida to-wit:

Lot 25, HILLS OF HUNTSVILLE, a subdivision according to the map or plat thereof as recorded in Plat Book 8, Pages 126-129, public records, Columbia County, Florida.

Parcel Identification Number: R 02032-125

SUBJECT TO any valid and existing oil, gas or mineral right, reservation, royalty transfer or mineral deed conveying or reserving any interest in the oil, gas or minerals underlying said lands, or any portion thereof, heretofore executed and duly recorded in the public records of said county.

FURTHER SUBJECT TO covenants, conditions, restrictions, easements, reservations and limitations of record, road rights of way and utility easements, and rules, regulations and permitting requirements of Suwannee River Water Management District, if any. Further subject all matters contained on the Plat of Hills of Huntsville, as recorded in Plat Book 8, Pages 126-129, inclusive; Declaration of Restrictions and Protective Covenants for Hills of Huntsville, Phase I as recorded in Official Records Book 1107, Page 1830 and also referred to as Instrument Number 200700865, and Amendment to Declaration of Restrictions as recorded in Official Records Book 1141, Page 2043; and Easements contained in Warranty Deed recorded in Official Records Book 1023, Pages 1019-1023; all in the public records of Columbia County, Florida.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2008.

Inst. Number: 200912016373 Book: 1181 Page: 1562 Date: 9/30/2009 Time: 3:17:32 PM Page 2 of 2

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Holly Changres Witness Name: Holly C. Hanover By: Audicy's. Bullard, President

(Corporate Seal)

,____

State of Florida County of Columbia

The foregoing instrument was acknowledged before me this 14 day of September, 2009 by Audrey S. Bullard, President of Westridge, Inc., a Florida corporation, on behalf of the corporation, and who is personally known to me.

[Notary Seal]

Holly C. Hanover
Commission # DD553936
Expires May 18, 2010

Holly CHanana Notary Public

Printed Name:

Holly CHanover

My Commission Expires:

518-10

Andrews Site Prep, Inc.

8230 SW SR 121 Lake Butler, Florida 32054

Phone 386-867-0572 Fax 386-496-0985 Robert Stofel Lic # 2901

October 25, 2010

To: Columbia County Environmental Health

We will be drilling a well for Enver & Jody Sakiri located at NW Milo Terrace Lake City FL. The well should go approximately 170 feet with a casing depth of 140 feet. We will install a 1hp aermotor pump and a 33 gallon challenger tank.

Thank You,

Robert Stofel



COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave., Suite B-21 Lake City, FL 32055

Office: 386-758-1008 Fax: 386-758-2160

OWNER BUILDER DISCLOSURE STATEMENT

I understand that state law requires construction to be done by a licensed contractor and have applied for an owner-builder permit under an exemption from the law. The exemption specifies that I, as the owner of the property listed, may act as my own contractor with certain restrictions even though I do not have a license.

I understand that building permits are not required to be signed by a property owner unless he or she is responsible for the construction and is not hiring a licensed contractor to assume responsibility.

I understand that, as an owner-builder, I am the responsible party of record on a permit. I understand that I may protect myself from potential financial risk by hiring a licensed contractor and having the permit filed in his or her name instead of my own name. I also understand that a contractor is required by law to be licensed and bonded in Florida and to list his or her license numbers on permits and contracts.

I understand that I may build or improve a one-family or two-family residence or farm outbuilding. I may also build or improve a commercial building if the costs do not exceed \$75,000. The building or residence must be for my own use or occupancy. It may not be built or substantially improved for sale or lease. If a building or residence that I have built or substantially improved myself is sold or leased with in 1 year after the construction is complete, the law will presume that I built or substantially improved it for sale or lease, which violates the exemption.

I understand that, as the owner-builder, I must provide direct, onsite supervision of the construction.

I understand that I may not hire an unlicensed person to act as my contractor or to supervise persons working on my building or residence. It is my responsibility to ensure that the persons whom I employ have the licenses required by law and by county or municipal ordinance.

I understand that it is frequent practice of unlicensed persons to have the property owner obtain an owner-builder permit that erroneously implies that the property owner is providing his or her own labor and materials. I, as an owner-builder, may be held liable and subjected to serious financial risk for any injuries sustained by an unlicensed person or his or her employees while working on my property. My homeowner's insurance may not provide coverage for those injuries. I am willfully acting as an owner-builder and am aware of the limits of my insurance coverage for injuries to workers on my property.

I understand that I may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on my building who is not licensed must work under my direct supervision and must be employed by me, which means that I must comply with laws requiring the withholding of federal income tax and social security contributions under the Federal Insurance Contributions Act (FICA) and must provide workers' compensation for the employee. I understand that my failure to follow these laws may subject me to serious financial risk.

I agree that, as the party legally and financially responsible for this proposed construction activity, I will abide by all applicable laws and requirements that govern owner-builders as well as employers. I also understand that the construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

I understand that I may obtain more information regarding my obligations as an employer from the Internal Revenue Service, the United States Small Business Administration, the Florida Department of Financial Services, and the Florida Department of Revenue. I also understand that I may contact the Florida Construction Industry Licensing Board at 850-487-1395 or Internet website address http://www.myflorida.com/dbpr/pro/cilb/index.html for more information about licensed contractors.

I am aware of, and consent to, an owner-builder building permit applied for in my name and understand that I am the party legally and financially responsible for the proposed construction activity at the following address:

I agree to notify Columbia County Building Department immediately of any additions, deletions, or changes to any of the information that I have provided on this disclosure. Licensed contractors are regulated by laws designed to protect the public. If you contract with a person who does not have a license, the Construction Industry Licensing Board and Department of Business and Professional Regulation may be unable to assist you with any financial loss that you sustain as a result of a complaint. Your only remedy against an unlicensed contractor may be in civil court. It is also important for you to understand that, if an unlicensed contractor or employee of an individual of firm is injured while working on your property, you may be held liable for damages. If you obtain an owner-builder permit and wish to hire a licensed contractor, you will be responsible for verifying whether the contractor is properly licensed and the status of the contractor's workers' compensation coverage.

I understand that if I hire subcontractors they must be licensed for that type of work in Columbia County, ex: framing, stucco, masonry, and state registered builders. Registered Contractors must have a minimum of \$300,000.00 in General Liability insurance coverage and the proper workers' compensation. Specialty Contractors must have a minimum of \$100,000.00 in General Liability insurance coverage and the proper workers' compensation coverage.

Before a building permit can be issued, this disclosure statement must be completed and signed by the property owner and returned to Columbia County Building Department.

TYPE OF CONSTRUCTION

(Single Family Dwelling () Two-Family Residence () Farm Outbuilding () Addition, Alteration, Modification or other Improvement () Commercial, Cost of Construction Construction of () Other____ I Enver Sakiri , have been advised of the above disclosure statement for exemption from contractor licensing as an owner/builder. I agree to comply with all requirements provided for in Florida Statutes allowing this exception for the construction permitted by Columbia County Building Permit. Owner Builder Signature NOTARY OF OWNER BUILDER SIGNATURE The above signer is personally known to me or produced identification $\cancel{\digamma}\cancel{\longleftarrow}\cancel{\longleftarrow}\cancel{\longleftarrow}\cancel{\longleftarrow}$ EXPIRES July 08, 2012 FOR BUILDING DEPARTMENT USE ONLY I hereby certify that the above listed owner builder has been given notice of the restriction stated above. **Building Official/Representative**

Revised: 7-23-09 DISCLOSURE STATEMENT 09 Documents: B&Z Forms

PRODUCT APPROVAL SPECIFICATION

APP 40-47

Location: 340 19HEET 110 Terrice Project Name: Sakiri

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org

A. EXTERIOR DOORS			The second secon
		A	
1. Swinging	Pella	Insing Fiberglass Entry Door	11914.1
2. Sliding	Pella	Insing Fiberglass Entry Door Series 10/25 Sliding	11914.1
3. Sectional			
4. Roll up			
5. Automatic			
6. Other Garage	Amar	Garage doors 16 wide	10518.2
B. WINDOWS			
Single hung	Pella.	Series 10/20 Single thing	FL 11206.6
2. Horizontal Slider	1000	100	10110000
3. Casement			
4. Double Hung	Pella	Wood Double, Hung	11632.1+116
5. Fixed	10110	Double Boardie, Tradis	11000011
6. Awning			
7. Pass -through			
8. Projected			
9. Mullion		12	
10. Wind Breaker	 		
11 Dual Action	 		
12. Other	<u> </u>		
	-		
C. PANEL WALL			
1. Siding	1		<u> </u>
2. Soffits			
3. EIFS			
4. Storefronts	L		
5. Curtain walls			
6. Wall louver			
7. Glass block			
8. Membrane			
9. Greenhouse			
10. Other	100	_18	
D. ROOFING PRODUCTS			
Asphalt Shingles	Owens Cornii	a asphalt shingles	FL10674-R3
2. Underlayments	Owens Corning	Reinforced Felt	FL 12536.1
3. Roofing Fasteners	ome o	Roofing Fastners	FL 699-R3
4. Non-structural Metal	101110	1 100 1110 1 100 1	10011100
Rf 5. Built-Up Roofing			
6. Modified Bitumen	 		
7. Single Ply Roofing Sys	 		
8. Roofing Tiles			
Roofing Insulation	 		
10. Waterproofing			
			at the second second
11. Wood shingles /shakes			


PRODUCT APPROVAL SPECIFICATION

HPP#1010-47

Location: 340 ASHEETNIO TENUC Project Name: Sakiri

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
A. EXTERIOR DOORS			
Swinging	Pella	Insing Fiberglass Entry Door	11914.1
2. Sliding	Pella	Insing Fiberglass Entry Dwr Series 10/25 Sliding	11914.1
Sectional			
4. Roll up			
5. Automatic			
6. Other Garage	Amarr	Garage doors 16 wide	10518.2
B. WINDOWS			
Single hung	Pella.	Series 10/20 Single thing	FL 11206.6
2. Horizontal Slider		8	
3. Casement		**	
4. Double Hung	Pella	Wood Double, Hung	11632.1+116
5. Fixed		J	
6. Awning			
7. Pass -through			
8. Projected			
9. Mullion			
10. Wind Breaker			
11 Dual Action			
12. Other			
C. PANEL WALL			
1. Siding		3	
2. Soffits			
3. EIFS	 		
4. Storefronts			
5. Curtain walls			
6. Wall louver			
7. Glass block			
8. Membrane			
9. Greenhouse			
10. Other			
D. ROOFING PRODUCTS		-	
Asphalt Shingles	Owens Corn	in asphalt Shingles	FL10674-R3
2. Underlayments	Owens Corni	A Reinforced Felt	FL 12536.1
3. Roofing Fasteners	ome	Roofing Fastners	FL 699-R3
4. Non-structural Metal	Onic	Rooming room room	1001110
Rf 5. Built-Up Roofing			
6. Modified Bitumen			
7. Single Ply Roofing Sys	<u> </u>		
8. Roofing Tiles		1	
9. Roofing Insulation	+		
10. Waterproofing	-		
11. Wood shingles /shakes			
12. Roofing Slate	1		





1010-47

COLUMBIA COUNTY BUILDING DEPARTMENT RESIDENTIAL CHECK LIST REQUIRMENTS

MINIMUM PLAN REQUIREMENTS FOR THE FLORIDA BUILDING CODE RESIDENTIAL 2007 EFFECTIVE 1 MARCH 2009 & 2009 SUPPLEMENTS EFFECTIVE 1 MARCH 2009, ONE (1) AND TWO (2) FAMILY DWELLINGS with Supplements and Revision, OF THE NATIONAL ELECTRICAL 2008

ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE with the Current 2007 FLORIDA BUILDING CODES RESIDENTIAL EFFECTIVE 1 MARCH 2009 & 2009 SUPPLEMENTS EFFECTIVE 1 MARCH 2009. ALL PLANS OR DRAWINGS SHALL PROVIDE CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION FOR ONE-AND-TWO FAMILY DWELLINGS.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FIGURE R301.2(4) of the FLORIDA BUILDING CODES RESIDENTIAL (Florida Wind speed map) SHALL BE USED.

WIND SPEED LINE SHALL BE DEFINED AS FOLLOWS: THE CENTERLINE OF INTERSTATE 75.

ALL BUILDINGS CONSTRUCTED EAST OF SAID LINE SHALL BE ------ 100 MPH ALL BUILDINGS CONSTRUCTED WEST OF SAID LINE SHALL BE ------110 MPH NO AREA IN COLUMBIA COUNTY IS IN A WIND BORNE DEBRIS REGION

Cita Diam . .

GENERAL REQUIREMENTS:

	APPLICANT - PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL		L Applicable			
				Yes	No	N/A
1	Two (2) complete sets of	f plans containing the fo	ollowing:			
2	All drawings must be cle	ear, concise, drawn to so	cale, details that are not used shall be marked void	V		
3	Condition space (Sq. Ft.)	3864	Total (Sq. Ft.) under roof	шш	шшш	ш

Designers name and signature shall be on all documents and a licensed architect or engineer, signature and official embossed seal shall be affixed to the plans and documents as per the FLORIDA BUILDING CODES RESIDENTIAL R101.2.1

2	te Fian information including:	/	
4	Dimensions of lot or parcel of land	1	
5	Dimensions of all building set backs	1	
6	Location of all other structures (include square footage of structures) on parcel, existing or proposed well and septic tank and all utility easements.		
7	Provide a full legal description of property.		

Items to Include-Each Box shall be

Wind-load Engineering Summary, calculations and any details required

	GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Items to Includ Each Box shall Circled as Applicable		
8	Plans or specifications must show compliance with FBCR Chapter 3	ШШ	ШП	ШШ
		YES	NO	N/A
9	Basic wind speed (3-second gust), miles per hour	V		
10	(Wind exposure – if more than one wind exposure is used, the wind exposure and applicable wind direction shall be indicated)	V		
11	Wind importance factor and nature of occupancy			
12	The applicable internal pressure coefficient, Components and Cladding			
13	The design wind pressure in terms of psf (kN/m²), to be used for the design of exterior component, cladding materials not specifally designed by the registered design professional.			

Elevations Drawing including:

14	All side views of the structure	
15	Roof pitch	
16	Overhang dimensions and detail with attic ventilation	
17	Location, size and height above roof of chimneys	
18	Location and size of skylights with Florida Product Approval	
18	Number of stories	
20A	Building height from the established grade to the roofs highest peak	

Floor Plan including:

20	Dimensioned area plan showing rooms, attached garage, breeze ways, covered porches, deck, balconies	V	
21	Raised floor surfaces located more than 30 inches above the floor or grade		1
22	All exterior and interior shear walls indicated		
23	Shear wall opening shown (Windows, Doors and Garage doors)		
24	Show compliance with Section FBCR 310 Emergency escape and rescue opening shown in each bedroom (net clear opening shown) and Show compliance with Section FBCR 613.2 where the opening of an operable window is located more than 72 inches above the finished grade or surface below, the lowest part of the clear opening of the window shall be a minimum of 24 inches above the finished floor of the room in which the window is located. Glazing between the floor and 24 inches shall be fixed or have openings through which a 4-inch-diameter sphere cannot pass.		
25			
26	Fireplaces types (gas appliance) (vented or non-vented) or wood burning with Hearth (see chapter 10 of FBCR)	V	
27	Show stairs with dimensions (width, tread and riser and total run) details of guardrails, Handrails	V	
28	Identify accessibility of bathroom (see FBCR SECTION 322)		

All materials placed within opening or onto/into exterior walls, soffits or roofs shall have Florida product approval number and mfg. installation information submitted with the plans (see Florida product approval form)

			ide- Il be s
FBCR 403: Foundation Plans	YES	NO	N/A
29 Location of all load-bearing walls footings indicated as standard, monolithic, dimensions, size	163	NO	IN/A
and type of reinforcing.	V		
30 All posts and/or column footing including size and reinforcing	V	1.	
31 Any special support required by soil analysis such as piling.			
32 Assumed load-bearing valve of soil Pound Per Square Foot			
33 Location of horizontal and vertical steel, for foundation or walls (include # size and type) For structure with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	res		
FBCR 506: CONCRETE SLAB ON GRADE		,	
34 Show Vapor retarder (6mil. Polyethylene with joints lapped 6 inches and sealed)	V	,	I
35 Show control joints, synthetic fiber reinforcement or welded fire fabric reinforcement and Supports	1		
FBCR 320: PROTECTION AGAINST TERMITES Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered			
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls)			
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) Show all materials making up walls, wall height, and Block size, mortar type			
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls)			
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) 37 Show all materials making up walls, wall height, and Block size, mortar type 38 Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement Metal frame shear wall and roof systems shall be designed, signed and sealed by Floar Framing System: First and/or second story Floor truss package shall including layout and details, signed and sealed by Florida Registered	đi.	of. En	
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) 37 Show all materials making up walls, wall height, and Block size, mortar type 38 Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement Metal frame shear wall and roof systems shall be designed, signed and sealed by Floar Framing System: First and/or second story			
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) Show all materials making up walls, wall height, and Block size, mortar type Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement Metal frame shear wall and roof systems shall be designed, signed and sealed by Floar Framing System: First and/or second story Floor Framing System: First and/or second story Floor truss package shall including layout and details, signed and sealed by Florida Registered Professional Engineer Show conventional floor joist type, size, span, spacing and attachment to load bearing walls, stem walls and/or priers Girder type, size and spacing to load bearing walls, stem wall and/or priers	đi.		
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) Show all materials making up walls, wall height, and Block size, mortar type Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement Metal frame shear wall and roof systems shall be designed, signed and sealed by Floar Framing System: First and/or second story Floor Framing System: First and/or second story Floor truss package shall including layout and details, signed and sealed by Florida Registered Professional Engineer Show conventional floor joist type, size, span, spacing and attachment to load bearing walls, stem walls and/or priers Girder type, size and spacing to load bearing walls, stem wall and/or priers Attachment of joist to girder	đi.		
Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Sub mit other approved termite protection methods. Protection shall be provided by registered termiticides FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls) 37 Show all materials making up walls, wall height, and Block size, mortar type 38 Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement Metal frame shear wall and roof systems shall be designed, signed and sealed by Floar Framing System: First and/or second story Floor Framing System: First and/or second story Floor truss package shall including layout and details, signed and sealed by Florida Registered Professional Engineer Show conventional floor joist type, size, span, spacing and attachment to load bearing walls, stem walls and/or priers 40 Girder type, size and spacing to load bearing walls, stem wall and/or priers	đi.		

45	Show required amount of ventilation opening for under-floor spaces	, ,	
46	Show required covering of ventilation opening	/	
47	Show the required access opening to access to under-floor spaces		
	Show the sub-floor structural panel sheathing type, thickness and fastener schedule on the edges & inter-		
48	of the areas structural panel sheathing		
49	Show Draftstopping, Fire caulking and Fire blocking		
50	Show fireproofing requirements for garages attached to living spaces, per FBCR section 309		
51	Provide live and dead load rating of floor framing systems (psf).	/	

FBCR CHAPTER 6 WOOD WALL FRAMING CONSTRUCTION

	GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL		Items to Include Each Box shall b Circled as Applicable	
		YES/	NO	N/A
52	Stud type, grade, size, wall height and oc spacing for all load bearing or shear walls	V		
53	Fastener schedule for structural members per table FBCR 602.3 are to be shown	V		
54	Show Wood structural panel's sheathing attachment to studs, joist, trusses, rafters and structural members, showing fastener schedule attachment on the edges & intermediate of the areas structural panel sheathing	/		
55	Show all required connectors with a max uplift rating and required number of connectors and oc spacing for continuous connection of structural walls to foundation and roof trusses or rafter systems	V		
56	Show sizes, type, span lengths and required number of support jack studs, king studs for shear wall opening and girder or header per FBCR Table 502.5 (1)	V		
57	Indicate where pressure treated wood will be placed	V		
58	Show all wall structural panel sheathing, grade, thickness and show fastener schedule for structural panel sheathing edges & intermediate areas	1		
59	A detail showing gable truss bracing, wall balloon framing details or/ and wall hinge bracing detail	V		

FBCR: ROOF SYSTEMS: Rablers

60	Truss design drawing shall meet section FBCR 802.10 Wood trusses	
61	Include a layout and truss details, signed and sealed by Florida Professional Engineer	
62	Show types of connector's assemblies' and resistance uplift rating for all trusses and rafters	
63	Show gable ends with rake beams showing reinforcement or gable truss and wall bracing details	
64	Provide dead load rating of trusses	

FBCR 802:Conventional Roof Framing Layout

65	Rafter and ridge beams sizes, span, species and spacing	
66	Connectors to wall assemblies' include assemblies' resistance to uplift rating	
67	Valley framing and support details	
68	Provide dead load rating of rafter system	

FBCR Table 602,3(2) & FBC	K 803 KOOF SHEATHING
--------------------------------------	----------------------

69	Include all materials which will make up the roof decking, identification of structural panel sheathing, grade, thickness	V	
70	Show fastener Size and schedule for structural panel sheathing on the edges & intermediate areas		

FBCR ROOF ASSEMBLIES FRC Chapter 9

71	Include all materials which will make up the roof assembles covering		
72	Submit Florida Product Approval numbers for each component of the roof assembles covering		

FBCR Chapter 11 Energy Efficiency Code for residential building

Residential construction shall comply with this code by using the following compliance methods in the FBCR chapter 11 Residential buildings compliance methods. Two of the required forms are to be submitted, N1100.1.1.1 As an alternative to the computerized Compliance Method A, the Alternate Residential Point System Method hand calculation, Alternate Form 600A, may be used. All requirements specific to this calculation are located in Sub appendix C to Appendix G. Buildings complying by this alternative shall meet all mandatory requirements of this chapter. Computerized versions of the Alternate Residential Point System Method shall not be acceptable for code compliance.

GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Each I	Items to Include- Each Box shall be Circled as Applicable			
	YES	NO	N/A		
73 Show the insulation R value for the following areas of the structure					
74 Attic space					
75 Exterior wall cavity					
76 Crawl space					
HVAC information 77 Submit two copies of a Manual J sizing equipment or equivalent computation study					
78 Exhaust fans shown in bathrooms Mechanical exhaust capacity of 50 cfm intermittent or 20 cfm continuous required					
79 Show clothes dryer route and total run of exhaust duct					
Plumbing Fixture layout shown 80 All fixtures waste water lines shall be shown on the foundation plan					
81 Show the location of water heater	- /				
Private Potable Water 82 Pump motor horse power 83 Reservoir pressure tank gallon capacity					

Electrical layout shown including

85	Show Switches, receptacles outlets, lighting fixtures and Ceiling fans	V	
86	Show all 120-volt, single phase, 15- and 20-ampere branch circuits outlets required to be protected by Ground-Fault Circuit Interrupter (GFCI) Article 210.8 A		
87	Show the location of smoke detectors & Carbon monoxide detectors		
88	Show service panel, sub-panel, location(s) and total ampere ratings		
89	On the electrical plans identify the electrical service overcurrent protection device for the main electrical service. This device shall be installed on the exterior of structures to serve as a disconnecting means for the utility company electrical service. Conductors used from the exterior disconnecting means to a panel or sub panel shall have four-wire conductors, of which one conductor shall be used as an equipment ground. Indicate if the utility company service entrance cable will be of the overhead or underground type.		
	For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an Grounding electrode system. Per the National Electrical Code article 250.52.3		
90	Appliances and HVAC equipment and disconnects		
91	Show all 120-volt, single phase, 15- and 20-ampere branch circuits supplying outlets installed in dwelling unit family rooms, dining rooms, living rooms, parlors, libraries, dens, bedrooms, sunrooms, recreation rooms, closets, hallways, or similar rooms or areas shall be protected by a listed Combination arc-fault circuit interrupter, Protection device.		

<u>Disclosure Statement for Owner Builders</u> If you as the applicant will be acting as an owner/builder under section 489.103(7) of the Florida Statutes, submit the required owner builder disclosure statement form.

Notice Of Commencement

A notice of commencement form **recorded** in the Columbia County Clerk Office is required to be filed with the building department Before Any Inspections can be preformed.

GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Each Box shall be Circled as Applicable
--	---

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

00		YES	NO	N/A
	Building Permit Application A current Building Permit Application form is to be completed and submitted for all residential projects			
93	Parcel Number The parcel number (Tax ID number) from the Property Appraiser (386) 758-1084 is required. A copy of property deed is also requested			
94	Environmental Health Permit or Sewer Tap Approval A copy of a approved Columbia County Environmental Health (386) 758-1058			
95	City of Lake City A permit showing an approved waste water sewer tap			
	Toilet facilities shall be provided for all construction sites			
1	Town of Fort White (386) 497-2321 If the parcel in the application for building permit is within the Corporate city limits of Fort White an approval land use development letter issued by the Town of Fort is required to be submitted with the application for a building permit.			

98	Flood Information: All projects within the Floodway of the Suwannee or Santa Fe Rivers			
	shall require permitting through the Suwannee River Water Management District, before submitting a application to this office. Any project located within a flood zone where the base flood			
	elevation (100 year flood) has been established shall meet the requirements of Section 8.5.2 of the			
	Columbia County Land Development Regulations. Any project located within a flood zone			
	where the base flood elevation has not been established (Zone A) shall meet the requirements of			30.0
	Section 8.5.3 of the Columbia County Land Development Regulations			
99	CERTIFIED FINISHED FLOOR ELEVATIONS will be required on any project			
	where the base flood elevation (100 year flood) has been established		- 1	
100	A development permit will also be required. Development permit cost is \$50.00			
101	Driveway Connection: If the property does not have an existing access to a public road, then an application for a culvert permit (\$25.00) must be made. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50.00). All culvert waivers are sent to the Columbia County Public Works Department for approval	v	/	
	or denial.			
102	911 Address: If the project is located in an area where a 911 address has not been issued, then application for a 911address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125			

Section R101.2.1 of the Florida Building Code Residential:

The provisions of Chapter 1, Florida Building Code, Building shall govern the administration and enforcement of the Florida Building Code, Residential.

Section 105 of the Florida Building Code defines the:

Time limitation of application.

An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Single-family residential dwelling.

Section 105.3.4 A building permit for a single-family residential dwelling must be issued within 30 working days of application therefor unless unusual circumstances require a longer time for processing the application or unless the permit application fails to satisfy the Florida Building Code or the enforcing agency's laws or ordinances.

Permit intent.

Section 105.4.1: A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

If work has commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

New Permit.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Work Shall Be:

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

The Fee:

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department

FORM 1100A-08

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Performance Method A

Project Name:	Calcai			
Street: City, State, Zip: Owner:	Sakari Lake City , FL ,		Builder Name: Enver Sakiri Permit Office: Columbia County Permit Number:	ly
Design Location:	FL, Gainesville		Jurisdiction: ZZ 1000	
New construction	or existing	New (From Plans)	9. Wall Types	Inquilation A
Single family or m	ultiple family	Single-family	a. Concrete Block - Ext Insul, Exterior	Insulation Area R=13.0 2726.70 ft ²
Number of units, it	f multiple family	1	b. N/A	R= ft²
4. Number of Bedroo	oms	3	c. N/A d. N/A	R= ft²
5. Is this a worst case	e?	No	10. Ceiling Types	R= ft²
6. Conditioned floor	area (ft²)	3864	a. Under Attic (Vented)	Insulation Area R=30.0 3392.00 ft ²
7. Windows	Description	Area	b. N/A	R= ft ²
a. U-Factor:	Sgl, U=0.55	321.33 ft²	c. N/A	R= ft²
SHGC: b. U-Factor:	SHGC=0.60		11. Ducts (combined)	
SHGC:	Sgl, U=1.30 SHGC=0.75	12.00 ft ²	a. Sup: Attic Ret: Attic AH: Interior Sup	o. R= 6, 1545.6 ft²
c. U-Factor:	N/A	ft²	12. Cooling systems	
SHGC:	20000	ıı	a. Central Unit	Cap: 78.0 kBtu/hr
d. U-Factor:	N/A	ft²	13. Heating systems	SEER: 13
SHGC: e. U-Factor:	NIA	100	a. Electric Heat Pump	Con. 79.0 l-Dt- //
SHGC:	N/A	ft²		Cap: 78.0 kBtu/hr HSPF: 7.7
8. Floor Types		Inculation A	14. Hot water systems	
a. Slab-On-Grade I	Edge Insulation	Insulation Area R=0.0 3392.00 ft ²	a. Electric	Cap: 80 gallons
b. N/A		R= ft ²		EF: 0.92
c. N/A		R= ft²	b. Conservation features None	
			15. Credits	
				Pstat
Glass/Floor Area:	0.086	Total As-Built Modifie		DACC
		Total Baselin	ne Loads: 67.75	PASS
I hereby certify that this calculation are Code.	the plans and spe in compliance with	cifications covered by the Florida Energy	Review of the plans and specifications covered by this	OF THE STATE
	.0.1	101 0	calculation indicates compliance	15 mm
PREPARED BY: DATE:	11-15-10	Moles	with the Florida Energy Code. Before construction is completed this building will be inspected for	GREAT HE
I hereby certify that with the Florida Ene	this building, as de	esigned, is in compliance	compliance with Section 553.908 Florida Statutes.	TO CONTROL OF THE PARTY OF THE
OWNER/AGENT: DATE:	Meray 2	Gunell	BUILDING OFFICIAL: DATE:	OO WE THE
- Compliance red		INTY BUILDIN		

Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with N1110.A.3.

for

					PRO	JECT							
Title: Building Owner: # of Uni Builder Permit 0 Jurisdic Family New/Ex Comme	its: Name: Office: tion: Type: cisting:	Sakari FLAsBuilt 1 Single-fami New (From		Total Worst Rotat Cross	ooms: tioned Area: Stories: t Case: e Angle: Ventilation: e House Fan	2 No 0			Adress Lot # SubDiv PlatBor Street: County City, Si	rision: ok:	Lot Info 25 Hills Hills Hills Hills Hills Colum Lake C	bia	
					CLI	MATE							
\checkmark	Des	ign Location	T	MY Site	IECC Zone	Design 7 97.5 %	Temp 2.5 %		gn Temp Summe	Heatir r Degree [Design loisture	Daily Temp Range
	FL,	Gainesville	FL_GAINE	SVILLE_REGI	2	32	92	75	70	1305.	5	51	Medium
					FLO	OORS							
\vee	#	Floor Type		Perimete	er	R-Value	9	Area			Tile	Wood	Carpet
	1	Slab-On-Gra	de Edge Insulatio	252 ft		0		3392 ft²			0.5	0.2	0.3
					R	OOF							
\checkmark	#	Туре	Mat			able Area	Roof Color	Solar Absor.	Tested	Deck d Insul.	Pitc	h	
	1	Hip	Compositi	on shingles 37	94 ft² (O ft²	Medium	0.96	No	0	26.6	leg	
					A.	TTIC							
\checkmark	#	Туре		Ventilation	Vent	Ratio (1 in)	Area	RBS	IRCC			
	1	Full attic		Vented		300	:	3392 ft ²	N	N			
					CE	ILING							
\vee	#	Ceiling Typ	e		R-Value	e	А	rea	Fram	ing Frac		Truss T	уре
	1	Under Attic	(Vented)		30		3392	2 ft²	(0.11		Woo	d
					W	ALLS							
1	#	Ornt	Adjacent To	Wall Type			Car R-V	vity alue Are	Sh	neathing R-Value	Frami	ng	Solar Absor.
V	1	N	Exterior	Concrete Block	- Ext Insul	8.	1	195-7-7-8	315	0	0		0.75
	2	s	Exterior	Concrete Block			1		ft²	0	0		0.75
	3	E	Exterior	Concrete Block	- Ext Insul		1	3 350	ft²	0	0		0.75
	4	W	Exterior	Concrete Block	- Ext Insul		1	3 500	ft²	0	0		0.75
	5	sw	Exterior	Concrete Block	- Ext Insul		1	3 416.6	7 ft²	0	0		0.75
	6	SE	Exterior	Concrete Block	- Ext Insul		1	3 308.3	3 ft²	0	0		0.75
	7	NW	Exterior	Concrete Block	- Ext Insul		1	3 146.6	7 ft ²	0	0		0.75

						D	OORS			112-12-			
\vee	#	Ornt	Door	Туре		1,775		Storr	ns		-Value	٨٠٠٠	
	1	W	Wood	d				Non			160000	Area 16.25 ft²	
	2	W	Wood	d				Non			160000	33.33333	
	3	SE	Wood	d				Non			160000	16.25 ft²	
	4	S	Wood	d				Non	70		160000	13.75 ft²	
	5	S	Wood	d				Non			160000		
	6	NW	Wood	d				Non		ě	160000	16.5 ft²	
	7	sw	Wood	d				Non			160000	16.25 ft ² 16.25 ft ²	
			39			WIN	IDOWS			0.,		10.23 1	
					Orientation	on shown is the	entered,	asBuilt or	entation.				
\checkmark	#	Ornt Fra	ame F	Panes	NFR	C ILFactor	SHGC	Storms	Ara -		rhang		325 025
	1			e (Clear)			0.6	N	Area 25 ft²		Separation	Int Shade	Screening
	2	10001 550		(Clear)			0.6	N		1 ft 6 in	1 ft 6 in	HERS 2006	None
	3	100000 17777 178701 18000		(Clear)			0.6	N	15 ft² 60 ft²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	4	1915) (95)		(Clear)			0.6			1 ft 6 in	1 ft 6 in	HERS 2006	None
	5		11-11. Hillon	(Clear)				N	50 ft²	12 ft 0 in	1 ft 6 in	HERS 2006	None
	6	252		(Clear)			0.6	N	32 ft²	12 ft 0 in		HERS 2006	None
	7	10001 000					0.6	N	30 ft ²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	8	1920-00 5500 1120-00500 5500		(Clear) (Clear)			0.6	N	6 ft²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	9	2013 177		(Clear)	Ye		0.6	N	16 ft²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	10	=			Ye		0.6	N	6 ft²	5 ft 0 in	1 ft 6 in	HERS 2006	None
	11	1929 1935		(Clear)	Ye		0.6	N	33.33333		1 ft 6 in	HERS 2006	None
	12	5721 E12	180-001 (2020). To	(Clear)	Ye		0.6	N	24 ft ²	12 ft 0 in	1 ft 6 in	HERS 2006	None
	13	70% U 150%		(Clear)	Ye	333.00	0.6	N	20 ft ²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	14			(Clear)	Ye		0.75	N	12 ft²	1 ft 6 in	1 ft 6 in	HERS 2006	None
	14	S M	etal Single	(Clear)	Ye	s 0.55	0.6	N	4 ft²	1 ft 6 in	1 ft 6 in	HERS 2006	None
					11	NFILTRATIO	V & NC	ENTING	1				
/	Method	1		SLA	CFM 50	ACH 50	EI ^	F.1.			Ventilation		Fan
(2007)	Default				38,7600,001,000		ELA	EqLA			Exhaust CFM		Watts
	Delault		0.0	00036	3649	5.67	200.3	376.7	0	cfm	0 cfm	0	0
-						COOLIN	G SYS	TEM					
V	#	System Type			Subtype			Efficiency	C	apacity	Air Flow	SHR	Ducts
	1	Central Unit			Split			SEER: 13	78	kBtu/hr	2340 cfn	n 0.75	sys#1
						HEATIN	G SYS	ГЕМ					
\vee	#	System Type			Subtype			Efficiency	C	apacity	Ducts		
	1	Electric Heat	Pump		None			HSPF: 7.7		kBtu/hr	sys#1		,

						HOT W	ATER S	YSTEM						
V	#	System Type	<u> </u>			EF	C	ар	Use	SetPni	t	С	onservation	1
	1	Electric				0.92	80	gal	60 gal	120 de	9		None	
					S	OLAR HO	T WATE	R SYST	ГЕМ					
\checkmark	FSEC Cert #	Company N	Name			System	Model #	(Collector Mode		Collect		rage lume	FEF
	None	None									ft²		AMAZINE .	1000
							DUCTS							
\checkmark	#		oply R-Value		F Locatio	Return on Area	Leaka	age Type	Air Handler	CF	M 25	Percent Leakage	-	RLF
	1	Attic	6	772.8 ft	Attic	193.2 ft	Defaul	t Leakage	lnterior	(De	fault)	(Default)		
	2	Attic	6	772.8 ft	Attic	193.2 ft	Defaul	t Leakage	Interior	(De	fault)	(Default)	%	
						TEM	PERATU	RES					-	
Program	able Ther	mostat: Y				Ceiling Fans								
Cooling Heating Venting	[X] Jai [X] Jai [X] Jai	[X] Feb [X] Feb [X] Feb	XX	Mar Mar Mar	[X] Apr X) Apr X) Apr	[X] May [X] May [X] May	X Jun X Jun X Jun	X Ju X Ju	[X] Aug I X Aug X Aug	XX S XX S XX S	ep ep ep	X Oct X Oct X Oct	X Nov X Nov X Nov	[X] Dec [X] Dec [X] Dec
Thermosta Schedule		e: HERS 20	006 Refe		2 3	4	5	6	Hours 7	8	9	10	11	12
Cooling (V	/D)	AM PM	78 80	8	78 78 30 78	78 78	78 78	78 78	78 78	78 78	80 78	80 78	80 78	80 78
Cooling (W	/EH)	AM PM	78 78	1	78 78 78 78		78 78	78 78	78 78	78 78	78 78	78 78 78	78 78	78 78 78
Heating (V	VD)	AM PM	66 68	6	66 68 68 68	66 68	66 68	68 68	68 68	68 68	68 68	68 68	68 66	68 66
Heating (V	VEH)	AM PM	66 68	6	66 66 68 68		66 68	68 68	68 68	68 68	68 68	68 68	68 66	68 66

Code Compliance Cheklist

Residential Whole Building Performance Method A - Details

ADDRESS:	PERMIT #:
Lake City, FL,	

INFILTRATION REDUCTION COMPLIANCE CHECKLIST

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	N1106.AB.1.1	Maximum: .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	N1106.AB.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	N1106.AB.1.2.2	Penetrations/openings > 1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	N1106.AB.1.2.3	Between walls & ceilings; penetrations of ceiling plane to top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	N1106.AB.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	N1106.AB.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	N1106.AB.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	N1112.AB.3	Comply with efficiency requirements in Table N112.ABC.3. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	N1112.AB.2.3	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%. Heat pump pool heaters shall have a minimum COP of 4.0.	
Shower heads	N1112.AB.2.4	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	N1110.AB	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated and installed in accordance with the criteria of Section N1110.AB. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	N1107.AB.2	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	N1104.AB.1 N1102.B.1.1	Ceilings-Min. R-19. Common walls-frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 75

The lower the EnergyPerformance Index, the more efficient the home.

, Lake City, FL,

1. New construction or	existing	New (Fr	rom Plans)	9. Wall Types	Insulation	Area
2. Single family or mult	2. Single family or multiple family		amily	a. Concrete Block - Ext In		2726.70 ft ²
3. Number of units, if n	nultiple family	1		b. N/A c. N/A	R= R=	ft² ft²
Number of Bedroom	าร	3		d. N/A	R=	ft²
5. Is this a worst case?		No		10. Ceiling Types	Insulation	Area
Conditioned floor are	ea (ft²)	3864		a. Under Attic (Vented)	R=30.0	3392.00 ft ²
7. Windows** a. U-Factor: SHGC:	Description Sgl, U=0.55 SHGC=0.60		Area 321.33 ft ²	b. N/A c. N/A 11. Ducts (combined)	R= R=	ft² ft²
b. U-Factor: SHGC:	Sgl, U=1.30 SHGC=0.75		12.00 ft²	14 1 이번 시작가 있다면 조막 내면 되어 있어 없어야 !	AH: Interior Sup. R= 6, 154	5.6 ft²
c. U-Factor: SHGC;	N/A		ft²	a. Central Unit	Cap	78.0 kBtu/hr SEER: 13
d. U-Factor: SHGC:	N/A		ft²	13. Heating systems		SEEK. 13
e. U-Factor: SHGC:	N/A		ft²	a. Electric Heat Pump	Cap:	78.0 kBtu/hr HSPF: 7.7
8. Floor Types a. Slab-On-Grade Edb. N/A c. N/A	dge Insulation	Insulation R=0.0 3 R= R=	Area 392.00 ft² ft² ft²	14. Hot water systemsa. Electricb. Conservation featuresNone	Ca	p: 80 gallons EF: 0.92
	12			15. Credits		Pstat

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature:

Address of New Home: 340 NW Milo Terrace City/FL Zip: Lake &

*Note: The home's estimated Energy Performance Index is only available through the EnergyGauge USA -FlaRes2008 computer program. This is not a Building Energy Rating. If your Index is below 100, your home may qualify for incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at (321) 638-1492 or see the Energy Gauge web site at energygauge.com for information and a list of certified Raters. For information about Florida's Energy Efficiency Code for Building Construction, contact the Department of Community Affairs at (850) 487-1824.

**Label required by Section 13-104.4.5 of the Florida Building Code, Building, or Section B2.1.1 of Appendix G of the Florida Building Code, Residential, if not DEFAULT.




COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

LETTER OF AUTHORIZATION TO SIGN FOR PERMITS

1, Enver Sakiri	(license holder name), licensed qualifier				
for Owner	(company name), do certify that				
the below referenced person(s) listed on this form is/are contracted/hired by me, the license holder, or is/are employed by me directly or through an employee leasing arrangement; or, is an officer of the corporation; or, partner as defined in Florida Statutes Chapter 468, and the said person(s) is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.					
Printed Name of Person Authorized	Signature of Authorized Person				
1. Wendy Grennell	1. Werdy Grennell				
2.	2.				
3.	3.				
4.	4.				
5.	5.				
I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances. I understand that the State and County Licensing Boards have the power and authority to discipline a license holder for violations committed by him/her, his/her agents, officers, or employees and that I have full responsibility for compliance with all statutes, codes and ordinances inherent in the privilege granted by issuance of such permits. If at any time the person(s) you have authorized is/are no longer agents, employee(s), or officer(s), you must notify this department in writing of the changes and submit a new letter of authorization form, which will supersede all previous lists. Failure to do so may allow					
unauthorized persons to use your name and/or	license number to obtain permits.				
License Holders Signature (Notarized)	License Number Date				
NOTARY INFORMATION: STATE OF:FloridaCOUNTY OF The above license holder, whose name isEnergonally appeared before me and is known by	DF: Columbia nuer Sakini				
(1)					
Shuly M Burnet NOTARY'S SIGNATURE	(Seal/Stamp) SHIRLEY M. BENNETT MY COMMISSION # DD804429 EXPIRES July 08, 2012 (407) 398-0153 FioridaNotaryService.com				

FloridaNotaryService.com





BRITT SURVEYING & ASSOCIATES

830 West Duval Street • Lake City, FL 32055 Phone (386) 752-7163 • Fax (386) 752-5573

BIK 17.12.10

Land Surveyors

12/15/10

L-20705

To Whom It May Concern:

C/o: Enver Sakiri

Re: Lot 25 Hills of Huntsville

The elevation of the finished stemwall is found to be 124.90 feet. The minimum floor elevation as per the Columbia County Building Department is established to be 104.38 feet. The highest adjacent grade on the proposed building area is 122.5 feet and the lowest adjacent grade is 119.8 feet. There is a benchmark set in a 6" oak tree at the corner of the new residence whose elevation is 121.11 feet. The elevations shown hereon are based on NGVD 29 datum to match the plat of record.

L. Scott Britt PLS #5757

Se Vecis			
Feb 11 11 09:55a	Wendy Grennell	3887551031	h. 114
Permit # 29023	,		builder
APPLICATION ALIMBER	CONTR.	ACTON ENVER Sakip.	PHONE

In Columbia County one permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency ficense in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work, Violations will result in stop work orders and/or fines.

Signature

ELECTRICAL	Print Name			Signature			
Pare I and Char	License #:				Phone 4:		
MECHARICAL/	Print Name			Signature	Phone#:		
PLUMBUNG/.	Print Name Bours Plansite (Och License # CFC1427145			Signature			
ROOFING	Print Name			Signature	Phone 4:		
SHEET METAL	Print Name License #: Print Name License#: Print Name License#:			Signature Phone 8:			
PIRE SYSTEM!				Signature Phone #: Signature Phone #:			
SOLAR							
Spec Pita c	ners:	u canes Number	Sub-10-tractor	, Printed No.	202	Sub Contractors Signature	
MASON					-+		
CONCRETE FIR	HISHER						
FRAMING							
INSULATION							
STUCCO					+		
DRYWALL					-+		
PLASTER							
CABINET INST	ALLER						
PAINTING							
ACOUSTICAL	CEILING						
GLASS							
CERAMIC TILE							

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

FLOOR COVERING ALUM/VINYL SIDING GARAGE DOOR

METAL BLOG ERECTOR

Feb 15 11 08:43a Wendy Grennell	3867551031 3867551031	p. 2
remit " A 10 x	TRACTOR ENERS SALIO PROTECTION TO THE MELANICE DE A PROMITE	1014
in Columbia County one permit will cover all trades de records of the subcongractors who actually did the tra Ordinance 89-6, a contractor shall require all subcont	oing work at the permitted site. It is <u>REQUIRE</u> are specific work under the permit. Per Florid	

exemption, general flability insurance and a valid Cortificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the connected form being submitted to this effice prior to the start of that subcontractor buglaring any work. Violations will result in step or Print Rame John M COLUTSON Signate BLECTWEAL Mione#: 396-75 210 License #: ER002038 MECHANICAL Print Name Phone 8: Licanou D: NC_ PLUMB/MG/ Print Name Phone at GAS License St. Signature RODFINE Print Name Phone 8: License #: SHEET METAL Print Name Phone S: Liperase 81 Signature FIRE SYSTEM! Pelat Name Physiq 8: SPRINGELIER Licenson: Signature SOLAR Print Name Phone 6: License F. MASON CONCRETE FINISHER FRAMING INSULATION STUCCO DRYWALL PLASTER CABINET INSTALLER PAINTING ACOUSTICAL CEILING GLASS CERAMIC TILE FLOOR COVERING ALUM/VINYL SIDING GARAGE DOOR

F. 5. 440.103 Building permits; identification of minimum proof and castify to the permit issuer that it has secured applying for and receiving a building permit, show proof and castify to the permit issuer that it has secured compensation for its employees under this chapter as provided in as. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

METAL OLDG ERECTOR



SSUPANS

COLUMBIA COUNTY, FLORIDA

tment of Building and Zoning **inspection**

and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code. This Certificate of Occupancy is issued to the below named permit holder for the building

Parcel Number 08-3S-16-02032-125

Fire: 12.84

Building permit No. 000029023

Permit Holder OWNER BUILDER Use Classification SFD, UTILITY

Owner of Building ENVER SAKIRI

Date: 08/03/2011

Location:

340 NW MILO TERRACE, LAKE CITY,FL 32055

Waste: 33.50

Total: 46.34

Building Inspector

POST IN A CONSPICUOUS PLACE (Business Places Only)