



GULFEAGLE SUPPLY

SECUREGRIP 30

TDI Listed
CCOR #1045

ASTM E108
CLASS A

FBC Approved
WFL18374

ICC-ES AC-108

ICC-ES E228 and ASTM D688

PLASTIC CAP NAILS / ROOFING NAILS

www.gulfeagle.com

800-247-6637

Be aware that slip resistance may vary dependent on surface conditions of footwear being used.

UN

FBC Approved
WFL18374

SECUREGRIP 30
www.continentalmaterials.com

ULFEAGLE SUPPLY

UL Listed
CCR #1045
Slip resistance may vary dependent on weather, surface conditions or footwear being used.
PLASTIC CAP NAILS / ROOFING NAILS

ASTM E108
CLASS A



FBC Approved
#FL18374

MEETS THE REQUIREMENTS OF
ICC-ES AC-188
Meets ASTM D226 and ASTM D4869
PLASTIC CAP NAILS / ROOFING NAILS

SECUREGRIP 30
www.continentalmaterials.com

UL Listed
CCR #1045

Be aware that slip resistance may
vary dependent on weather, surface conditions or footwear being used.
PLASTIC CAP NAILS / ROOFING NAILS

SECUREGRIP 30
www.continentalmaterials.com

MEETS THE REQUIREMENTS OF
ICC-ES AC-188
Meets ASTM D226 and ASTM D4869
PLASTIC CAP NAILS / ROOFING NAILS

FBC Approved
#FL18374



ASTM E108
CLASS A

Slip resistance may vary dependent on weather, surface conditions or footwear being used.
PLASTIC CAP NAILS / ROOFING NAILS

ULFEAGLE SUPPLY

TOULOUSE
CERN #1045

ASTM E 100
CLASS A

Q10

100% Approved
ATLANTA

100% AC 100

30

TOULOUSE
CERN #1045

PLEASE DO NOT REMOVE THIS

PLEASE DO NOT REMOVE THIS

PLEASE DO NOT REMOVE THIS

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

TOULOUSE
CERN #1045

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

TOULOUSE
CERN #1045
A 100% AC 100
Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

Q10

GULF EAGLE SOLAR

MECHANICAL 30

DECISION 100

DECISION 100

DECISION 100

DECISION 100

DECISION 100

DECISION 100

TDI Limited
CNR 81045

TDI Limited
CNR 81045

TDI Limited
CNR 81045

TDI Limited
CNR 81045









30

TDI Listed
CCR #1045

ASTM E108
CLASS A

ETL US
FBC Approved
#FL18374

Meets ASTM

30

30

As shown this 30 mil polyethylene tarp may be used in weather, surface conditions or foot traffic being used.

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE

30

30

30

30

30

TDI Listed
CCR #1045

ASTM E108
CLASS A

ETL US
FBC Approved

Meets ASTM

As shown this 30 mil polyethylene tarp may be used in weather, surface conditions or foot traffic being used.

30

30

30

30

30

30


30

30









GULFEAGLE

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

30

DE-30

DE-30

DE-30

TOLUENE
RESISTANT

ASTM F148
CLASS A

TOLUENE
RESISTANT


ASTM F148
CLASS A

FBC Approved
WFL 18374

ICC-ES AC-108
WFL 18374

FBC Approved
WFL 18374

ICC-ES AC-108
WFL 18374



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE

GULFEAGLE SUPPLY

GULFEAGLE

SECUREGRIP 3D

SECUREGRIP CLASS A
ASTM E108
FBC Approved #FL18374
ICC-ES AC-108

TDI Listed
CCR #1045

ASTM CLASS



GULTEAG

E SUPPLY

FBC Approved
#FL18374

ICC-ES AC-108
RECOMMENDATION OF

SECUREGRIP 3D
www.securegrip3d.com

SECUREGRIP 3D

TOL Limited
CLASS A

ASTM E108

UL

ions or footwear being used.

Meets ASTM D2238 and ASTM D4699

www.securegrip3d.com

800-242-6637

Be aware that the remaining may vary depending on weather, surface conditions

PLASTIC CAP NAILS / ROOFING NAILS

PLASTIC CAP NAILS / ROOFING NAILS



GULF EAGLE SUPPLY



MEETS THE
REQUIREMENTS OF
ICC-ES AC-188

Meets ASTM D226 and ASTM D4869

PLASTIC CAP NAILS / ROOFING

DE COUNTY
PROVED

Listed
ICRR #1045


ASTM E108
CLASS A



FBC Approved
#FL18374

Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

PLASTIC CAP NAILS / ROOFING NAILS



GULF EAGLE SOLAR

MECHANICAL 30

DECISION 100

DECISION 100

DECISION 100

DECISION 100

DECISION 100

TDI Limited
CNR 81045

MECHANICAL 30

DECISION 100

MECHANICAL 30

MECHANICAL 30

MECHANICAL 30










2

108
A



FBC Approved
#FL18374

ICC-ES AC-188
MEETS THE
REQUIREMENTS OF
ASTM D226 AND ASTM D2269

SECUREGRIP 3D
IMPROVED SHOD LUGS FOR TRACTION
www.conflictmanagement.com



TDI Listed
CCR #1045
CLASS A

ASTM E

E SUPPLY

GULF





GULFEAGLE SUPPLY

SECUREGRIPTM 30

MANUFACTURED IN THE U.S.A.

TDA Listed
CCR# 1045

ASTM E108
CLASS A



FBC Approved
#FL18374

MEETS THE
REQUIREMENTS OF
ICC-ES AC-188

SECUREGRIPTM 30
SYNTHETIC ROOF UNDERLAYMENT

SEE INSTRUCTIONS

Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

Meets ASTM D226 and ASTM D4869

www.continentalmaterials.com

PEASTIC CAP NAILS / ROOFING NAILS

PEASTIC CAP NAILS / ROOFING NAILS





SECUREGRIP™ 30
SYNTHETIC ROOF UNDERLAYMENT
WWW.CONTINENTALMATERIALS.COM

MIAMI-DADE COUNTY
[APPROVED]

TDI Listed
CCR #1045
ASTM E108
CLASS A

Be aware that slip resistance may vary dependent on weather surface conditions.

800-247-6637
www.continentalmaterials.com

D4869

PLASTIC CAP NAILS / ROOFING NAILS

ROOFING NAILS

GULFEAGLE

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

SECUREGRIP 30

SECUREGRIP 30

SECUREGRIP 30

SECUREGRIP 30

SECUREGRIP 30

FBI Approved
#123874

FBI Approved
#123874

FBI Approved
#123874

ICCES AC-108

ICCES AC-108

PLATE FOR WALL / FLOORING / ROOFS

TRIMMED
CORNER

40% TYP
CUTS

TRIMMED
CORNER

40% TYP
CUTS

SECUREGRIP 30

SECUREGRIP 30

SECUREGRIP 30





























SECUREGRIP 30

GREENHOUSE QUALITY

Toll listed
CCR #1045

ASTM E108
CLASS A




Be aware that fast resistance may vary dependent on weather, surface condition

PLASTIC CHIMNELS / ROOFING NAILS









GULF EAGLE SUPPLY

SECUREGRIP 30

ASTM E108 CLASS A

TOL Listed CCR #1045

PLASTIC CAP NAILS / ROOFING NAILS

Be aware that slip resistance may vary dependent on weather, surface condition and use.

800-247-6637

www.gulfeagle.com

SECUREGRIP 30

ASTM E108 CLASS A


TOL Listed CCR #1045

PLASTIC CAP NAILS / ROOFING NAILS

Be aware that slip resistance may vary dependent on weather, surface condition and use.

800-247-6637

www.gulfeagle.com



























INSTALLATION TIPS

- FASTENERS
- SEALANTS
- TOOLS




















































SECUREGRIP 30
www.securegrip.com

800-347-6677

TDA Listed
CCRB #1045

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

ASTM E108
CLASS A

Approved
#18374

ICC-ES AC-108

SECUREGRIP 30

ASTM E108
CLASS A

TDA Listed
CCRB #1045

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

SECUREGRIP 30

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

SUPPLY

SECUREGRIP 30

ASTM E108
CLASS A

TDA Listed
CCRB #1045

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

SECUREGRIP 30

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

SUPPLY

SECUREGRIP 30

ASTM E108
CLASS A

TDA Listed
CCRB #1045

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

SECUREGRIP 30

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108





GULF EAGLE SUPPLY

GULF EAGLE SUPPLY

GULF EAGLE SUPPLY

GULF EAGLE SUPPLY

SUPPLY

GULF EAGLE SUPPLY

GULF EAGLE SUPPLY



FBC Approved
#FL18374

MEETS THE
REQUIREMENTS OF
ICC-ES AC-108

SECUREGRIP 30

MEETS THE
REQUIREMENTS OF
ICC-ES AC-108

TDI Listed
CCRR #1045

ASTM E108
CLASS A

UL US

FBC Approved
#FL18374

MEETS THE
REQUIREMENTS OF
ICC-ES AC-108

SECUREGRIP 30

SECUREGRIP 30

TDI Listed
CCRR #1045

ASTM E108
CLASS A

UL US

FBC Approved
#FL18374

MEETS THE
REQUIREMENTS OF
ICC-ES AC-108

SECUREGRIP 30

SECUREGRIP 30

TDI Listed
CCRR #1045

Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

Meets ASTM D226 and ASTM D4869

www.environmentalmaterials.com

800-247-6637

Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

PLASTIC CAP NAILS / ROOFING NAILS

PLASTIC CAP NAILS / ROOFING NAILS

PLASTIC CAP NAILS / ROOFING NAILS

SUPPLY







SECUREGRIP 3D
www.securegripsupply.com

FBC Approved
FEL18374

ASTM D726 and ASTM D2276
ICC-ES AC-108
ASTM D726 and ASTM D2276
PLASTIC CAP WALLS / FOOTING WALLS

UTILEAGLE SUPPLY

ASTM E1108
CLASS A
FBC Approved
FEL18374

ASTM D726 and ASTM D2276
ICC-ES AC-108

ASTM D726 and ASTM D2276
PLASTIC CAP WALLS / FOOTING WALLS

SECUREGRIP 3D
www.securegripsupply.com

ASTM D726 and ASTM D2276
ICC-ES AC-108

FBC Approved
FEL18374

ASTM D726 and ASTM D2276
ICC-ES AC-108

ASTM D726 and ASTM D2276
ICC-ES AC-108



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

SECUREGRIP 30

ICC-ES AC-108
#FL18374

TOL Listed
CRR #1045
ASTM E108
CLASS A

UL US

FBC Approved
#FL18374

MEETS ALL OF
REQUIREMENTS OF
ICC-ES AC-108
ASTM D2266 and ASTM D
PLASTIC COP NAILS / ROOFING NAILS

SECUREGRIP 30

ICC-ES AC-108
#FL18374

TOL Listed
CRR #1045

ASTM E108
CLASS A

UL US

FBC Approved
#FL18374

MEETS ALL OF
REQUIREMENTS OF
ICC-ES AC-108
ASTM D2266 and ASTM D4069
PLASTIC COP NAILS / ROOFING NAILS

SECUREGRIP 30

ICC-ES AC-108
#FL18374

FBC Approved
#FL18374

ICC-ES AC-108
#FL18374

UL US

FBC Approved
#FL18374

MEETS ALL OF
REQUIREMENTS OF
ICC-ES AC-108
ASTM D2266 and ASTM D4069
PLASTIC COP NAILS / ROOFING NAILS



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

SECUREGRIP 30

SECUREGRIP 30

TDI Listed
CCRR #1045

ASTM E108
CLASS A



FBC Approved
#FL18374

MEETS THE
REQUIREMENTS OF
ICC-ES AC-188
Meets ASTM D226 and ASTM D4869

PLASTIC CAP NAILS / ROOFING NAILS

Be aware that slip resistance may vary depending on weather, surface conditions or footwear being used.

TDI Listed
CCRR #1045
PLASTIC CAP NAILS



SUPPLY

GULFEAGLE

SECUREGRIP 30

TDI Listed
CCRR #1045

ASTM E108
CLASS A

FBC Approved
#FL18374

ICC-ES AC-108

ETL US

ETL US

FBC Approved
#FL18374

Surface conditions or footwear may affect slip resistance



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

ASTM E108 CLASS A
FBC Approved #FL18174

ICC-ES AC-108
Meets ASTM D328 and ASTM D4869

SECUREGRIP 30
PLASTIC CAP NAILS / ROOFING NAILS
www.coastalmaterials.com

800-287-6637

TDI Listed CCRR #1045

ASTM E108 CLASS A

UL US

FBC Approved

Be aware that slip resistance may vary dependent on PLASTIC CAP NAILS

ETL US
Intertek
FBC Approved
#FL18374
conditions or footwear being used.

MEETS THE
REQUIREMENTS OF
ICC-ES AC-188

Meets ASTM D226 and ASTM D4869

PLASTIC CAP NAILS / ROOFING NAILS

SECUREGRIP 30
SYNTHETIC ROOF UNDERLAYMENT

www.continentalmaterials.com

MANHATTAN COUNTY
ASTM E108
800-247-6637

Be aware that

ASTM E108
CLASS A

ETL US
Intertek

FBC Approved
#FL18374
conditions or footwear being used.

EAGLE SUPPLY

GULFEAG


ETL US
Intertek
FBC Approved
#FL18374
conditions or footwear being used.

MEETS THE
REQUIREMENTS OF
ICC-ES AC-188

Meets ASTM D226 and ASTM D4869

SECUREGRIP 30
SYNTHETIC ROOF UNDERLAYMENT





GULFEAGLE SUPPLY



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY



GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

GULFEAGLE SUPPLY

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

SECUREGRIP 3D

ASTM E108

ASTM E108

ASTM E108

ASTM E108

TOLISTED
CCR #1045

ASTM E108
CLASS A

FBC Approved
#F118374

ICC-703
Meets N.A.

FBC Approved
#F118374

ICC-55 AC-108

SECUREGRIP 3D

Be aware that slip resistance may vary dependent on weather.

TOLISTED
CCR #1045

ASTM E108
CLASS A

FBC Approved
#F118374

ICC-703
Meets N.A.

SECUREGRIP 3D





