

DATE 04/06/2006

Columbia County Building Permit

PERMIT
000024359

This Permit Expires One Year From the Date of Issue

APPLICANT GAYLE EDDY PHONE 352 494-2326

ADDRESS 7356 SW 126TH AVE LAKE BUTLER FL 32054

OWNER DAVID & DORIS CLARK PHONE 755-9871

ADDRESS 330 SW DAVENPORT GLEN LAKE CITY FL 32024

CONTRACTOR GAYLE EDDY PHONE 352 494-2326

LOCATION OF PROPERTY CR 252, TL ON GODBOLD, VEER LEFT ON GODBOLT, TL ON ,
DAVENPORT, 3RD DRIVE ON RIGHT-ABOVE GROUND POOL

TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION 0.00

HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES

FOUNDATION WALLS ROOF PITCH FLOOR

LAND USE & ZONING A-3 MAX. HEIGHT

Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00

NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 12-4S-15-00344-008 SUBDIVISION

LOT BLOCK PHASE UNIT TOTAL ACRES

IH0000714

Culvert Permit No. Culvert Waiver 06-0262-M Contractor's License Number BK Applicant/Owner/Contractor JH N

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD

Check # or Cash 3150

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by

Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by

Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by

Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by

Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by

M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by

Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by

M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00

MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$

FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 275.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.


3150

Left mess age
3/23/06**PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION**

For Office Use Only (Revised 6-23-05) Zoning Official RLK 22.03.06 Building Official OK JTH 3-15-06
 AP# 0603-43 Date Received 3/15/06 By GT Permit # 24359
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
 Comments SECTION 2.3.1

FEMA Map# _____ Elevation 100 Finished Floor _____ River _____ In Floodway _____
☒ Site Plan with Setbacks Shown ☒ EH Signed Site Plan ☐ EH Release ☐ Well letter ☒ Existing well
☐ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from Installer

- Property ID # 12-4S-15-00344-008 Must have a copy of the property deed
- New Mobile Home ☒ Used Mobile Home _____ Year 2006
- Applicant Gayle G. Eddy Phone # 352 494 2326
386 496 3687
- Address 7356 SW 126th Ave Lake Butler FL 32054
- Name of Property Owner David + Doris Clark Phone# 386 755 9871
- 911 Address 330 SW Davenport Glen, Lake City, FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home David + Doris Clark Phone # 386 755 9871
 Address 330 SW Davenport Glen, Lake City, FL 32024
- Relationship to Property Owner SAME
- Current Number of Dwellings on Property 1
- Lot Size 174,689.73 Total Acreage 3.96
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)
- Is this Mobile Home Replacing an Existing Mobile Home yes not
- Driving Directions to the Property 252 W to GODBOLD, Left.
.7 miles to Fork, L is still Godbold, .1 miles to Davenport
(L) 2 miles to Drive on Right. Above ground pool in
yard
- Name of Licensed Dealer/Installer Gayle G. Eddy Phone # 352 494 2326
386 496 3687
- Installers Address 7356 SW 126th Ave, Lake Butler, FL 32054
- License Number IT0000714 Installation Decal # 266220



NOTE: ALL PROPERTY CORNERS LOCATED ARE IDENTIFIED AS W.C. HALE, P.L.S. 1519.

CERTIFIED TO:
 DAVID T. & DORIS R. CLARK
 FLORIDA CREDIT UNION
 ABSTRACT AND TITLE SERVICES, INC.
 CHICAGO TITLE INSURANCE COMPANY

SURVEYOR'S CER:


I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER
 TECHNICAL STANDARDS AS SET FORTH BY THE FLORIDA
 IN CHAPTER 61G17-6, FLORIDA ADMINISTRATIVE CODE, F

11/22/04
 FIELD SURVEY DATE

11/28/04
 DRAWING DATE

FIELD BOOK 270 PAGE(S) 55

NOTE: UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL
 MAPPER THIS DRAWING, SKETCH, PLAT OR MAP IS FOR INFO



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

PARCEL: 12-4S-15-00344-008 HX - MOBILE HOM (000200)


LOT 8 GODBOLD ACRES S/D. ORB 669-513. WD 1033-2796.

Name:	CLARK DAVID T & DORIS R	LandVal	\$16,000.00
Site:	DAVENPORT	BldgVal	\$28,875.00
Mail:	330 SW DAVENPORT GLN	ApprVal	\$45,025.00
	LAKE CITY, FL 32024	JustVal	\$45,025.00
		Assd	\$32,421.00
Sales	12/13/2004 \$14,500.00 V /	Exmpt	\$25,000.00
Info	6/21/1988 \$12,900.00 V /	Taxable	\$7,421.00
	Q		

0 0.05 0.1 0.15 mi



This information, GIS Map Updated: 1/9/2006, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's



APPROXIMATE SCALE IN FEET
 2000 0 2000

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
 FLOOD INSURANCE RATE MAP

COLUMBIA
 COUNTY,
 FLORIDA
 (UNINCORPORATED AREAS)

PANEL 175 OF 290

PANEL LOCATION



COMMUNITY-PANEL NUMBER
 120070 0175 B
 EFFECTIVE DATE:
 JANUARY 6, 1988



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-4M/T Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/mv/sd.

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0296	SHED METAL	0	\$150.00	1.000	0 x 0 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000102	SFR/MH (MKT)	1.000 LT - (.000AC)	1.00/1.00/1.00/1.00	\$14,000.00	\$14,000.00
009945	WELL/SEPT (MKT)	1.000 UT - (.000AC)	1.00/1.00/1.00/1.00	\$2,000.00	\$2,000.00

Columbia County Property Appraiser

DB Last Updated: 1/9/2006

1 of 1

Disclaimer

This information was derived from data which was compiled by the Columbia County Property Appraiser's Office solely for the government purpose of property assessment. The information shown is a **work in progress** and should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's Office. The assessed values are **NOT CERTIFIED** values and therefore are subject to change before finalized for ad-valorem assessment purposes.

[Scroll to Top](#)

This site is *Grizzly* powered: Grizzly Logic, Inc.©
Copyright 2001

Web Site Copyright © 2000 Columbia County. All
rights reserved

12-4S-15-00344-008

LOT 8 GODBOLD ACRES S/D.
DRB 669-513. WD 1033-2796.CLARK DAVID T & DORIS R
330 SW DAVENPORT GLN

12-4S-15-00344

LAKE CITY

FL 32024

JSE 000800 MOBILE HME	AE? Y	1620 HTD AREA	108.000 INDEX	1241
40D 2 MOBILE HME BATH	2.00	1773 EFF AREA	30.240 E-RATE	100
EXW 08 WD OR PLY FIXT		53616 RCN		
% N/A BDRM	3	58.00 %GOOD	31,097 B BLDG VAL	
RSTR 03 GABLE/HIP RMS		-----		
RCVR 03 COMP SHNGL UNITS		³ FIELD CK:		
% N/A C-W%		³ LOC: 330 DAVENPORT GLN SW		
INT 05 DRYWALL HGHT		³		
% N/A PMTR		³	+---16---+	
FLR 14 CARPET STYS	1.0	³	I I	
10% 08 SHT VINYL ECON		³	1 1	
HTTP 04 AIR DUCTED FUNC		³	1 6	
A/C 03 CENTRAL SPCD		³	+--9---+ I	
QUAL 03 AVERAGE DEPR 09		³	IUOP1993-20---+-----40-----	
FNDN N/A UD-1 N/A		³	I IBAS1993	:
SIZE N/A UD-2 N/A		³	I I	:
CEIL N/A UD-3 N/A		³	I I	:
ARCH N/A UD-4 N/A		³	3 2	:
FRME 01 NONE UD-5 N/A		³	7 7	:
CTCH N/A UD-6 N/A		³	I I	:
WDO N/A UD-7 N/A		³	I I	:
CLAS N/A UD-8 N/A		³	I I	:
OCC N/A UD-9 N/A		³	I +---20---+-----60-----	
COND N/A % N/A		³	+---15---+ 1	
SUB A-AREA % E-AREA SUB VALUE		³	I 0	
3AS93 1620 100 1620 28414		³	+---10---+	
JOP93 611 25 153 2683		³		

TOTAL 2231 1773 31097 -----

-----EXTRA FEATURES-----

AE BN CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT
0296	SHED METAL				1		0000	1.00	1.000	UT

LAND	DESC	ZONE	ROAD	{UD1	{UD3	FRONT	DEPTH	FIELD CK:		
AE CODE		TOPO	UTIL	{UD2	{UD4	BACK	DT	ADJUSTMENTS		
000102	SFR/MH	A-1	0008					1.00	1.00	1.00 1.00
		0002	0003							

009945 WELL/SEPT 00 1.00 1.00 1.00 1.00

3001 - CONC MH

L001 - 4.01 AC

3ALE - INC WELL/SEPTIC-ADJUSTED SELLING PRICE \$2100.

2006

	Total	\$327.79
If Paid By	Amount Due	
	\$0.00	

Date Paid	Transaction	Receipt	Amount Paid
12/02/2005	PAYMENT	2100828.0029	\$327.79

Prior Year Taxes Due	
NO DELINQUENT TAXES	

Columbia County Tax Collector*generated on 2/1/2006 4:31:44 PM EST***Tax Record****DATA VIEW AS OF:** 2/1/2006 4:31:43 PM ET**Ad Valorem Taxes and Non-Ad Valorem Assessments**

The information contained herein does not constitute a title search and should not be relied on as such.

Account Number	Tax Type	Tax Year
R00344-008	Real Estate	2005
Mailing Address CLARK DAVID T & DORIS R 330 SW DAVENPORT GLN Folio 100878.0000 LAKE CITY FL 32024		
Assessed Value	Exempt Amount	Taxable Value
\$31,477.00	\$25,000.00	\$6,477.00
Exemption Detail Millage Rate HX \$25,000 003 19.06040 Legal Description LOT 8 GODBOLD ACRES S/D. ORB 669-513. WD 1033-2796.		
Tax Districts Detail		
Code	Description	Exemption Amount
C001	BOARD OF COUNTY COMMISSIONERS	\$0.00 \$56.52
S002	COLUMBIA COUNTY SCHOOL BOARD	\$0.00 \$51.53
W SR	SUWANNEE RIVER WATER MGT DIST	\$0.00 \$3.18
HLSH	LAKE SHORE HOSPITAL AUTH	\$0.00 \$11.33
IIDA	INDUSTRIAL DEVELOPEMENT AUTH	\$0.00 \$0.89
FFIR	FIRE ASSESSMENTS	\$0.00 \$71.00
GGAR	SOLID WASTE - ANNUAL	\$0.00\$147.00
Total Gross		\$341.45
Discount		(\$12.66)

David + Doris WARRK

PERMIT WORKSHEET



PERMIT NUMBER

Installer Gayle G. Eddy License # IT40000714
Address of home being installed David + Doris Clark
330 SW Davenport GIN.
Lake City FL 32024
Manufacturer FLEETWOOD Length x width 32 x 76 (Box)

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials GC



New Home ☒ Used Home ☐
Home installed to the Manufacturer's Installation Manual ☒
Home is installed in accordance with Rule 15-C ☐
Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
Double wide ☒ Installation Decal # 266280
Triple/Quad ☐ Serial # GAF434 A/B
77683-FE21

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4'6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7'6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22
Perimeter pier pad size
Other pier pad sizes (required by the mfg.)

POPULAR PAD SIZES

Pad Size	Sq ft
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size
4 ft 5 ft
ANCHORS
FRAME TIES
within 2' of end of home spaced at 5' 4" oc BE

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer Oliver Tech 6 Systems
Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer Oliver Tech 6 Systems

OTHER TIES

Sidewall
Longitudinal
Marriage wall
Shearwall
Number 34
6
2

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

x 1500 x 2000 x 2000

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1500 x 2500 x 2500

TORQUE PROBE TEST

The results of the torque probe test is _____ inch pounds or check here if you are declaring 5' anchors without testing _____ A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. holding capacity.

gk Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Wayne & Eddy

Date Tested

3/3/06

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 55-56

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. —

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 51-58

51-58

Site Preparation

Debris and organic material removed ☒ Swale ☒ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: lag Length: 6" Spacing: 28" o/c
 Walls: Type Fastener: screw Length: 18" Spacing: 28" o/c
 Roof: Type Fastener: Strap Length: 18" Spacing: 24" o/c
 For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials gk

Type gasket rolled foam
Pg. 40

Installed:

Between Floors ☒
 Between Walls ☒
 Bottom of ridgebeam ☒

Weatherproofing

The bottomboard will be repaired and/or taped. ☒ Pg. 59
 Siding on units is installed to manufacturer's specifications. ☒
 Fireplace chimney installed so as not to allow intrusion of rain water. ☒


Miscellaneous

Skirting to be installed ☒ No ☐
 Dryer vent installed outside of skirting. ☒ N/A
 Range downflow vent installed outside of skirting. Yes ☐
 Drain lines supported at 4 foot intervals. ☒
 Electrical crossovers protected. ☒
 Other: ☐

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Wayne & Eddy Date 3/3/06



DATE OF BIRTH

BUYER: 03/08/51

CO-BUYER: 01/15/48

(386) 752-5355 Fax: (386) 752-4757

LAKE CITY, FLORIDA 32024

466 SW DEPUTY J DAVIS LN,

DRIVER'S LICENSE

BUYER: C462-178-51-088-0

CO-BUYER: C462-178-48-515-0

[illegible]

WARRANTY DEED

This Warranty Deed made the 13th day of December, A.D. 2004 by

John H. Deas, to An Undivided One Half (1/2) Interest
Undivided One Half (1/2) Interest
hereinafter called the grantor, to

David T. Clark and Doris H. Clark, his wife

Whose address is: 330 SW Davenport Glen, Lake City, FL 32024

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other
valuable consideration, receipt whereof is hereby acknowledged, hereby grants, bargains,
sells, alien, remises, releases, conveys and confirms unto the grantee, all that certain land
situated in Columbia County, Florida, viz:

Lot 8 of Godbold Acres, as per plat hereof recorded in Plat Book 5, Page 64, of the
Public Records of Columbia County, Florida.

The purpose of this Warranty Deed is to fulfill the terms and conditions of that certain
Agreement for Deed filed in OK Book 669, Page 513, Public Records of Columbia
County, Florida

Together with all the tenements, hereditaments and appurtenances thereto belonging or in
anywise appertaining.

To Have and to Hold, the same in fee simple forever. And the grantor hereby
covenants with said grantee that the grantor is lawfully seized of said land in fee simple;
that the grantor has good right and lawful authority to sell and convey said land; that the
grantor hereby fully warrants the title to said land and will defend the same against the
lawful claims of all persons whomsoever; and that said land is free of all encumbrances,
except taxes accruing subsequent to December 31, 2004.

In Witness Whereof, the said grantor has signed and sealed these presents the day
and year first above written.

Signed, sealed and delivered in our presence:

Sue D. Kane Witness Sue D. Kane
John H. Deas Witness John H. Deas
Audrey S. Bullard Witness Audrey S. Bullard


STATE OF FLORIDA
COUNTY OF COLUMBIA

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State
and County last aforesaid to take acknowledgments personally appeared John H. Deas,
as to An Undivided One Half (1/2) Interest and Audrey S. Bullard, as to An Undivided
One Half (1/2) Interest, who is known to me personally and/or who produced a drivers
license and who executed before me the foregoing deed and acknowledged before me
that they executed the same.

WITNESS my hand and official seal in the County and State last aforesaid this
13th day of December A.D., 2004.

Beverly Lynette Regar
NOTARY PUBLIC

This instrument prepared by:
Michael H. Harrell
Abstract & Title Services
382 SW Hays Avenue
Lake City, FL 32024



Doc Stamps - Date: 12/23/2004 Time: 10:53 AM
Doc Stamps - Date: 12/23/2004 Time: 10:53 AM
Doc Stamps - Date: 12/23/2004 Time: 10:53 AM



STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 06-0262

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.

See
attached

Notes:

Site Plan submitted by: Sally Gaddy

Plan Approved X

Signature

Not Approved

Title

Date 3-24-06

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

**COLUMBIA COUNTY
FLORIDA**

M/H O C C U P A N C Y

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 12-4S-15-00344-008

Building permit No. 000024359

Permit Holder GAYLE EDDY

Owner of Building DAVID & DORIS CLARK

Location: 330 SW DAVENPORT GLEN, LAKE CITY, FL 32024

Date: 05/11/2006



Henry Dieker

Building Inspector

**POST IN A CONSPICUOUS PLACE
(Business Places Only)**



STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 06-0262-M

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.

See Attached

Notes:

Site Plan submitted by: Harvey C. Gaddy, III Signature 3-24-06 Title

Plan Approved X Not Approved _____ Date 3-24-06

By Sally Gaddy, ESH County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Hayle A Eddy



FIELD BOOK: 270 PAGE(S): 55

NOTE: UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL
MAPPER THIS DRAWING, SKETCH, PLAT OR MAP IS FOR INFO.