

Revised 3/15/12

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2010 FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL AND GAS CODE 2010 EFFECTIVE 15 MARCH 2012 AND 2008 NATIONAL ELECTRICAL

## ALL REQUIREMENTS ARE SUBJECT TO CHANGE

COMMERCIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

## FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609-A THROUGH 1609-C ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

Ĭ.	GENERAL REQUIREMENTS:	Items to Include Each Box shall b Circled as Applicable		
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A
3	The design professional signature shall be affixed to the plans	YES	NO	N/A
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A

Two (2) complete sets of plans containing the following information:

	Building Site Plan Requirements						Items to Include- Each Box shall be			
が か 教 · 質 ・ 教 · 質 ・								Circled as Applicable		
4	Parking, including provision Florida Building C	ode Access	ibility Code	3			Yes	No	N/A	
5	Fire access, showing all drive way which will be	Yes	No	N/A						
6	Driving/turning radius of parking lots						Yes	No	N/A	
7	Vehicle loading include truck dock loading or ra	ail site loadi	ng				Yes	No	N/A	
8	Nearest or number of onsite Fire hydrant/water			alve (PIV)			Yes	No	N/A	
9	Set back of all existing or proposed structures fi separation including assumed property lines	om each str	ructure and	property bo	undaries, S	how all	Yes	No	N/A	
10	Location of specific tanks(above or under grown drain fields	n ,water line	es and sewe	r lines and	septic tank	and	Yes	No	N/A	
11	All structures exterior views include finished flo	or elevation	n	······································			Yes	No	N/A	
12	Total height of structure(s) form established gra	ıde					Yes	No	N/A	
	Review required by the Columbia		re Departi	nent Items	13 <sup>Th</sup> 43					
	Occupancy Group Group Group	Group	Group	Group	Group	Group	Grou	ıp	Group	
4,	group use A B E circle all	F	H	I	M	R	S		UD	
10	ÜSes:	1	<u> </u>	1	<u></u>		1 37	1 21	NT/A	
-	Special occupancy requirements.						Yes	No		
14							Yes Yes	No		
15								No		
16	16 REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3.9						Yes	No		
- C	Minimum type of permitted construct			ancy use c	rcle the co	nstructio	n type F	RC 9	14 T 4	
17	Type I Type II Type III Type IV	Type V	<u>/                                    </u>				············	L. T	<u> </u>	

<del>garagastas (t. 195</del> ) I	Fire-resistant construction requirements shall be shown, include the following compo	nents		grup person
18	Fire-resistant separations	Yes	No	N/A
19	Fire-resistant protection for type of construction	Yes	No	N/A
20	Protection of openings and penetrations of rated walls	Yes	No	N/A
21	Protection of corridors and penetrations of rated walls	Yes	No	N/A
22	Fire blocking and draftstopping and calculated fire resistance	Yes	No	N/A
	Fire suppression systems shall be shown include:	k 77 7	4.8	on Adam de
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	N/A
24	Standpipes	Yes	No	N/A
25	Pre-engineered systems	Yes	No	N/A
26	Riser diagram	Yes	No	N/A
Section of the Section	Life safety systems shall be shown include the following requirements: 🦠 👚	a color records &	en energie and jak	12 Pi F
27	Occupant load and egress capacities	Yes	No	N/A
28	Early warning	Yes	No	N/A
29	Smoke control	Yes	No	N/A
30	Stair pressurization	Yes	No	N/A
31	Systems schematic	Yes	No	N/A
	Occupancy load/egress requirements shall be shown include:	151 151	nga industria	
32	Occupancy load	Yes	No	N/A
33	Gross occupancy load	Yes	No	N/A
34	Net occupancy load	Yes	No	N/A
35	Means of egress	Yes	No	N/A
36	Exit access	Yes	No	N/A
37	Exit discharge	Yes	No	N/A
38	Stairs construction/geometry and protection	Yes	No	N/A
39	Doors	Yes	No	N/A
40	Emergency lighting and exit signs	Yes	No	N/A
41	Specific occupancy requirements	Yes	No	N/A
42	Construction requirements	Yes	No	N/A
43	Horizontal exits/exit passageways	Yes	No	N/A

		Each	to Incl Box sh reled a	all
	Structural requirements shall be shown include: * * *	AND		The Control
44	Soil conditions/analysis	Yes	No	N/A
45	Termite protection	Yes	No	N/A
46	Design loads	Yes	No	N/A
47	Wind requirements	Yes	No	N/A
48	Building envelope	Yes	No	N/A
49	Structural calculations (if required)	Yes	No	N/A
50	Foundation For structures with foundation which establish new electrical utility	Yes	No	N/A
	companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system.  Per the National Electrical Code article 250.52.3			
51	Wall systems	Yes	No	N/A
52	Floor systems	Yes	No	N/A
53	Roof systems	Yes	No	N/A
54	Threshold inspection plan	Yes	No	N/A
55	Stair systems	Yes	No	N/A
n and	Materials shall be shown include the following	دور دور المحمد	44.4	13
56	Wood	Yes	No	N/A
57	Steel	Yes	No	N/A
58	Aluminum	Yes	No	N/A
59	Concrete	Yes	No	N/A
60	Plastic	Yes	No	N/A
61	Glass	Yes	No	N/A
62	Masonry	Yes	No	N/A
63	Gypsum board and plaster	Yes	No	N/A
64	Insulating (mechanical)	Yes	No	N/A
65	Roofing	Yes	No	N/A
66	Insulation	Yes	No	N/A
	Accessibility requirements shall be shown include the following	1		TSTA
67	Site requirements	Yes	No	N/A
68	Accessible route	Yes	No	N/A
69	Vertical accessibility	Yes	No	N/A
70	Toilet and bathing facilities	Yes	No	N/A
71	Drinking fountains	Yes	No No	N/A
72	Equipment Special accumpney requirements	Yes Yes	No	N/A N/A
73	Special occupancy requirements			
74	Fair housing requirements  Interior requirements shall include the following	Yes	No	I N/A
75	Review required by the Columbia County Fire Department Items 75 <sup>Th</sup> 80  Interior finishes (flame spread/smoke development)	Yes	No	N/A
76	Light and ventilation	Yes	No	N/A
77	Sanitation	Yes	No	N/A
9	Special systems.	ngagaran da taragin managaran managar	Victoria de la composición dela composición de la composición de la composición dela composición de la composición de la composición dela composición dela composición de la c	Annahaman Selection
78	Elevators	Yes	No	N/A
79	Escalators	Yes	No	N/A
80	Lifts	Yes	No	N/A
1 1	Swimming pools		on William	- Securitarian
81	Barrier requirements	Yes	No	N/A
82	Spas and Wading pools	Yes	No	N/A
83	Access required per Florida Building Code 424.1.2.5.6	Yes	No	N/A

34 35	Wiring	Yes	farment to	Market and the state
	44 H H H		No	N/A
	Services For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system.  Per the National Electrical Code article 250.52.3	Yes	No	N/A
6	Feeders and branch circuits	Yes	No	N/A
7	Overcurrent protection	Yes	No	N/A
8	Grounding	Yes	No	N/A
9	Wiring methods and materials	Yes	No	N/A
0	GFCIs	Yes	No	N/A
1	Equipment	Yes	No	N/A
2	Special occupancies	Yes	No	N/A
3	Emergency systems	Yes	No	N/A N/A
)4	Communication systems	Yes	No	
)5 )6	Low voltage Load calculations	Yes	No	N/A N/A
0		Yes	No	I N/A
7	Plumbing Minimum plumbing facilities	Yes	No	N/A
8	Fixture requirements	Yes	No	N/A
9	Water supply piping	Yes	No	N/A
00	Sanitary drainage	Yes	No	N/A
01	Water heaters	Yes	No	N/A
02	Vents	Yes	No	N/A
03	Roof drainage	Yes	No	N/A
04	Back flow prevention	Yes	No	N/A
05	Irrigation	Yes	No	N/A
06	Location of water supply line	Yes	No	N/A
07	Grease traps	Yes	No	N/A
08	Environmental requirements	Yes	No	N/A
109	Plumbing riser	Yes	No	N/A
distant.		erenter <del>(Control</del>	de in	
10	Energy calculations	Yes	No	N/A
11	Review required by the Columbia County Fire Department Items 111 <sup>Th</sup> 114 Exhaust systems	Yes	No	N/A
12	Clothes dryer exhaust	Yes	No	N/A
113	Kitchen equipment exhaust	Yes	No	N/A
114	Specialty exhaust systems	Yes	No	N/A
प्रसर्वे हुनुहरू व्यक्त	Equipment location		Of the state of the	and the second
15	Make-up air	Yes	No	N/A
116	Roof-mounted equipment	Yes	No	N/A
117	Duct systems	Yes	No	N/A
118	Ventilation	Yes	No	N/A
119	Laboratory	Yes	No	N/A
120	Combustion air	Yes	No	N/A
121	Chimneys, fireplaces and vents	Yes	No	N/A
122	Appliances	Yes	No	N/A
123	Boilers	Yes	No	N/A
124	Refrigeration	Yes	No	N/A
125	Bathroom ventilation	Yes	No	N/A
		Items to Include- Each Box shall be Circled as Applicable		
- possenie Sachone	Gas	er ngaran		- or experience
126 127	Review required by the Columbia County Fire Department Items 126 <sup>Th</sup> 134 Gas piping Venting	Yes Yes	No No	N/A N/A

128	Combustion air	Yes	No	N/A
129	Chimneys and vents	Yes	No	N/A
130	Appliances	Yes	No	N/A
131	Type of gas	Yes	No	N/A
132	Fireplaces	Yes	No	N/A
133	LP tank location	Yes	No	N/A
134	Riser diagram/shutoffs	Yes	No	N/A
20E	Notice of Commencement	ikit tumanan Tuk. No	*	
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on	, , ,		
	file with the building department . Before Any Inspections Will Be Done	Yes	No	N/A
ž.	Disclosure Statement for Owner Bullders	Yes	No	N/A

i de la companya de l	Prive Prive	ite Potable Water 📧 🌯	A grayler telebroom and an	<del>erig er erigige er e</del> Noorseen erst Moo	ten is much like	4 Ý ĝ.
136	Horse power of pump motor					
				Yes	No	N/A
137	Capacity of pressure tank	Well letter provided		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	î î î	from the well driller		Yes	No	N/A
138	Cycle stop valve if used	nom me wen dimer			·	
	*			Yes	No	N/A

## THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Permit Application		A current On-Line Building Permit Application www.ccpermit.com is to be completed by following the checklist all supporting documents must be submitted. There is a \$15.00 application fee.	Yes	No	N/A
140	Parcel Numb	er	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also requested. (386) 758-1084	Yes	No	N/A
141	Environmental Health Permit or Sewer Tap Approval	A copy of an ardisposal permit is required before Toilet facilitie	Yes	No	N/A	
142	Driveway Connection	If the property application for Works Dept. de instillation and granted. Culver conform to the registered engi Florida Depar	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). County Public Works Dept. determines the size and length of every culvert before instillation and completes a final inspection before permanent power is granted. Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access permit			
143	Suwannee River Water Management District Approval		l projects must have an SRWMD permit issued or an er, before a building permit will be issued.	Yes	No	N/A
144	Flood Management	require permit District, before within a flood been establish Columbia Cou located within flood) has not of Columbia C	ithin the Floodway of the Suwannee or Santa Fe Rivers shall ting through the Suwannee River Water Management e submitting application to this office. Any project located zone where the base flood elevation (100 year flood) has ed shall meet the requirements of section 8.8 of the anty Land Development Regulations. Any project that is a flood zone where the base flood elevation (100 year been established shall meet the requirements of section 8.7 County Land Development Regulations. A development to be required. The development permit cost is \$50.00	Yes	No	N/A

145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.	Yes	No	(N/A)
146	911 Address	An application for a 911address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125 Ext. 3	Yes	No (	N/A

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.3.2 **Time limitation of application**. An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section R101.2.1 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.