

DATE 06/22/2009

Columbia County Building Permit

This Permit Must Be Prominently Posted on Premises During Construction

PERMIT

000027901

APPLICANT JEFF HARDEE PHONE 352.949.0592
ADDRESS 6450 NW 72 LN CHIEFLAND FL 32626
OWNER DENVER R. MOORE PHONE 352.296.3997
ADDRESS 274 SW ROBIN LN FT. WHITE FL 32038
CONTRACTOR BERNIE THRIFT PHONE 386.623.0046
LOCATION OF PROPERTY 47-S TO US 27,TL TO C-138,TL TO NIBLACK,TR TO HERON,TL
TOCROW,TR TO ROBIN,TL PAST MAGPIE TO DW ON RIGHT
TYPE DEVELOPMENT M/H/UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 06-7S-17-09925-113 SUBDIVISION OLD NIBLACK FARMS UBREC. -PARCEL
LOT 13 BLOCK PHASE UNIT TOTAL ACRES 10.00

IH0000075
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
PRIVATE 09-0329 CFS WR N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident
COMMENTS: 1 FOOT ABOVE ROAD.

Check # or Cash 2136

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Insulation
 date/app. by date/app. by
Rough-in plumbing above slab and below wood floor Electrical rough-in
 date/app. by date/app. by
Heat & Air Duct Peri. beam (Lintel) Pool
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
Pump pole Utility Pole M/H tie downs, blocking, electricity and plumbing
 date/app. by date/app. by date/app. by
Reconnection RV Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 48.88 WASTE FEE \$ 67.00
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 490.88
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-10-08)

Zoning Official 06/05/09

Building Official NO 6-8-09

AP# 0906-14

Date Received 4/5

By JW

Permit # 27901 WR 6-11-09

Flood Zone X

Development Permit ---

Zoning A-3

Land Use Plan Map Category A-3

Comments _____

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH # 09-0329 ☒ EH Release ☐ Well letter ☒ Existing well

☒ Recorded Deed or Affidavit from land owner ☒ Letter of Auth. from installer ☐ State Road Access

☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter

IMPACT FEES: EMS _____ Fire _____ Corr _____ Road/Code _____

School _____ = TOTAL 0

NOTARIZED
NAME Affidavit

06-75-17-

Property ID # ~~1226~~ 09925-113

Subdivision Old Niblack Farms PARCEL 13

☒ New Mobile Home ☐ Used Mobile Home _____ MH Size 30x10 Year 2009

Applicant Jeff Harder Phone # 352-949-0592

Address 6450 NW 72 Ln Chickland FL 32626

Name of Property Owner Ronnie Moore (Denver) Phone # 352-246-3997

911 Address 274 SW Robin Lane, Ft. White, FL 32038

Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy

Name of Owner of Mobile Home Ronnie Moore (Denver) Phone # 352-246-3997

Address PO Box 445 Hawthorne FL 32640

Relationship to Property Owner owner

Current Number of Dwellings on Property 0

Lot Size 10 Total Acreage 10

Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

Is this Mobile Home Replacing an Existing Mobile Home NO (owes)

Driving Directions to the Property Hwy 47 South to Ft White T/L
on Hwy 27 then T/L cr 318 To TIR Niblack Rd T/L on
Heron TIR cross T/L Robin Post magpie to DW on Right

Name of Licensed Dealer/Installer BERNIE TRAFF Phone # 623-0046

Installers Address 5557 NW TALLING CREEK RD, FT. WHITE SPRINGS, FL 32096

License Number IA0000075 Installation Decal # 298754

He called Jeff at 1-800-

09-0614

PERMIT WORKSHEET

page 1 of 2

PAGE 02/06


Installer Bernie Thrift License # TH0000075
Manufacturer Skylines Length x Width 30' x 32'
Name of Owner of this Mobile Home Denver Moore
Home address _____
Home phone _____

New Home ☒ Used Home ☐ Year 2009
Home installed to the Manufacturer's Installation Manual ☒
Home is installed in accordance with Rule 15-C ☐
Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
Double wide ☒ Installation Decal # 298754
Triple/Quad ☐ Serial # T134

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials BT



PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16' x 16" (256)	18' 1/2" x 18' 1/2" (342)	20' x 20" (400)	22' x 22" (484)	24' x 24" (576)	26' x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4'	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7'	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table

PIER PAD SIZES

I-beam pier pad size 17x25
Perimeter pier pad size 16x16
Other pier pad sizes (required by the mfg.) _____

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
18 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 26 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size
11' 10" 23' x 31"
3' 10" 17' x 25"

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" OC

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer _____
Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer Model 1101v Oliver Systems

OTHER TIES

Number
Sidewall 28
Longitudinal 6
Marriage wall 4
Shearwall 3

page 2 of 2

C:\NW\11\0802a\11

RMIT NUMBER 09-0614

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 200 psf if check here to declare 1000 lb. soil without testing.

x 2500 x 2000 x 2500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb increments, take the lowest reading and round down to that increment.

x 2000 x 3000 x 2500

TORQUE PROBE TEST

The results of the torque probe test is 290 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

BT Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Bernie Thrift

Date Tested

6-5-09

Electrical

inspect electrical conductors between multi-wide units, but not to the main power rack. This includes the bonding wire between multi-wide units. Pg. 5

Plumbing

inspect all sewer drains to an existing sewer tap or septic tank. Pg. 6

inspect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 7

Site Preparation

Debris and organic material removed
Water drainage: Natural Swale ☒ Pad ☐ Other

Fastening multi-wide units

Floor: Type Fastener: 3/8 x 3 1/2 Length: 24" Spacing: 6" C
Walls: Type Fastener: 1/2 x 3 1/2 Length: 14" Spacing: 6" C
Roof: Type Fastener: 10 # Flamingo Length: 70' Spacing: 70'
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's Initials

Type gasket:
Pg. Fastener Installed

Installed:
Between Floors ☒
Between Walls ☒
Bottom of ridgebeam ☒

Weatherproofing

The bottomboard will be repaired and/or taped. ☒
Siding on units is installed to manufacturer's specifications. ☒
Fireplace chimney installed so as not to allow intrusion of rain water. ☒

Miscellaneous

Skirting to be installed ☒ Yes ☐ No
Dryer vent installed outside of skirting. Yes ☒ No ☐ N/A
Range downflow vent installed outside of skirting. Yes ☒ No ☐ N/A
Drain lines supported at 4 foot intervals. ☒ Yes ☐ No
Electrical crossovers protected. ☒ Yes ☐ No
Other: ☐


Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature

Date 6-5-09

MAR-23-1946 07:03

* - ADD ONE INCH @ 2.5: APPLICATION



FLORIDA ONLY
PER PRINT LAYOUT (PIERS & I-BEAM & CENTERLINE WITHOUT PERIMETER FOUNDATION)

DESIGNED FOR 20 PSF ROOF ZONE

☐ I-BEAM PER SUPPORTS: SEE INSTALLATION MANUAL TABLE 6, FIG. 19 FOR SPACING AND LOAD REQUIREMENTS.

☐ SPECIAL PER SUPPORTS: SEE INSTALLATION MANUAL TABLE 5, FIG. 9 FOR SPACING AND LOAD REQUIREMENTS.

☐ SEE ABOVE DIAGRAM FOR LOC. OF STD. PAINTED ROOFS OR 40" OR LARGER CROCKERS.

☒ COLUMN SUPPORTS: SEE ABOVE DIAGRAM FOR LOCATIONS & LOAD REQUIREMENTS @ 20' ROOF ZONE.

SEE TABLE 10 OF INSTALLATION MANUAL FOR FOOTING SIZES.

DIVISIONS		SKYLINE	
DIV.	SECTION	DATE	BY
101	1041	10/10/1998	SV
102	1042		
103	1043		
104	1044		
105	1045		
106	1046		
107	1047		
108	1048		
109	1049		
110	1050		

DATE: 10/10/1998

BY: SV


PROJECT: 9323-C7

DESCRIPTION: 37-306-78-03M

7'-0"

Model 1010 Oliver Systems

h190-60

[illegible]

OK TO BUILD AS SPECIFIED

SIGN

DATE

FLOOR WITH

SHOWCASE DIRECT

“我對面”

INTERIOR PAINT COLOR: TERRY SANDER
WALLS & CEILING

[illegible]

LETTER OF AUTHORIZATION TO PULL PERMITS


I, Bernie Thrift, DO HEREBY GRANT
Jeff Hardy, AUTHORIZATION TO PULL THE NECESSARY
PERMITS REQUIRED FOR THE DELIVERY AND SET OF A MANUFACTURED
HOME IN Columbia COUNTY, FLORIDA.

Bernie Thrift
Signature

THIS FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS
10th DAY OF June, 2009 BY Bernie
Thrift, WHO IS PERSONALLY KNOWN TO ME.

STATE OF FLORIDA
COUNTY OF Columbia

Jessie Sercey
NOTARY PUBLIC



(STAMP)

CLYATT WELL DRILLING, INC.*(Established in 1971)**Post Office Box 180**Worthington Springs, FL 32697**Phone (386)496-2488 *** FAX (386)496-4640***WELL DESCRIPTION***DESCRIPTION DATE**5/26/2009**CUSTOMER NAME AND ADDRESS*

Ronnie Moore
Attn.: Jeff Harly
FAX #352-490-6755

DESCRIPTION OF WORK

4" Well and Pump

DESCRIPTION

4" Well
1 HP Submersible Pump
1-1/4" Drop Pipe
14/3 Submersible Pump Wire
81 Gallon Captive Air Tank
4 X 1-1/4 Well Seal
Pressure Relief Valve
Controls and Fittings
Sales Tax @ 7%

The above description is provided to give a brief description of the residential water well to be constructed by Clyatt Well Drilling, Inc.

Prepared by & Return to:
 Matthew D. Rocco
 Sierra Title, LLC
 619 SW Baya Drive, Suite 102
 Lake City, Florida 32025

File Number: 09-0378A

Inst:200912009171 Date:6/3/2009 Time:2:53 PM
 Doc Stamp-Deed:392.00
 DC, P. DeWitt Cason, Columbia County Page 1 of 2 B:1174 P:1147

General Warranty Deed

Made this May 28, 2009 A.D. By Roy G. Bowling and his wife, Tracy Bowling, whose post office address is: 160 Timberwalk Tr, Jupiter, FL 33458, hereinafter called the grantor, to Denver R. Moore and his wife, Charlotte Moore, whose post office address is: P.O. Box 445 Hawthorne, FL 32640, hereinafter called the grantee:

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of Ten Dollars, (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Columbia County, Florida, viz:

See Attached Schedule "A"

Parcel ID Number: 177S06-09925-113

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances except taxes accruing subsequent to December 31, 2008.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

Richard Kuylen
 Witness Printed Name

Lucas Blackwell
 Witness Printed Name

State of Florida
 County of Palm Beach


The foregoing instrument was acknowledged before me this 28 day of May, 2009, by Roy G. Bowling and his wife, Tracy Bowling, who is/are personally known to me or who has produced FL Driver License as identification.

Roy G. Bowling (Seal)
 Roy G. Bowling
 Address: 160 Timberwalk Tr, Jupiter, FL 33458

Tracy Bowling (Seal)
 Tracy Bowling
 Address:

Jezebel Rodriguez
 Notary Public
 Print Name: Jezebel Rodriguez

My Commission Expires: Sep 14 2012



Prepared by & Return to:
Matthew D. Rocco
Sierra Title, LLC
619 SW Baya Drive, Suite 102
Lake City, Florida 32025


File Number: 09-0378A

"Schedule A"

PARCEL 13 A tract of land situated in Section 6, Township 7 South, Range 17 East, Columbia County, Florida, hereinafter being referred to as "Old Niblack Farms" an unrecorded subdivision as surveyed by Alachua County Land Surveyors. Said tract of land being more particularly described as follows: Commence at a concrete monument at the Northwest corner of the South 1/2 of the Northwest 1/4 of Section 6, Township 7 South, Range 17 East for a Point of Reference; thence run N 89°37'58" E, along the North line of the aforementioned Section 6, a distance of 922.59 feet to a steel rod and cap; thence run S 00°10'43" W, a distance of 499.96 feet to a steel rod and cap; thence continue S 00°10'43" W, a distance of 501.40 feet to a steel rod and cap; thence continue S 00°10'43" W, a distance of 502.79 feet to a steel rod and cap; thence continue S 00°10'43" W, a distance of 508.77 feet to a steel rod and cap; thence continue S 00°10'43" W, a distance of 817.43 feet to a steel rod and cap; thence continue S 00°10'43" W, a distance of 543.18 feet to a steel rod and cap; thence run N 89°34'00" E a distance of 802.08 feet to a steel rod and cap and the true Point of Beginning; thence run N 89°42'40" E, a distance of 802.07 feet to a steel rod and cap; thence run N 00°08'12" W, along the East line of the Southwest 1/2 of the aforementioned Section 6, a distance of 545.18 feet to a steel rod and cap; thence run S 89°34'00" W, a distance of 799.09 feet to a steel rod and cap; thence run S 00°10'43" W, a distance of 543.18 feet to a steel rod and cap and the True Point of Beginning. Together with and Subject to an Easement for ingress, egress and public utilities over, under and across a 60 foot wide strip of land, said strip of land located within 30 feet of and on both sides of the described centerline of that certain Easement as more particularly described in Official Records Book 998, Page 530, of the Public Records of Columbia County, Florida.

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).


SAMPLE:





SITE PLAN BOX:

1"=20'

N 4







SURVEY

S-2
DATE OF

05
DATE OF I

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 6/5/2009 DATE ISSUED: 6/8/2009

ENHANCED 9-1-1 ADDRESS:

274 SW ROBIN LN
FORT WHITE FL 32038
PROPERTY APPRAISER PARCEL NUMBER:
06-7S-17-09925-113

Remarks:

AKA PARCEL 13, OLD NIBLACK FARMS UNR

Address Issued By:



Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.


1454

June 8th, 2009

This letter is to certify that Denver R. Moore and Ronnie Moore are in fact the same person.

Den R Moore
Denver R. Moore
Ron Moore

Dorothy F Triplett
Notary



Stamp



STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number D9-A339

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.

See Attached

Notes:

Site Plan submitted by: John Vanden

Signature

Agent
Title

Plan Approved ☒

Not Approved ☐


Date 6-16-09

By Salbe Ford - FH Director Columbia


County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:**SITE PLAN BOX:**

1"=20'

N 4
John Hardee
6-5-09

COLUMBIA COUNTY
FLORIDA

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 06-7S-17-09925-113

Building permit No. 000027901

Permit Holder BERNIE THRIFT

Owner of Building DENVER R. MOORE

Location: 274 SW ROBIN LANE, FT. WHITE, FL

Date: 07/22/2009



Wayne A. Ruess

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)