

DATE 04/15/2011

Columbia County Building Permit
This Permit Must Be Prominently Posted on Premises During Construction**PERMIT**
000029317

APPLICANT TARA HOWELL PHONE 386-984-7976
ADDRESS 8383 150TH STREET LIVE OAK FL 32060
OWNER SONJA MATTINGLEY PHONE 407-731-5044
ADDRESS 241 SW LEVI WAY FT. WHITE FL 32038
CONTRACTOR TERRY THIFT PHONE 386-623-0115
LOCATION OF PROPERTY 47S, TL ON WATSON RD, TR ON LEVI, 2ND ON LEFT

TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING AG-3 MAX. HEIGHT 35
Minimum Set Back Requirements: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 26-5S-16-03717-202 SUBDIVISION K&K TIMBERS UNRECORDED S/D
LOT 2 BLOCK PHASE UNIT 0 TOTAL ACRES 10.29

IH1025139
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 11-0177-M BK TC N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: FLOOR ONE FOOT ABOVE THE ROAD
REPLACING EXISTING MH

Check # or Cash 48583 1579**FOR BUILDING & ZONING DEPARTMENT ONLY**

(footer/Slab)

Temporary Power Foundation Monolithic
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Insulation
 date/app. by date/app. by
Rough-in plumbing above slab and below wood floor Electrical rough-in
 date/app. by date/app. by
Heat & Air Duct Peri. beam (Lintel) Pool
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
Pump pole Utility Pole M/H tie downs, blocking, electricity and plumbing
 date/app. by date/app. by date/app. by
Reconnection RV Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ **TOTAL FEE** 375.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY, AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECEIVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECEIVED AN APPROVED INSPECTION WITHIN 180 DAYS OF THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-11) Zoning Official BLK 12.04.11 Building Official J.C. 4-8-11
AP# 1104-11 Date Received 4/5 By JW Permit # 29317
Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
Comments Replacing Existing mH
FEMA Map# N/A Elevation N/A Finished Floor 1' above Rd River N/A In Floodway N/A
☒ Site Plan with Setbacks Shown ☒ EH # 11-0177-M ☐ EH Release ☒ Well letter ☐ Existing well
☒ Recorded Deed or Affidavit from land owner ☒ Installer Authorization ☐ State Road Access ☒ 911 Sheet
☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter ☒ VF Form
IMPACT FEES: EMS _____ Fire _____ Corr _____ ☐ Out County ☒ In County
Road/Code _____ School N/A = TOTAL _____ Impact Fees Suspended March 2009
Replacing Existing mH

Property ID # 26-55-116-03117-202 Subdivision K & L Timber^{Unrec.} S/O lot 2

- New Mobile Home ☒ Used Mobile Home ☐ MH Size 32x176 Year 11
 Applicant Tara Howell Phone # 386-984-7976 / 386-208-0500
 Address 8383 150th St. Live Oak, FL 32060
 Name of Property Owner Sonia Mattingley Phone # 407-731-5044
 911 Address 241 SW Levy Way Ft. White, FL 32038
 Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Progress Energy
 Name of Owner of Mobile Home Sonia Mattingley Phone # 407-731-5044
 Address 15537 Pebble Ridge St. Winter Garden, FL 34787
 Relationship to Property Owner Self
 Current Number of Dwellings on Property 1 paid
 Lot Size _____ Total Acreage 10.290 Acres
 Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
 (Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
 Is this Mobile Home Replacing an Existing Mobile Home yes
 Driving Directions to the Property 475 - 7 miles past I-75 - left on Watson - 1 mile to Levy Way turn (R) - 2nd property on (L)
 Name of Licensed Dealer/Installer Terry L. Thrift Phone # (386) 623-0115
 Installers Address 448 NW Nye Hunter Drives LAKE CITY, FLA 32051
 License Number IH-1025139 Installation Decal # 5923
 Left message 4-12-11 375.00

This Instrument Prepared by & return to:
Name: **KIM WATSON, an employee of**
TITLE OFFICES, LLC
Address: **1089 SW MAIN BLVD.**
LAKE CITY, FLORIDA 32025
File No. 05Y-11074KW

Inst:2005032509 Date:12/30/2005 Time:15:56
Doc Stamp-Deed : 665.00
DC,P.Dewitt Cason,Columbia County B:1070 P:32

Parcel I.D. #: 03717-202

SPACE ABOVE THIS LINE FOR PROCESSING DATA

SPACE ABOVE THIS LINE FOR RECORDING DATA

THIS WARRANTY DEED Made the 29th day of December, A.D. 2005, by **BILLY JOE PARRISH** and

LISA L. PARRISH, HIS WIFE, hereinafter called the grantors, to **ROBERT W. SIMMONS**,
a SINGLE man and **SONJA W. MATTINGLEY**, a SINGLE woman
AS JOINT TENANTS WITH FULL RIGHTS OF SURVIVORSHIP, whose post office address is
15537 PEBBLE RIDGE STREET, WINTER GARDEN, FLORIDA 34787, hereinafter called the grantees:

(Wherever used herein the terms "grantors" and "grantees" include all the parties to this instrument, singular and plural, the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations, wherever the context so admits or requires.)

Witnesseth: That the grantors, for and in consideration of the sum of \$10.00 and other valuable consideration, receipt whereof is hereby acknowledged, do hereby grant, bargain, sell, alien, remise, release, convey and confirm unto the grantees all that certain land situate in **Columbia County, State of FLORIDA**, viz:

TOWNSHIP 5 SOUTH - RANGE 16 EAST

SECTION 26: COMMENCE AT THE SOUTHWEST CORNER OF SECTION 26, TOWNSHIP 5 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND RUN N 01°00'08" E ALONG THE WEST LINE OF SAID SECTION 26 A DISTANCE OF 2022.72 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE N 01°00'08" E STILL ALONG SAID WEST LINE A DISTANCE OF 540.53 FEET; THENCE S 89°37'47" E A DISTANCE OF 829.84 FEET; THENCE S 01°05'36" W A DISTANCE OF 540.54 FEET TO A POINT ON THE CENTERLINE OF A 60 FOOT INGRESS/EGRESS EASEMENT; THENCE N 89°37'47" W ALONG SAID CENTERLINE OF 60 FOOT INGRESS/EGRESS EASEMENT A DISTANCE OF 828.98 FEET TO THE POINT OF BEGINNING.

SUBJECT TO A NON-EXCLUSIVE PERPETUAL EASEMENT FOR INGRESS, EGRESS AND UTILITIES OVER AND ACROSS THE WEST 60 FEET THEREOF.

TOGETHER WITH AN EASEMENT 60 FEET IN WIDTH FOR THE PURPOSE OF INGRESS, EGRESS AND UTILITIES LYING IN SECTION 26, TOWNSHIP 5 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA AND BEING 60 FEET EAST OF AND ADJACENT TO THE FOLLOWING DESCRIBED LINE:

COMMENCE AT THE SOUTHWEST CORNER OF SAID SECTION 26 AND RUN N 01°00'08" E ALONG THE WEST LINE OF SAID SECTION 26 A DISTANCE OF 663.84 FEET TO THE POINT OF BEGINNING OF HEREIN DESCRIBED LINE; THENCE CONTINUE N 01°00'08" E STILL ALONG SAID WEST LINE 663.84 FEET TO THE NORTHWEST CORNER OF THE WEST ¼ OF THE SOUTHWEST ¼ OF THE SOUTHWEST ¼ OF SAID SECTION 26; THENCE CONTINUE N 01°00'08" E STILL ALONG SAID WEST LINE 1327.68 FEET TO THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF SAID SECTION 26; THENCE CONTINUE N 01°00'08" E STILL ALONG SAID WEST LINE 431.91 FEET TO A POINT ON THE SOUTH MAINTAINED RIGHT-OF-WAY LINE OF WILLIAMS ROAD (COUNTY MAINTAINED), ALSO BEING THE TERMINAL POINT OF HEREIN DESCRIBED LINE.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold the same in fee simple forever.

And the grantors hereby covenant with said grantees that they are lawfully seized of said land in fee simple; that they have good right and lawful authority to sell and convey said land, and hereby fully warrant the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2005.

In Witness Whereof, the said grantors have signed and sealed these presents, the day and year first above written.

Signed, sealed and delivered in the presence of:

Witness Signature

Printed Name

Witness Signature

Printed Name

Billy Joe Parrish L.S.
BILLY JOE PARRISH

Address:
201 SW LEVI WAY, FORT WHITE, FLORIDA
32038

Lisa L. Parrish L.S.
LISA L. PARRISH

Address:
201 SW LEVI WAY, FORT WHITE, FLORIDA
32038

STATE OF FLORIDA
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 29th day of December, 2005, by **BILLY JOE PARRISH** and **LISA L. PARRISH**, who are known to me or who have produced Id. Driver License as identification.



Krista Hadwin
COMMISSION EXPIRES
AUGUST 12, 2007
BONDED THROUGH TROY HAIN INSURANCE, INC.

Krista Hadwin
Notary Public
My commission expires _____

Inst:2005032509 Date:12/30/2005 Time:15:56
Doc Stamp-Deed : 665.00
DC, P. Dewitt Cason, Columbia County B:1070 P:33

Instrument# 2009000289,
Page 1 of 1
Recorded 01/22/2009 at 01:09 PM,
Joe W Gilliam, Gilchrist County, Clerk of Court
Doc. Stamp D \$280.00
Deputy Clerk DEBBIE CRAFT

Sonja W. Mattingley
1206 Selbydon Way
Winter Garden, Florida 34787

Quit Claim Deed

Made this 26th of January, 2009 A.D. by Robert W. Simmons, hereinafter called the grantor, to Sonja W. Mattingley whose post office address is: _____ hereinafter called the grantee:

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of \$ TEN AND NO/100 DOLLARS (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, does hereby remise, release, and quit claim unto the grantee forever, all the right, title, interest, claim and demand which the said grantor has in and to, all that certain land situate in Columbia County, Florida, viz:

Township 5 South - Range 16 East

Section 26: commence at the Southwest corner of Section 26, Township 5 South, Range 16 East, Columbia County, Florida and run N. 01° 00' 08" E along the West line of said Section 26 a Distance of 2022.72 feet to the Point of Beginning; Thence continue N 01° 00' 08" E still along said West line a Distance of 540.53 feet; thence S 89° 37' 47" E a distance of 829.84 feet; thence S 01° 05' 36" W a distance of 540.54 feet to a Point on the Centerline of a 60 foot ingress/egress easement; thence N 89° 37' 47" W along said Centerline of 60 foot ingress/egress easement a distance of 828.98 feet to the Point of Beginning.

Subject to a non-exclusive perpetual easement for ingress, egress and utilities over and across the West 60 feet thereof.

Together with an easement 60 feet in width for the purpose of ingress, egress and utilities lying in Section 26, Township 5 South, Range 16 East, Columbia County, Florida and being 60 feet East of and adjacent to the following described line: Commence at the Southwest corner of said Section 26 and Run N 01° 00' 08" E along the West line of said Section 26 a distance of 663.84 feet to the Point of Beginning of herein described line; thence continue N 01° 00' 08" E still along said West line 663.84 feet to the Northwest corner of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 26; thence continue N 01° 00' 08" E still along said West line 1327.68 feet to the Southwest corner of the Northwest 1/4 of said Section 26; thence continue N 01° 00' 08" E still along said West line 431.91 feet to a point on the South maintained Right-of-Way line of Williams Road (County Maintained), also being the terminal point of herein described line.

***This is not the homestead property of Robert W. Simmons**

THIS QUIT CLAIM DEED IS BEING RE-RECORDED TO RECORD IN CORRECT COUNTY.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same together with all and singular the appurtenances thereunto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the said grantor, either in law or equity, to the only proper use, benefit and behoof of the said grantee forever.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

Witness Printed Name Carri L. Newham

Robert W. Simmons

Address:

(Seal)

Witness Printed Name Alina Mendez

Address:

(Seal)

State of Florida
County of Orange

The foregoing instrument was acknowledged before me this 26th day of January, 2009.

January, 2009 A.D. by Robert W. Simmons, hereinafter called the grantor, to Sonja W. hereinafter called the

(Whenever used herein the term "grantor" and "grantee" include all the parties to this instrument and the heirs, legal re-presentatives and assigns of individuals, and the successors and assigns of corporations)

Witnesseth, that the grantor, for and in consideration of the sum of \$ TEN AND NO/100 DOLLARS (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, does hereby remise, release, and quit claim unto the grantee forever, all the right, title, interest, claim and demand which the said grantor has in and to, all that certain land situate in Columbia County, Florida, viz:

Township 5 South - Range 16 East
Section 26: commence at the Southwest corner of Section 26, Township 5 South, Range 16 East, Columbia County, Florida and run N. 01° 00' 08" E along the West line of said Section 26 A Distance of 2022.72 feet to the Point of Beginning; Thence continue N 01° 00' 08" E still along said West line a Distance of 540.53 feet; thence S 89° 37' 47" E a distance of 829.84 feet; thence S 01° 05' 36" W a distance of 540.54 feet to a Point on the Centerline of a 60 foot ingress/egress easement; thence N 89° 37' 47" W along said Centerline of 60 foot ingress/egress easement a distance of 828.98 feet to the Point of Beginning.

Subject to a non-exclusive perpetual easement for ingress, egress and utilities over and across the West 60 feet thereof.

Together with an easement 60 feet in width for the purpose of ingress, egress and utilities lying in Section 26, Township 5 South, Range 16 East, Columbia County, Florida and being 60 feet East of and adjacent to the following described line: Commence at the Southwest corner of said Section 26 and Run N 01° 00' 08" E along the West line of said Section 26 a distance of 663.84 feet to the Point of Beginning of herein described line; thence continue N 01° 00' 08" E still along said West line 663.84 feet to the Northwest corner of the West 1/2 of the Southwest 1/4 of the Southwest 1/4 of said Section 26; thence continue N 01° 00' 08" E still along said West line 1327.68 feet to the Southwest corner of the Northwest 1/4 of said Section 26; thence continue N 01° 00' 08" E still along said West line 431.91 feet to a point on the South maintained Right-of-Way line of Williams Road (County Maintained), also being the terminal point of herein described line.

***This is not the homestead property of Robert W. Simmons**

THIS QUIT CLAIM DEED IS BEING RE-RECORDED TO RECORD IN CORRECT COUNTY.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same together with all and singular the appurtenances thereunto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the said grantor, either in law or equity, to the only proper use, benefit and behoof of the said grantee forever.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

Carri L. Newham
Witness Printed Name Carri L. Newham

Robert W. Simmons (Seal)
Address:

Alina Mendoza
Witness Printed Name Alina Mendoza

Address: (Seal)

State of Florida
County of Orange


The foregoing instrument was acknowledged before me this 26th, January 2009, by Robert W. Simmons, who is personally known to me or who has produced Armas license as identification.

Carri L. Newham
Notary Public
Print Name:
My Commission Expires:

Quit Claim Deed
Closers' Choice



Mathew
32 x 26



Model 1101v All steel
Foundation System

A 1851 1/2 C: 1861 1/2

.....

HOMES

BLOCKING LEGEND:



P-GLAY E-LOOKING
 SEE SOIL BEARING CAPACITY CHARTS FOR SPACING
 COLUMN BLOCKING
 SEE SOIL BEARING CAPACITY CHARTS FOR PAD SIZE

- 1) ALL EXTERIOR DOORS, BAY WINDOWS, RECESSED SIDEWALLS AND EXTERIOR WALL OPENINGS 48' OR GREATER, WILL REQUIRE BLOCKING ON EACH SIDE.
- 2) HOUSES OF MORE THAN ONE STORY WILL REQUIRE PERIMETER BLOCKING AT 8'-0" ON CENTER
- 3) 32" WIDE MOHLS REQUIRED TO BE BLOCKED 8'-0" ON CENTER BETWEEN COLUMNS

SHEARWALL FRAME THE
CENTER LINE TEST
VERTICAL THE
MAX. SPACING 5'-0" CENTER TO CENTER
LONGITUDINAL TIES

HOMES OF MERIT, INC.
P.O. BOX 2097
HWY 100 EAST
LAKE CITY, FLORIDA 32058



01551

STANDARD 117A 8

XYLRIOL DOSES
MILLS AND EXTRE

ALL
SICIS

100

54CARWALL BLK




011 0

COLUMBIA COUNTY PERMIT WORKSHEET

These worksheets must be completed and signed by the installer.
 submit the originals with the packet.
 installer Terry L. Thiff License # IA-1025139
 1 Address where home is being installed.

manufacturer MERIT Length x width 76' x 32'
 NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home
 Understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.
 Installer's initials TLT



Grid area for additional notes or calculations.

New Home ☒ Used Home ☐
 Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 15-C ☐
 Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
 Double wide ☒ Installation Decal # 5923
 Triple/Quad ☐ Serial # 300563A+B

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 dsf	3'	4'	5'	6'	7'	8'	8'
1500 dsf	4' 6"	6'	7'	8'	9'	10'	11'
2000 dsf	6'	8'	9'	10'	11'	12'	13'
2500 dsf	7' 6"	9'	10'	11'	12'	13'	14'
3000 dsf	8'	10'	11'	12'	13'	14'	15'
3500 dsf	8'	10'	11'	12'	13'	14'	15'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17 1/2" x 25 1/2"
 Perimeter pier pad size 16" x 16"
 Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 19' 4" Pier pad size 17 1/2" x 25 1/2"

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

Number 3
 Sidewall 6
 Longitudinal 4
 Marriage wall 4
 Shearwall

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer _____
 Longitudinal Stabilizing Device w/ Lateral Arms
 Manufacturer Oniga Tech

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

$\frac{1500}{285} \times 1600 = 840$ $\frac{1500}{285} \times 1500 = 789$

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

$\frac{1500}{285} \times 1500 = 789$ $\frac{1500}{285} \times 1600 = 840$

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing . A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

ITT Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name TERESA L. THORNTON

e Tested 3/30/11

Electrical

Electrical conductors between multi-wide units, but not to the main power panel. This includes the bonding wire between multi-wide units. Pg. 2

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 2

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 2

Site Preparation

Debris and organic material removed ✓
Water drainage: Natural Swale Pad X Other

Fastening multi wide units

Floor: Type Fastener: LAGS Length: 6" Spacing: 24" OC
Walls: Type Fastener: SCREWS Length: 3" Spacing: 32" OC
Roof: Type Fastener: SCREWS Length: 3" Spacing: 32" OC
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials ITT

Type gasket Foam Tape Installed:

Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg.
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes No N/A
Range downflow vent installed outside of skirting. Yes No N/A
Drain lines supported at 4 foot intervals. Yes No N/A
Electrical crossovers protected. Yes No N/A
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature Teresa L. Thornton

Date 3/30/11



COLUMBIA COUNTY BUILDING DEPARTMENT
135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

1104-11

MOBILE HOME INSTALLERS AGENT AUTHORIZATION

I, Terry L. Thrift, give this authority and I do certify that the below
referenced person(s) listed on this form is/are under my direct supervision and control and
is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Agents Company Name
Tara Howell	<i>Tara Howell</i>	Agent

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.

Terry L. Thrift License Holders Signature (Notarized) 1H-1025139 License Number 3/30/11 Date

NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Columbia

The above license holder, whose name is Terry L. Thrift, personally appeared before me and is known by me or has produced identification (type of I.D.) personal known on this 30 day of March, 20 11.

J. Howell
NOTARY'S SIGNATURE

(Seal/Stamp)



J. HOWELL
MY COMMISSION # DD 750213
EXPIRES: January 17, 2012
Bonded Thru Budget Notary Services

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1104-11

CONTRACTOR _____

PHONE _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 99-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name <u>Mike Connor</u>	Signature <u>[Signature]</u>
	License #: <u>ER13013192</u>	Phone #: <u>386 755 1231</u>
MECHANICAL/ A/C	Print Name <u>David Hall</u>	Signature <u>[Signature]</u>
	License #: <u>CA40 57424</u>	Phone #: <u>386 755 8782</u>
PLUMBING/ GAS	Print Name <u>Terry Thrift</u>	Signature <u>[Signature]</u>
	License #: <u>JH1035139</u>	Phone #: <u>(386) 623-0115</u>

MASON		
CONCRETE FINISHER		

F.S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.98, and shall be presented each time the employer applies for a building permit.

Contractor Permit Subcontractor Form 1/02

from house

540.54'

unpaved drive

drive

450'

513.54'

Slight
slope

300' to well

829.84'

829.84'



have to
be
mould

septic

316.3

179'

well


540.54



Mathew, Carla
11-24-11

**Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan**
Permit Application Number: 11-0171M

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT



Site Plan Submitted By Paul Lloyd Date 3-21-11
Plan Approved ✓ Not Approved Date 4/7/11
By [Signature] Columbia CPHU
Notes:



COLUMBIA COUNTY 911 ADDRESSING / GIS DEPARTMENT

P. O. Box 1787, Lake City, FL 32056-1787
Telephone: (386) 758-1125 * Fax: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com



ADDRESS CHANGE DUE TO IDENTIFICATION OF OUT OF RANGE ADDRESS

The Columbia County Board of County Commissioners has passed Ordinance 2001-9, which provides for a uniform numbering system. A copy of this ordinance is available in the Clerk of Court records, located in the courthouse. This new numbering system will increase the efficiency of POLICE, FIRE AND EMERGENCY MEDICAL vehicles responding to calls within Columbia County by immediately identifying the location of the caller.

Old Address

433 SW LEVI WAY
FORT WHITE, FL 32038

New mth Replaced this Home -

NEW Address

241 SW LEVI WAY
FORT WHITE, FL 32038

*(Old mth move
to 289 SW Levi)*

(LOCATED ON PARCEL NUMBER 26-5S-16-03712-202)

All residences, businesses, industries, schools, churches, organizations and public buildings are covered by this system. You are required to affix your new address numbers permanently on your house or the principal building where they can be seen easily. Also, if your house or the principal building at this address is not clearly visible from the public or private roadway, you are required to erect a post at your driveway entrance. Place your new number on it facing the road so emergency response personnel coming in either direction can easily see the numbers. To help emergency responding personnel, it will be the responsibility of each property owner, trustee, leasee, agent and occupant of each residence, apartment building, business or industry to purchase, post and maintain address numbers. The address number for residences, townhouses and in town businesses shall be made up of numbers, *which are not less than three (3) inches in height and one and one half (1 ½) inches in width.* All industrial and commercial structures located in low density development areas (areas in which small residential style address numbers are not visible from the road) shall display address numbers not less than ten (10) inches in height. All Apartment buildings and high rises shall display address numbers above or to the side of the primary entrance to the building and shall be displayed not less than six (6) inches in height. Apartment numbers for individual units within the complex shall be displayed on, above or to the side of the doorway of each unit.

All numbers shall contrast in color with the background on which affixed, and shall be visible day or night from the street. When possible, the number shall be displayed beside or over the main entrances of the structure. Any old address numbers shall be removed from the structure, mail box or access point.

It is your responsibility to advise all persons and businesses, with which you correspond, of your change of address (*unless you receive your mail in a Post Office Box*). Your mail will be delivered to your old address for a period of one (1) year.

We are counting on the cooperation of all citizens to help make the Enhanced 9-1-1 Emergency Telephone System a success. If you have any questions please call (386) 752-8787 between 8:00 AM and 5:00 PM Monday through Friday.

Any questions concerning this address change should be directed to the Columbia County 911 Addressing / GIS Department at the address, telephone number or email address listed above.

CERTIFICATE OF COMPLETION

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 26-5S-16-03717-202

Building permit No. 000029317

Permit Holder TERRY THIFT

Owner of Building SONJA MATTINGLEY

Location: 241 SW LEVI WAY, FT. WHITE, FL 32038

Date: 06/16/2011



Sandy Dicks

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)