

6/12 PITCH
2' OH

BEARING HEIGHT SCHEDULE

8'-0"

NOTES:

1) REFER TO HB-13 (RECOMMENDATIONS FOR HANDLING INSTALLATION AND TEMPORARY BRACING) REFER TO ENGINEERED DRAWINGS FOR PERMANENT BRACING REQUIRED
2) ALL TRUSSES (INCLUDING TRUSSES UNDER VALLEY FRAMING) MUST BE COMPLETELY DECKED OR REFER TO DETAIL YD5 FOR ALTERNATE BRACING REQUIREMENTS.
3) ALL VALLEYS ARE TO BE CONVENTIONALLY FRAMED BY BUILDER.
4) ALL TRUSSES ARE DESIGNED FOR 2' o.c. MAXIMUM SPACING UNLESS OTHERWISE NOTED
5) ALL WALLS SHOWN ON PLACEMENT PLAN ARE CONSIDERED TO BE LOAD BEARING UNLESS OTHERWISE NOTED.
6) ST42 TRUSSES MUST BE INSTALLED WITH THE TOP BEING UP
7) ALL ROOF TRUSS HANGERS TO BE SIMPSON H5/26 UNLESS OTHERWISE NOTED ALL FLOOR TRUSS HANGERS TO BE SIMPSON THA422 UNLESS OTHERWISE NOTED
8) BEAM/HEADER/LINTEL (BOW) TO BE FURNISHED BY BUILDER.

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND VOIDS ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE BUILT. VERIFY ALL CONDITIONS TO ENSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU

Requested Delivery Date: _____

Approved By: _____ Date: _____

Builders FirstSource

Bunnell
PHONE 904-437-5344 FAX 904-437-3994

Jacksonville
PHONE: 904-772-6100 FAX 904-772-9973

Lake City
PHONE: 386-755-6894 FAX 386-755-7973

Sanford
PHONE: 407-322-0054 FAX 407-322-9553

BUILDER: WODMAN PARK BLDRS		
JOB NAME: 1313 BELL RD		
MODEL: CUSTOM		REVISION: SCALE: NTS
DATE: 10/9/07	DRAWN BY: JRD	JOB #: L257001