

[Back to Quote](#)

Date: 10/21/2020

Terrance

LOWE'S HOME CENTERS, LLC #179
 3463 NW BASCOM NORRIS DRIVE
 LAKE CITY, FL 32055-4712
 USA
 (386) 719-6622



Project #: 653446664 Description: Doors
 Customer Name: TERRANCE JONES
 Customer Phone: (386) 466-5795
 Customer Address: 256 NE 435 AVE
 OLD TOWN, FL 32680
 USA

| Line Item | Product Code | Unit Price | Quantity | Total Price |
|---|---|------------|----------|-------------|
| Frame Size | Description | | | |
| 0004 Size = 143 1/2-in W x 95 1/2-in H | Manufacturer: Pella (R) 250 Series Patio Doors Patio Door NFRC: U-Factor: 0.31, SHGC: 0.28, VLT: 0.51, CR: 57 Patio Door DP25: Size Tested 191.5-in x 95.5-in Division: Millwork Product: Doors Type: Patio Manufacturer: Pella (R) 250 Series Patio Doors Energy Star (R) Qualified Products Only: No - I would like to view all available product offering. Room Location: Other 1 Product Category: Sliding Patio Door Configuration: 4 Panel Frame Type: Nail Fin Actual Frame Width: 143 1/2-in Actual Frame Height: 95 1/2-in Fits Opening Width: 144-in Fits Opening Height: 96-in Frame Width Verification: Yes 143 1/2-In Frame Width Is Correct Frame Height Verification: Yes 95 1/2-In Frame Height Is Correct Operation / Venting: Fixed / Vent Left / Vent Right / Fixed Unit Type: Complete Unit Assembly Type: Knock Down Performance Option: Standard Exterior Material Type: Vinyl | | 2 | |

AA

Foam Insulated: No Foam Insulated
Actual Base Frame Depth: 5-in
Actual Fin Setback: 1 1/8-in
Actual Base Wall Depth: 3 7/8-in
Sill Pan: Sill Pan
Sill Pan Shipping Option: Shipped Separate
Exterior Color: White
Interior Color: White
Glazing Type: Insulated
Insulated Type: Dual
Glass Strength: Tempered
Insulated Glass Option: Low-E
Low-E Glass Style: Advanced Low-E Insulating Glass
Gas Filled: Argon
High Altitude: Non High Altitude
Insulated Glass Overall Thickness: Standard Per Design
Footbolt Option: White
Keylock: Keylock Included
Interior Hardware Finish: Satin Nickel
Exterior Hardware Finish: White
Hardware Material: Steel
Door Handle Shipping Options: Shipped Separate
Screen Option: No Screen
Accessory Option: No Accessory Option
Grille Type: No Grille
Is This A Remake?: No
Lead Time: 21 Days
Item Number: 877671

0005

Size = 107 1/2-in W x 95
1/2-in H

**Manufacturer:** Pella (R) 250 Series Patio Doors

Patio Door NFRC: U-Factor: 0.31, SHGC: 0.28, VLT:
0.51, CR: 57

Patio Door DP25: Size Tested 143.5-in x 95.5-in

Division: Millwork

Product: Doors

Type: Patio

Manufacturer: Pella (R) 250 Series Patio Doors

Energy Star (R) Qualified Products Only: No - I would
like to view all available product offering.

Room Location: Other 1

Product Category: Sliding Patio Door

Configuration: 3 Panel

Frame Type: Nail Fin

Actual Frame Width: 107 1/2-in

Actual Frame Height: 95 1/2-in

Fits Opening Width: 108-in

Fits Opening Height: 96-in

Frame Width Verification: Yes 107 1/2-In Frame Width Is

3, 1/2-in

2

Correct
Frame Height Verification: Yes 95 1/2-In Frame Height Is
Correct
Operation / Venting: Fixed / Vent Left / Fixed
Unit Type: Complete Unit
Assembly Type: Knock Down
Performance Option: Standard
Exterior Material Type: Vinyl
Foam Insulated: No Foam Insulated
Actual Base Frame Depth: 5-in
Actual Fin Setback: 1 1/8-in
Actual Base Wall Depth: 3 7/8-in
Sill Pan: Sill Pan
Sill Pan Shipping Option: Shipped Separate
Exterior Color: White
Interior Color: White
Glazing Type: Insulated
Insulated Type: Dual
Glass Strength: Tempered
Insulated Glass Option: Low-E
Low-E Glass Style: Advanced Low-E Insulating Glass
Gas Filled: Argon
High Altitude: Non High Altitude
Insulated Glass Overall Thickness: Standard Per Design
Footbolt Option: White
Keylock: Keylock Included
Interior Hardware Finish: Satin Nickel
Exterior Hardware Finish: White
Hardware Material: Steel
Door Handle Shipping Options: Shipped Separate
Screen Option: No Screen
Accessory Option: No Accessory Option
Grille Type: No Grille
Is This A Remake?: No
Lead Time: 21 Days
Item Number: 877671

0001

Size = 143 1/4-in W x 95
1/2-in H

Manufacturer: Pella (R) 850 Series

Patio NFRC: 0
Patio DP - No Rating
Division: Millwork
Product: Doors
Type: Patio
Manufacturer: Pella (R) 850 Series
Energy Star (R) Qualified Products Only: No - I would
like to view all available product offering.
Product Family: Full Frame Pella Products
Product Type: Sliding Patio Door



2

[REDACTED]



Style Collection: Traditional
Room Location: Other 1
Configuration: 4 Panel
Actual Frame Width: 143 1/4-in
Actual Frame Height: 95 1/2-in
Fits Opening Width: 144-in
Fits Opening Height: 96-in
Frame Height Verification: Yes 95 1/2-In Frame Height Is Correct
Operation / Venting: Fixed / Vent Left / Vent Right / Fixed
Unit Type: Complete Unit
Performance Option: Standard
Exterior Material Type: Clad
Wood Type: Pine
Actual Base Frame Depth: 5 7/8-in
Actual Base Wall Depth: 4 9/16-in
Exterior Paint Grade: Standard EnduraClad
Exterior Color: White
Interior Finish: Bright White
Exterior Sash / Panel Profile: Ogee
Interior Sash / Panel Profile: Ogee
Sash / Panel Option: Standard
Glazing Type: Insulated
Insulated Type: Dual
Glass Strength: Tempered
Insulated Glass Options: Low-E
Low-E Glass Style: Advanced Low-E Insulating Glass
Gas Filled: Air Filled
High Altitude: High Altitude
Footbolt Option: Black
Sensor Option: No Integrated Sensor
Hardware Style: Standard
Interior Hardware Finish: Satin Nickel
Exterior Hardware Finish: White
Exterior Door Handle: Handle Included
Interior Door Handle: Handle Included
Door Handle Shipping Options: Shipped Separate
Footbolt Shipping Option: Shipped In Unit
Screen Option: No Screen
Screen Hardware Finish: Satin Nickel
Grille Type: No Grille
Attachment Method: Foldout Fins
Attachment Method Application: Factory Applied
Actual Jamb Extended Wall Depth: 4 9/16-in
Wall Depth Application: Factory Applied
Threshold Material: Oak Threshold
Is This A Remake?: No
Lead Time: 24 Days
Item Number: 231056

This door will be shipped in two separate pieces.
 ***This price reflects a 15% Off Promotion on SOS Pella
 (R) Windows & Patio Doors - 10/08/20 to 10/21/20***

This quote is good 10/08/20 to 10/21/20.

0007

Size = 37 1/2-in W x 96 7/8-
 in H



Manufacturer: Pella (R) Entry

Division: Millwork
 Product: Doors
 Type: Entry/Exterior
 Manufacturer: Pella (R) Entry
 Quote Unit Type: Configure Unit
 Energy Star (R) Qualified Products Only: No - I would
 like to view all available product offering.
 Room Location: Other I
 Brand: Pella Entry Doors
 Panel Configuration: Single Door
 Operation / Venting: Left Outswing
 Unit Type: Complete Unit
 Sill Type: Standard Sill
 Performance Options: Standard
 Panel Fire Rating: No Fire Rating
 Frame Fire Rating: No Fire Rating
 Actual Call Width: 36-in
 Actual Call Height: 96-in
 Frame Width Verification: Yes 37 1/2-In Frame Width Is
 Correct
 Frame Height Verification: Yes 96 7/8-In Frame Height is
 Correct
 Actual Frame Width: 37 1/2-in
 Actual Frame Height: 96 7/8-in
 Fits Opening Width: 38 1/4-in
 Fits Opening Height: 97 3/8-in
 Panel Style: 6 Panel
 Panel Material: Smooth
 Door Exterior Panel Finish: Unfinished
 Door Interior Panel Finish: Unfinished
 Exterior Frame Material: Composite
 Threshold Material: Black Threshold
 Panel Reinforcement: No Panel Reinforcement
 Exterior Frame Texture: Smooth
 Exterior Frame Finish: Primed
 Interior Frame Material: Composite
 Interior Frame Texture: Smooth
 Interior Frame Finish: Primed
 Active Panel Boring Options: Latch Bore With Deadbolt
 Actual Backset: 2 3/8-in
 Actual Crossbore: 2 1/8-in

Fh. 2646-R11

Roofing

*Miltenia
 Metals*



52 11-A7

Sensor Option: No Integrated Sensor
 Active Panel Handle Set: No Handle Set
 Hardware Hinge Type: Standard Steel Ball Bearing
 Hardware Hinge Finish: Satin Nickel
 Sill Finish: Mill Finish Sill
 Attachment Method: Without Brickmould
 Actual Base Wall Depth: 6 9/16-in
 Actual Base Frame Depth: 6 9/16-in
 Actual Jamb Extended Wall Depth: 6 9/16-in
 Actual Jamb Extended Frame Depth: 6 9/16-in
 Is This A Remake?: No
 Lead Time: 63 Days
 Item Number: 313789

0008


Size = 37 1/2-in W x 96 7/8-
 in H

**Manufacturer:** Pella (R) Entry

Division: Millwork
 Product: Doors
 Type: Entry/Exterior
 Manufacturer: Pella (R) Entry
 Quote Unit Type: Configure Unit
 Energy Star (R) Qualified Products Only: No - I would
 like to view all available product offering.
 Room Location: Other 1
 Brand: Pella Entry Doors
 Panel Configuration: Single Door
 Operation / Venting: Right Outswing
 Unit Type: Complete Unit
 Sill Type: Standard Sill
 Performance Options: Standard
 Panel Fire Rating: No Fire Rating
 Frame Fire Rating: No Fire Rating
 Actual Call Width: 36-in
 Actual Call Height: 96-in
 Frame Width Verification: Yes 37 1/2-In Frame Width Is
 Correct
 Frame Height Verification: Yes 96 7/8-In Frame Height is
 Correct
 Actual Frame Width: 37 1/2-in
 Actual Frame Height: 96 7/8-in
 Fits Opening Width: 38 1/4-in
 Fits Opening Height: 97 3/8-in
 Panel Style: 6 Panel
 Panel Material: Smooth
 Door Exterior Panel Finish: Unfinished
 Door Interior Panel Finish: Unfinished
 Exterior Frame Material: Composite
 Threshold Material: Black Threshold

1
 2

Panel Reinforcement: No Panel Reinforcement
Exterior Frame Texture: Smooth
Exterior Frame Finish: Primed
Interior Frame Material: Composite
Interior Frame Texture: Smooth
Interior Frame Finish: Primed
Active Panel Boring Options: Latch Bore With Deadbolt
Actual Backset: 2 3/8-in
Actual Crossbore: 2 1/8-in
Sensor Option: No Integrated Sensor
Active Panel Handle Set: No Handle Set
Hardware Hinge Type: Standard Steel Ball Bearing
Hardware Hinge Finish: Satin Nickel
Sill Finish: Mill Finish Sill
Attachment Method: Without Brickmould
Actual Base Wall Depth: 6 9/16-in
Actual Base Frame Depth: 6 9/16-in
Actual Jamb Extended Wall Depth: 6 9/16-in
Actual Jamb Extended Frame Depth: 6 9/16-in
Is This A Remake?: No
Lead Time: 63 Days
Item Number: 313789

Project Total: **Salesperson:** KEVIN MILLARD MCMAHON (S0179KM1)**Accepted by:** _____

Date: 10/21/2020

[Print Detailed Quote](#)

This quote is an estimate only and valid for 30 days on all regularly priced items. For promotional items please refer to the dates listed above. This estimate does not include tax or delivery charges. Estimated arrival will be determined at the time of purchase. All of the above quantities, dimensions, specifications and accessories have been verified and accepted by the customer. **** Special order configured products are subject to a 20% restocking fee if returned. ****