

## **ROOFING AFFIDAVIT**

# Columbia County, Florida **Building Department**

135 NE Hernando Avenue Lake City, Florida 32055

Phone: 386-758-1008

www.columbiacountyfla.com

JOB ADDRESS:	2986	SW	011	Wirr Road	ft. White Fl	<u> 320</u> 38
1_ Aiche	rol Pittma	小, Lice	nsed as a	Contractor, Eng	ineer, orArchitect, w	ith
License # <u>132 (</u>	5/90	do l	nereby aff	firm that all of the info	ormation provided to ob	tain this
permit is true and	accurate and th	at the shea	athing, na	iling, dry-in, venting a	nd flashings at the abov	e
referenced address	ss will be installe	ed in accord	dance witl	n the applicable codes	s, Florida product approv	/al
installation instruc	ctions and stand	lards set fo	rth in the	most current edition	of the Florida Building C	ode-
Residential and th	e Florida Buildir	ng Code- Ex	isting Bui	lding.		
(Affiant Signature	)					
STATE OF						
COUNTY						
COONTY						
The foregoing inst	rument acknow	ledged bef	ore me b	y means of 🔲 physi	cal presence oronli	ne
notarization, this	day of		20	, by		, who is
					n	
Notary Public Sign	ature			(Seal)		
Notary Printed Na	ıme					

#### FINAL INSPECTION & CERTIFICATE OF COMPLETION:

This completed form and photographs must be uploaded to your permit via online at the Application Submission login (link) Welcome to Columbia County Online (columbiacountyfla.com).

Clearly visible in the Photographs must be the permit number or address, must include a ruler or measuring device to confirm nail spacing and overlaps including drip edge, valley flashing and attic venting. (Not required for additions or New Residential)



## **ROOFING AFFIDAVIT**

Columbia County, Florida Building Department

135 NE Hernando Avenue Lake City, Florida 32055 Phone: 386-758-1008

www.columbiacountyfla.com

JOB ADDRESS: 2986 SW Old Wire Read Ft White F1 32038
1 Michael Pittman, Licensed as a Contractor, Engineer, or Architect, with
License # 132 6190 do hereby affirm that all of the information provided to obtain this
permit is true and accurate and that the sheathing, nailing, dry-in, venting and flashings at the above
referenced address will be installed in accordance with the applicable codes, Florida product approval
installation instructions and standards set forth in the most current edition of the Florida Building Code-
Residential and the Florida Building Code- Existing Building.
(Affiant Signature)  STATE OF FORDS  COUNTY COLUMNS
The foregoing instrument acknowledged before me by means of physical presence or online notarization, this 26 day of Macob 2025, by Michael P. Hmao, who is
personally known to march X has provided the following identification <u>FL-DL</u> Notary Public Signature WD M WWW (Seal)
Notary Printed Name Obah. Amas OLGAM ARMAS MY COMMISSION # HH 387950 EXPIRES: May 19, 2027

### **FINAL INSPECTION & CERTIFICATE OF COMPLETION:**

This completed form and photographs must be uploaded to your permit via online at the Application Submission login (link) Welcome to Columbia County Online (columbia countyfla.com).

Clearly visible in the Photographs must be the permit number or address, must include a ruler or measuring device to confirm nail spacing and overlaps including drip edge, valley flashing and attic venting. (Not required for additions or New Residential)



## **ROOFING UNDERLAYMENT AFFIDAVIT**

Columbia County, Florida Building Department

135 NE Hernando Avenue Lake City, Florida 32055 Phone: 386-758-1008

www.columbiacountyfla.com

REQUIRED FOR WALK-IN OR PAPER SUBMITTALS
Job Address: 2986 Sw Old Wire Road Ft White F1 3203
I ( <u>Print Name</u> ) <u>Michael Pittman</u> , as a Florida license Roofing Contractor or an Owner Builder, I understand to comply with the 2023 Florida Building Code 8 <sup>th</sup> Edition underlayment requirements, must select an option for sealing the roof deck.
The options are summarized below
a self-adhering polymer-modified bitumen underlayment complying with ASTM D1970 applied over the entire roof.
a minimum 4-inch wide strip of selfadhering polymer-modified bitumen complying with ASTM D1970 or a minimum 3 ¾ - inch wide strip of selfadhering flexible flashing tape complying with AAMA 711, applied over all joints in the roof decking. A felt underlayment complying with ASTM D226 Type II, ASTM D4869 Type III or IV, or ASTM D6757, or a synthetic underlayment meeting the performance requirements specified, is required to be applied over the strips/tape over the entire roof.
two layers of felt underlayment comply ASTM 0226 Type II or ASTM D4869 Type III or IV, or two layers of a synthetic underlayment meeting the performance requirements specified, lapped and fastened as specified.
Other (explain)
Contractor/Owners Signature

### **FINAL INSPECTION & CERTIFICATE OF COMPLETION:**

This completed form and photographs must be uploaded to your permit via online at the Application Submission login (link) Welcome to Columbia County Online (columbia countyfla.com).

If for a roofing permit, clearly visible in the Photographs must be the permit number or address and must include a ruler or measuring device to confirm nail spacing and overlaps including drip edge and valley flashing. (Not required for additions or New Residential)



## **ROOFING UNDERLAYMENT AFFIDAVIT**

Columbia County, Florida Building Department

135 NE Hernando Avenue Lake City, Florida 32055 Phone: 386-758-1008

www.columbiacountyfla.com

REQUIRED FOR WALK-IN OR PAPER SUBMITTALS
Job Address: 2986 SW Old Wire Road Ft White Ft 32038
I ( <u>Print Name</u> ) <u>Michael Pittman</u> , as a Florida license Roofing Contractor or an Owner Builder, I understand to comply with the 2023 Florida Building Code 8 <sup>th</sup> Edition underlayment requirements, I must select an option for sealing the roof deck.  The options are summarized below
a self-adhering polymer-modified bitumen underlayment complying with ASTM D1970 applied over the entire roof.
a minimum 4-inch wide strip of selfadhering polymer-modified bitumen complying with ASTM D1970 or a minimum 3 ¾ - inch wide strip of selfadhering flexible flashing tape complying with AAMA 711, applied over all joints in the roof decking. A felt underlayment complying with ASTM D226 Type II, ASTM D4869 Type III or IV, or ASTM D6757, or a synthetic underlayment meeting the performance requirements specified, is required to be applied over the strips/tape over the entire roof.
two layers of felt underlayment comply ASTM 0226 Type II or ASTM D4869 Type III or IV, or two layers of a synthetic underlayment meeting the performance requirements specified, lapped and fastened as specified.
Other (explain)
Contractor/Owners Signature

### FINAL INSPECTION & CERTIFICATE OF COMPLETION:

This completed form and photographs must be uploaded to your permit via online at the Application Submission login (link) Welcome to Columbia County Online (columbia county fla.com).

If for a roofing permit, clearly visible in the Photographs must be the permit number or address and must include a ruler or measuring device to confirm nail spacing and overlaps including drip edge and valley flashing. (Not required for additions or New Residential)