


Child Safty is proved by screen room and
Alarn UL 2017 compliant
Pool lighting is 12 volt LED
Deck Footer detail located on page 2 of 7
Bonding per code page 2 of 7

Plumbing and Light Details

Red is 2IN Sch 40 Skimmer
Blue is 2IN Sch 40 Return
Grey is 12 Volt Led Lights



Beth Matukaitis
486 SW MEADOW WOOD
GLEN LAKE CITY, FL 32024
Parcel ID 35-3S-15-00276-109
Contractor; My Favorite Pool Builder,
Inc. CPC1459058 Steve Cronin
386-965-0066 steve@mfpblc.com

Distance from Pool water line to
property line.
347 FT to North
302 FT to South
229 FT to East
138 FT to West
Distance to well 80 FT
Distance to Septic 47 FT
FPL is power Co.
Power to house is run under ground
and is more than 80.5' away from
pools waters edge

NO Glass with 60IN Of pools water
3" Deck drains out to both sides
Pool deck water will Drain away from
pool onto ground. No change to
current water drainage direction

Pools	
Count:	1
Envelope:	26' x 10' 1"
Perimeter:	71' 11"
Area:	261.9 ft ²
Int Surface Area:	519.83 ft ²
Depth:	3' 6" to 6'
Height:	0"
Volume:	6,166 gallons
Drains:	2
Lights:	2
Spillover Length(s):	
Spillover Mtrl:	
Interior Finish:	Pool Interiors, B...
Tile Line:	+6" 71' 11"
Tile Material:	Pool Interiors, B...
Exterior Facing:	0 ft ²
Coping Area:	36.74 ft ²
Coping Interior:	71' 11"
Coping Material:	Concrete, Tan...
Raised Beams:	
Raised Beam Mtrl:	
Steps/Benches:	4
Step Linear Ft:	40' 4"
Step Perimeter:	96' 11"
Step Area:	82.77 ft ²
Trim Tile:	
Trim Tile Material:	
Concrete:	17.7 yards ³
Rebar:	1898' 1"

PLAN EXPIRES 1 YEAR FROM THE
SIGNATURE DATE OR THE EFFECTIVE
DATE OF A MAJOR FLORIDA
BUILDING CODE CHANGE
WHICHEVER IS SOONER

5/2/2022

My Favorite Pool Builder, Inc.
1956 SW Main Blvd.
Lake City, FL. 32025
(386) 269-3304 OF
CPC1459058

Swimming Pool Specification For:
Beth Matukaitis
486 SW MEADOW WOOD
GLENLAKE CITY, FL 32024
(941) 525-2288

Scale: None Rev
Page 6 of 7