16'-8" 23'-4" 10'-10 1/4" 19'-10 1/4" 5'-3 1/2" TYPE ! FIRE WALL TYPE | | HOUR FIRE RESISTIVE WALL BETWEEN TENNENT | AREAS EQUAL TO UL Des. U333 - NON-BEARING - 5/8" GWB, FIRECODE "C", BOTH SIDES OF STUDS APPLIED EITHER HORIZONTALLY OR VERTICALLY W/1-1/4" LONG TYPE W STL. SCRS., SPACED 12" OC., ALONG PLATES AND STUDS - JOINTS SHALL BE COVERED W/JOINT TAPE & COMPOUND, SCREW HEADS SHALL BE COVERED W/JOINT COMPOUND FLOOR SLAB, PER PLAN WOOD STUDS SHALL BE NOM. 2X4, 16" O.C. & CROSS BRACED WALL CAVITY MAY OR MAYNOT BE FILLED MINERAL WOOL INSULATION - OPTIONAL CEILING MEMBRANE - GWB OR SUSP'D ACCOUSTIC LAY-IN TILES Columbia Courty Build Reviewed for Code Department DANTITIONS TYPE 2
NON-BEARING INTERIOR PARTITION, FRAMING EXTENDING TO ROOF DECK OR FRAMING ALL CAVITY MAY OR MAYNOT BE FILLED NERAL WOOL INSULATION - OPTIONAL Nicholas Digitally signed by Nicholas P Geisler
P Geisler Date: 2025.03.27 16:58:48 -04'00'

Celebrating
53 Years of Service

NICHOLAS
PAUL
AROUTON

STO
ARCHITECT

PAUL
STO
Side City, FL 32055
386-365-4355

2K2502a

AR0007005