

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Performance Method

Project Name: Nickelson Residence Street: City, State, Zip: , FL, Owner: Design Location: FL, Gainesville	Builder Name: Permit Office: Permit Number: Jurisdiction: County: columbia(Florida Climate Zone 2)
---	--

1. New construction or existing New (From Plans) 2. Single family or multiple family Detached 3. Number of units, if multiple family 1 4. Number of Bedrooms 4 5. Is this a worst case? No 6. Conditioned floor area above grade (ft²) 2212 Conditioned floor area below grade (ft²) 0 7. Windows(317.2 sqft.) Description Area a. U-Factor: Dbl, U=0.26 317.17 ft² SHGC: SHGC=0.20 b. U-Factor: N/A ft² SHGC: c. U-Factor: N/A ft² SHGC: Area Weighted Average Overhang Depth: 1.500 ft Area Weighted Average SHGC: 0.200 8. Skylights Description Area U-Factor:(AVG) N/A N/A ft² SHGC(AVG): N/A 9. Floor Types Insulation Area a. Slab-On-Grade Edge Insulation R= 0.0 2212.00 ft² b. N/A R= ft² c. N/A R= ft²	10. Wall Types(2485.5 sqft.) Insulation Area a. Frame - Wood, Exterior R=13.0 2068.50 ft² b. Frame - Wood, Adjacent R=13.0 417.00 ft² c. N/A d. N/A 11. Ceiling Types(2212.0 sqft.) Insulation Area a. Single assembly, no ai (Vented) R=30.0 2212.00 ft² b. N/A c. N/A 12. Roof(Comp. Shingles, Unvent) Deck R=30.0 2561 ft² 13. Ducts, location & insulation level R ft² a. Sup: Main, Ret: Main, AH: Garage 6 442 b. c. 14. Cooling Systems kBtu/hr Efficiency a. Central Unit 48.0 SEER:16.00 15. Heating Systems kBtu/hr Efficiency a. Electric Heat Pump 48.0 HSPF:8.50 16. Hot Water Systems a. Electric Cap: 50 gallons EF: 0.920 b. Conservation features None 17. Credits CF, Pstat
--	---

Glass/Floor Area: 0.143	Total Proposed Modified Loads: 50.71	PASS
	Total Baseline Loads: 65.21	

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code. PREPARED BY: _____ DATE: _____ I hereby certify that this building, as designed, is in compliance with the Florida Energy Code. OWNER/AGENT: _____ DATE: _____	Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.  BUILDING OFFICIAL: _____ DATE: _____
--	--

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Default duct leakage does not require a Duct Leakage Test Report.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires a PERFORMANCE envelope leakage test report with envelope leakage no greater than 4.73 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT																						
Title:	Nickelson Residence				Address type:		Street Address															
Building Type:	User				Bedrooms:	4	Lot #:	---														
Owner:					Conditioned Area:	2212	Block/SubDivision:	---														
Builder Home ID:					Total Stories:	1	PlatBook:	---														
Builder Name:					Worst Case:	No	Street:															
Permit Office:					Rotate Angle:	0	County:	columbia														
Jurisdiction:					Cross Ventilation:		City, State, Zip:	, FL,														
Family Type:	Detached				Whole House Fan:																	
New/Existing:	New (From Plans)				Terrain:	Rural																
Year Construct:	2023				Shielding:	Moderate/Rural																
Comment:																						
CLIMATE																						
✓ Design Location	Tmy Site		Design Temp 97.5% 2.5%		Int Design Temp Winter Summer		Heating Degree Days		Design Moisture		Daily temp Range											
___ FL, Gainesville	FL_GAINESVILLE_REGIONA		32	92	70	75	1305.5	51	Medium													
BLOCKS																						
✓ Number	Name		Area		Volume																	
___ 1	Block1		2212	19908 cu ft																		
SPACES																						
✓ Number	Name		Area		Volume		Kitchen		Occupants		Bedrooms		Finished		Cooled		Heated					
___ 1	Main		2212	19908	Yes	6	4	Yes	Yes	Yes												
FLOORS (Total Exposed Area = 2212 sq.ft.)																						
✓ #	Floor Type		Space		Exposed Perim		Perimeter R-Value		Area		U-Factor		Joist R-Value		Tile		Wood		Carpet			
___ 1	Slab-On-Grade Edge Ins		Main	264	0	2212 ft	0.563	---	0.20	0.60	0.20											
ROOF																						
✓ #	Type		Materials		Roof Area		Gable Area		Roof Color		Rad Barr		Solar Absor.		SA Tested		Emitt Tested		Deck Insul.		Pitch (deg)	
___ 1	Hip		Composition shingles	2561 ft²	0 ft²	Medium	N	0.85	No	0.9	No	30	30.26									
ATTIC																						
✓ #	Type		Ventilation		Vent Ratio (1 in)		Area		RBS		IRCC											
___ 1	No attic		Unvented	0	2212 ft²	N	N															
CEILING (Total Exposed Area = 2212 sq.ft.)																						
✓ #	Ceiling Type		Space		R-Value		Ins. Type		Area		U-Factor		Framing Frac.		Truss Type							
___ 1	Single assembly, no airspace(Unvented)		Main	30.0	Blown	2212.0ft²	0.032	0.11	Wood													

INPUT SUMMARY CHECKLIST REPORT

WALLS															(Total Exposed Area = 2486 sq.ft.)				
✓ #	Ornt	Adjacent To	Wall Type	Space	Cavity R-Value	Width Ft	In	Height Ft	In	Area sq.ft.	U-Factor	Sheath R-Value	Frm. Frac.	Solar Absor.	Below Grade				
___ 1	N	Exterior	Frame - Wood	Main	13.0	20.0	0	9.0	0	180.0	0.094		0.23	0.75	0 %				
___ 2	E	Exterior	Frame - Wood	Main	13.0	12.0	4	9.0	0	111.0	0.094		0.23	0.75	0 %				
___ 3	N	Exterior	Frame - Wood	Main	13.0	27.0	4	10.0	0	273.3	0.094		0.23	0.75	0 %				
___ 4	W	Exterior	Frame - Wood	Main	13.0	19.0	10	9.0	0	178.5	0.094		0.23	0.75	0 %				
___ 5	N	Exterior	Frame - Wood	Main	13.0	21.0	8	9.0	0	195.0	0.094		0.23	0.75	0 %				
___ 6	E	Exterior	Frame - Wood	Main	13.0	27.0	4	9.0	0	246.0	0.094		0.23	0.75	0 %				
___ 7	S	Garage	Frame - Wood	Main	13.0	46.0	4	9.0	0	417.0	0.094		0.23	0.75	0 %				
___ 8	S	Exterior	Frame - Wood	Main	13.0	20.0	10	10.0	0	208.3	0.094		0.23	0.75	0 %				
___ 9	W	Exterior	Frame - Wood	Main	13.0	2.0	0	10.0	0	20.0	0.094		0.23	0.75	0 %				
___ 10	S	Exterior	Frame - Wood	Main	13.0	8.0	4	10.0	0	83.3	0.094		0.23	0.75	0 %				
___ 11	E	Exterior	Frame - Wood	Main	13.0	2.0	0	9.0	0	18.0	0.094		0.23	0.75	0 %				
___ 12	S	Exterior	Frame - Wood	Main	13.0	12.0	0	9.0	0	108.0	0.094		0.23	0.75	0 %				
___ 13	W	Exterior	Frame - Wood	Main	13.0	11.0	6	9.0	0	103.5	0.094		0.23	0.75	0 %				
___ 14	S	Exterior	Frame - Wood	Main	13.0	6.0	6	9.0	0	58.5	0.094		0.23	0.75	0 %				
___ 15	W	Exterior	Frame - Wood	Main	13.0	31.0	8	9.0	0	285.0	0.094		0.23	0.75	0 %				

DOORS											(Total Exposed Area = 140 sq.ft.)			
✓ #	Ornt	Adjacent To	Door Type	Space	Storms	U-Value	Width Ft	In	Height Ft	In	Area			
___ 1	E	Exterior	Insulated	Main	None	0.40	3.00	0	8.00	0	24.0ft²			
___ 2	N	Exterior	Insulated	Main	None	0.40	5.00	0	8.00	0	40.0ft²			
___ 3	W	Exterior	Insulated	Main	None	0.40	3.00	0	8.00	0	24.0ft²			
___ 4	S	Garage	Insulated	Main	None	0.40	3.00	0	8.00	0	24.0ft²			
___ 5	S	Exterior	Insulated	Main	None	0.40	3.00	6	8.00	0	28.0ft²			

WINDOWS															(Total Exposed Area = 317 sq.ft.)			
✓ #	Ornt	Wall ID	Frame	Panes	NFRC U-Factor	SHGC	Imp	Storm	Total Area (ft²)	Same Units	Width (ft)	Height (ft)	--Overhang-- Depth (ft)	Sep. (ft)	Interior Shade	Screen		
___ 1	N	1	Vinyl	Low-E Double	Y	0.26	0.20	N	N	36.0	2	3.00	6.00	1.5	2.3	None	None	
___ 2	N	3	Vinyl	Low-E Double	Y	0.26	0.20	N	N	54.0	3	3.00	6.00	1.5	2.3	None	None	
___ 3	N	3	Vinyl	Low-E Double	Y	0.26	0.20	N	N	16.0	2	2.00	4.00	1.5	2.3	None	None	
___ 4	N	3	Vinyl	Low-E Double	Y	0.26	0.20	N	N	16.7	2	1.67	5.00	1.5	2.3	None	None	
___ 5	W	4	Vinyl	Low-E Double	Y	0.26	0.20	N	N	18.0	1	3.00	6.00	1.5	2.3	None	None	
___ 6	N	5	Vinyl	Low-E Double	Y	0.26	0.20	N	N	36.0	3	2.00	6.00	1.5	2.3	None	None	
___ 7	E	6	Vinyl	Low-E Double	Y	0.26	0.20	N	N	20.0	2	2.00	5.00	1.5	2.3	None	None	
___ 8	E	6	Vinyl	Low-E Double	Y	0.26	0.20	N	N	8.0	1	2.00	4.00	1.5	2.3	None	None	
___ 9	E	6	Vinyl	Low-E Double	Y	0.26	0.20	N	N	6.0	2	3.00	1.00	1.5	2.3	None	None	
___ 10	S	8	Vinyl	Low-E Double	Y	0.26	0.20	N	N	12.0	1	2.00	6.00	1.5	2.3	None	None	
___ 11	S	8	Vinyl	Low-E Double	Y	0.26	0.20	N	N	36.0	2	3.00	6.00	1.5	2.3	None	None	
___ 12	S	12	Vinyl	Low-E Double	Y	0.26	0.20	N	N	36.0	2	3.00	6.00	1.5	2.3	None	None	
___ 13	W	15	Vinyl	Low-E Double	Y	0.26	0.20	N	N	18.0	1	3.00	6.00	1.5	2.3	None	None	
___ 14	W	15	Vinyl	Low-E Double	Y	0.26	0.20	N	N	4.5	1	3.00	1.50	1.5	2.3	None	None	

INFILTRATION										
✓ #	Scope	Method	SLA	CFM50	ELA	EqLA	ACH	ACH50	Space(s)	Infiltration Test Volume
___ 1	Wholehouse	Proposed ACH(50)	0.00027	1569	86.10	161.65	0.0972	4.7	All	19908 cu ft

INPUT SUMMARY CHECKLIST REPORT

GARAGE													
✓ #	Floor Area	Roof Area	Exposed Wall Perimeter	Avg. Wall Height	Exposed Wall Insulation								
___ 1	519 ft²	519 ft²	64 ft	9 ft	1								
MASS													
✓ #	Mass Type	Area	Thickness	Furniture Fraction	Space								
___ 1	Default(8 lbs/sq.ft.)	0 ft²	0 ft	0.30	Main								
HEATING SYSTEM													
✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	----Geothermal Entry	Heat Pump Power	----	Volt	Current	Ducts	Block	
___ 1	Electric Heat Pump	None/Single		HSPF: 8.50	48.0		0.00	0.00	0.00	sys#1	1		
COOLING SYSTEM													
✓ #	System Type	Subtype/Speed	AHRI #	Efficiency	Capacity kBtu/hr	Air Flow cfm	SHR	Duct	Block				
___ 1	Central Unit	None/Single		SEER:16.0	48.0	1440	0.85	sys#1	1				
HOT WATER SYSTEM													
✓ #	System Type	Subtype	Location	EF(UEF)	Cap	Use	SetPnt	Fixture Flow	Pipe Ins.	Pipe length			
___ 1	Electric	None	Garage	0.92 (0.92)	50.00 gal	70 gal	120 deg	Standard	None	99			
	Recirculation System	Recirc Control Type	Loop length	Branch length	Pump power	DWHR	Facilities Connected	Equal Flow	DWHR Eff	Other Credits			
___ 1	No		NA	NA	NA	No	NA	NA	NA	None			
DUCTS													
✓ Duct #	Location	-----Supply----- R-Value	Area	Location	-----Return----- R-Value	Area	Leakage Type	Air Handler	CFM 25 TOT	CFM 25 OUT	QN	RLF	HVAC # Heat Cool
___ 1	Main	6.0	442 ft²	Main	6.0	111 ft²	Default Leakage	Garage	(Default)	(Default)			1 1
TEMPERATURES													
Programable Thermostat: Y Cooling ☐ Jan ☐ Feb ☐ Mar ☐ Apr ☐ May ☒ Jun ☒ Jul ☒ Aug ☒ Sep ☐ Oct ☐ Nov ☐ Dec Heating ☒ Jan ☒ Feb ☒ Mar ☐ Apr ☐ May ☐ Jun ☐ Jul ☐ Aug ☐ Sep ☐ Oct ☒ Nov ☒ Dec Venting ☐ Jan ☐ Feb ☒ Mar ☒ Apr ☐ May ☐ Jun ☐ Jul ☐ Aug ☐ Sep ☒ Oct ☒ Nov ☐ Dec													
✓	Thermostat Schedule: HERS 2006 Reference												
	Schedule Type	1	2	3	4	5	6	7	8	9	10	11	12
___	Cooling (WD)	AM 80	78 80	78 80	78 80	78 80	78 80	78 80	78 80	78 80	80 78	80 78	80 78
___	Cooling (WEH)	AM 80	78 80	78 80	78 80	78 80	78 80	78 80	78 80	78 80	80 78	80 78	80 78

INPUT SUMMARY CHECKLIST REPORT

TEMPERATURES(Continued)

___ Heating (WD)	AM	65	65	65	65	65	65	65	68	68	68	68	68
	PM	68	68	68	68	68	68	68	68	68	68	68	68
___ Heating (WEH)	AM	65	65	65	65	65	65	65	68	68	68	68	68
	PM	68	68	68	68	68	68	68	68	68	68	68	68