District No. 1 - Ronald Williams District No. 2 - Rusty DePratter District No. 3 - Jody DuPree District No. 4 - Stephen E. Bailey District No. 5 - Scarlet P. Frisina

29749

OUNTY

## **BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY**

### Memo of review for correctness and completion

In accordance with participation in the NFIP/CRS program, all elevation certificates are required to be reviewed for correctness and completion prior to acceptance by the community. This form shall be attached to all elevation certificates maintained on file and provided with requested copies of elevation certificates.

The attached certific	cate requires correction	on by the surveyor of s	ection (s)	prior to acceptance by	
the community.					
The attached elevat	on certificate is comp	olete and correct.			
Minor corrections h	ave been made in the	below marked section	n(s) by the aut	horized Community Official.	
	ave been made in the	,	(3) 3) 112 441	nonzed commune, ornera.	
	SECTION	A - PROPERTY INFORMA	TION	For Insurance Company Use:	_
A1. Building Owner's Name				Policy Number	_
A2. Building Street Address (including A	pt., Unit, Suite, and/or Bidg. I	No.) or P.O. Route and Box No		Company NAIC Number	
City		State		ZIP Code	_
A3. Property Description (Lot and Block	Numbers, Tax Parcel Number	r, Legal Description, etc.)			_
					_
A4. Building Use (e.g., Residential, Non-	Residential, Addition, Access	sory, etc.)			_
A5. Latitude/Longitude: Lat			_ Horizontal Di	stum: 🔲 NAD 1927 🔃 NAD 1983	
A6. Attach at least 2 photographs of the	building if the Certificate is be	eing used to obtain flood insura	ince.		
A7. Building Diagram Number A8. For a building with a crawl space or	enclosure(s) provide:	A9 For a bu	ilding with an attac	ched garage, provide:	
a) Square footage of crawl space of				ched garage sq ft	
b) No. of permanent flood openings	• • • • • • • • • • • • • • • • • • • •	b) No.	of permanent flood	openings in the attached garage	
enclosure(s) walls within 1.0 foo		walls	s within 1.0 foot ab	ove adjacent grade	
c) Total net area of flood openings	in A8.b	sq in c) Tota	inet area of flood	openings in A9.b sq in	
SE	CTION B - FLOOD INSU	RANCE RATE MAP (FIRM	) INFORMATION	1	I
B1 NFIP Community Name & Communit	y Number B2. C	County Name		B3. State	Ī
B4. Map/Panel Number B5. Suffix	B6. FIRM Index	B7. FIRM Panel	B8. Flood	1 00 Bass 51 4 51 4 1 1 1 7	_
B4. Map/Panel Number B5. Suffix	Date Date	Effective/Revised Date	Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)	
					J
10. Indicate the source of the Base Floo		p-m	39.		
	Community Determined	Other (Describe)			
11. Indicate elevation datum used for BF			Other (Describe)		
<ol> <li>Is the building located in a Coastal B Designation Date</li> </ol>		RS) area or Otherwise Protect	ed Area (OPA)?	Yes No	
Comments:					
26 44	2011			12	
Date of Review: 28 No	001	Community Off	icial:	192	_

All elevation certificates shall be maintained by the community and copies with the attached memo made available upon request.

BOARD MEETS FIRST THURSDAY AT 7 00 PM

AND THIRD THURSDAY AT 7:00 P.M.

## U.S. DEPARTMENT OF HOMELAND SECURITY

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency

Important: Read the instructions on pages 1-9.

National Flood Insurance Program	<u> </u>		ons on pages 1-9.	
AL DIVINO LA LA DEIDORE AL		ON A - PROPERTY	INFORMATION	For Insurance Company Use:
A1. Building Owner's Name DEIRDRE AN	NDERSON			Policy Number
A2. Building Street Address (including Apt. 161 SW JULBUG GLN		dg. No.) or P.O. Route	and Box No.	Company NAIC Number
City FT. WHITE State FL ZIP Co	ode 32038			
A3. Property Description (Lot and Block Nu LOT 89 UNIT 10 THREE RIVERS ESTATE				
A4. Building Use (e.g., Residential, Non-Re				
A5. Latitude/Longitude: Lat. <u>29°56'01.2</u> L A6. Attach at least 2 photographs of the bu				
A7. Building Diagram Number <u>5</u>	many i are comments	is boing asset to obtain	i nood modranoc.	
A8. For a building with a crawlspace or end a) Square footage of crawlspace or en			A9. For a building with an at	
b) No. of permanent flood openings in		a sq ft	<ul><li>a) Square footage of a</li><li>b) No. of permanent flo</li></ul>	ttached garage <u>na</u> sq ft bod openings in the attached garage
enclosure(s) within 1.0 foot above a	adjacent grade na	<del></del>	within 1.0 foot above	e adjacent grade <u>na</u>
<ul><li>c) Total net area of flood openings in d</li><li>d) Engineered flood openings?</li></ul>	A8.b <u>na</u> □ Yes ⊠ No	<u>a</u> sqin	<ul><li>c) Total net area of flood</li><li>d) Engineered flood op</li></ul>	
SEC	TION B - FLOOD IN	SURANCE RATE I	MAP (FIRM) INFORMATI	ON
B1. NFIP Community Name & Community N COLUMBIA CO UNINC & INC AREAS 120		2. County Name OLUMBIA		B3. State FL
B4. Map/Panel Number B5. Suffix	B6. FIRM Index	B7. FIRM Pa		B9. Base Flood Elevation(s) (Zone
12023C0466C C	Date 2/4/2009	Effective/Revise 2/4/2009		AO, use base flood depth) 33.7
B10. Indicate the source of the Base Flood B	Elevation (BFE) data or	•		
☐ FIS Profile ☐ FIRM	Community Determ			IVER MANAGEMENT DISTRICT
B11. Indicate elevation datum used for BFE				
B12. Is the building located in a Coastal Bar Designation Date NA	ner Resources System	CBRS CIRC	OPA	?
SECTIO	N C - BUILDING EL	EVATION INFORM	IATION (SURVEY REQU	JIRED)
	☐ Construction Draw		Iding Under Construction*	
*A new Elevation Certificate will be requi	with BFE), VE, V1-V30	, V (with BFE), AR, A	R/A, AR/AE, AR/A1-A30, AR	/AH, AR/AO. Complete Items C2.a-h
below according to the building diagram  Benchmark Utilized SAF-22Vertical Dat		ose the same datum a	is the DFE.	
Conversion/Comments084				
			Check the measu	rement used.
a) Top of bottom floor (including baser	ment, crawlspace, or e	nciosure floor) 4005		erto Rico only)
b) Top of the next higher floor	4 . 1 . 1 . 0.7	<u>NA</u>	feet   meters (Pu	• .
<ul><li>c) Bottom of the lowest horizontal stru</li><li>d) Attached garage (top of slab)</li></ul>	ctural member (V Zone	es only) <u>NA</u> . NA.	☐ feet ☐ meters (Pu ☐ feet ☐ meters (Pu	* *
e) Lowest elevation of machinery or ed	quipment servicing the			
(Describe type of equipment and lo	cation in Comments)			
f) Lowest adjacent (finished) grade ne	• , ,	<u>28.6</u>	☐ feet ☐ meters (Pu	
<ul> <li>g) Highest adjacent (finished) grade no</li> <li>h) Lowest adjacent grade at lowest ele structural support</li> </ul>	- ·	29.1 s, including 29.5	☐ feet ☐ meters (Pu☐ feet ☐ meters (Pu☐	
	ON D - SURVEYOR,	ENGINEER, OR A	RCHITECT CERTIFICAT	TION
This certification is to be signed and sealed				
information. I certify that the information on understand that any false statement may be				
Check here if comments are provided or		_	tude in Section A provided by	ya
Certifier's Name WESLEY M. RABON	III	censed land surveyor	P ⊠ Yes □ No e Number 6127	
Title PROFESSIONAL SURVEYOR	Company Name Wil	ESLEY M. RABON , P	SM	
Address 398 NW NULL ROAD	City WHITE SPRING			96
Signature 3 / 13 1	, Date		one 386-397-1199	
WW W AND	11/2	-47/11		

See reverse side for continuation.


IMPORTANT: In these spaces,				F	or Insurance Company Use:
Building Street Address (including Apt 161 SW JULBUG GLN	t., Unit, Suite, and/or Bldg. No.)	or P.O. Route and	Box No.	P	olicy Number
City FT. WHITEState FL ZIP Code	32038			C	company NAIC Number
SECTION	N D - SURVEYOR, ENGINE	ER, OR ARCHIT	ECT CERTIFICA	TION (CONTI	NUED)
Copy both sides of this Elevation Cert	tificate for (1) community official	, (2) insurance age	nt/company, and (3)	building owner.	
Comments C2e= AC, C2h=BOTTOM	I OF STAIRS				
Wal WIld		1/2.8	111		
Signature		Date			
OFOTION E. PUIU DING ELE	WATION INCOMMATION (	NIDVEY NOT BE	OUBER FOR 7	ONE AO AND	Check here if attachments
SECTION E - BUILDING ELE	EVATION INFORMATION (S	SURVEY NOT RE	QUIRED) FOR Z	ONE AO AND	ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), c and C. For Items E1-E4, use natural E1. Provide elevation information fo grade (HAG) and the lowest ad	grade, if available. Check the or or the following and check the ap- jacent grade (LAG).	measurement used opropriate boxes to	In Puerto Rico only show whether the e	y, enter meters. levation is abov	e or below the highest adjacent
a) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-9 with	basement, crawispace, or enc	losure) is	🔲 feet 🔲	meters 🔲 abo	ve or  below the HAG. ve or  below the LAG. structions), the next higher floor
(elevation C2.b in the diagrams E3. Attached garage (top of slab) is			ters ☐ above or [ or ☐ below the H		G.
E4. Top of platform of machinery ar		-			
E5. Zone AO only: If no flood depth ordinance?  Yes No [					imunity's floodplain management
	N F - PROPERTY OWNER				ATION
The property owner or owner's author or Zone AO must sign here. The state	rized representative who comple	etes Sections A, B,	and E for Zone A (w	ithout a FEMA-i	
Property Owner's or Owner's Authoriz		are correct to the b	est of my knowledge	, , , , , , , , , , , , , , , , , , ,	
Address		City		State	ZIP Code
Signature		Date		Telephone	
Comments				_	
					Check here if attachments
	SECTION G - COM	MUNITY INFORM	IATION (OPTION	AL)	
The local official who is authorized by la and G of this Elevation Certificate. Con					
	was taken from other document elevation information. (Indicate		•		urveyor, engineer, or architect who
	ed Section E for a building locat				
G3.   The following information (Ite	ems G4-G9) is provided for com	munity floodplain m	anagement purpose	S.	
G4. Permit Number	G5. Date Permit Issued		G6. Date Certifica	ate Of Complian	ce/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction	Substantial Imp	rovement		
G8. Elevation of as-built lowest floor (i	including basement) of the build	ing:	☐ feet ☐ meters	(PR) Datum _	
G9. BFE or (in Zone AO) depth of floo	ding at the building site:	·	☐ feet ☐ meters	(PR) Datum _	
G10. Community's design flood elevation	on	·	☐ feet ☐ meters	(PR) Datum	_
Local Official's Name		Title	· · · · · · · · · · · · · · · · · · ·		
Community Name		Tek	ephone		
Signature		Dat	e		
Comments					
				7	
					Charlebase & successor to
					Check here if attachments

# **Building Photographs**

See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 161 SW JULBUG GLN	Policy Number
City FT WHITE State FL ZIP Code 32038	Company NAIC Number


If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



#### DIAGRAM 7

All buildings elevated on full-story foundation walls with a partially or fully enclosed area below the elevated floor. This includes walkout levels, where at least one side is at or above grade. The principal use of this building is located in the elevated floors of the building.


**Distinguishing Feature** – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings\* present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A ~ Property Information.



### **DIAGRAM 8**

All buildings elevated on a crawlspace with the floor of the crawlspace at or above grade on at least one side, with or without an attached garage.


Distinguishing Feature – For all zones, the area below the first floor is enclosed by solid or partial perimeter walls. In all A zones, the crawfspace is with or without openings' present in the walls of the crawfspace. Indicate information about crawfspace size and openings in Section A – Property Information.



### **DIAGRAM 9**

All buildings (other than split-level) elevated on a subgrade crawlspace, with or without attached garage.

**Distinguishing Feature** – The bottom (crawlspace) floor is at or below ground level (grade) on all sides.\*\* (If the distance from the crawlspace floor to the top of the next higher floor is more than 5 feet, or the crawlspace floor is more than 2 feet below the grade (LAG) on all sides, use Diagram 2.)



- \* An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of two openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than one square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least two sides of the enclosed area. If a building has more than one enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than one foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.
- \*\* A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.