DATE 12/2	8/2010		nbia County B  Be Prominently Posted	uilding Permit on Premises During Co		PERMIT 000029097
APPLICANT	CAROLYN	N PARLATO		PHONE	386.963.1373	
ADDRESS	7161	152ND STREET		WELLBORN		FL 32094
OWNER	BRENDA (	GRIFFIN		PHONE	386.365.3290	
ADDRESS	324	SW CALVARY P	LACE	LAKE CITY	X	FL 32094
CONTRACTO	R MICI	HAEL J. PARLATO	)	PHONE	386.963.1373	
LOCATION O	F PROPERT	Y 441-S PA	AST -240,TR TO TURNE	R PL,TR TO CALVARY	PL,TR	
		TO END	OF PAVEMENTLOT	ON L.		
TYPE DEVEL	OPMENT	M/H/UTILITY	ES	TIMATED COST OF CO	ONSTRUCTION	0.00
HEATED FLO	OR AREA		TOTAL ARE	EA	HEIGHT _	STORIES
FOUNDATION	Ν	WA	LLS F	ROOF PITCH	FL	OOR
LAND USE &	ZONING	A-3		MAX	K. HEIGHT _	
Minimum Set I	Back Require	ments: STREE	T-FRONT 30.00	REAR	25.00	SIDE
NO. EX.D.U.	0	FLOOD ZONE	E <u>A</u>	DEVELOPMENT PER	MIT NO.	
PARCEL ID	22-58-17-0	9340-007	SUBDIVISIO	N MASON CITY		
LOT	BLOCK	47 PHASE	UNIT _		AL ACRES 4.5	35
000001866			IH102524	1		tathe
Culvert Permit	No.	Culvert Waiver	Contractor's License Nun	nber	Applicant/Owner/	Contractor
18"X32'MITEF	RED	10-0496	BLK		ro )	N
Driveway Conr	nection	Septic Tank Number	er LU & Zonii	ng checked by App	proved for Issuance	e New Resident
	or omiori	0 0 1 1 1 1 0 1 1 1 1 0 1	CONFORMINGLOTO			
COMMENTS:	SECTION	2.3.1 LEGAL NON	-CONFORMING LOT O	F RECORD. 1 FOOT AE	BOVE ROAD.	
COMMENTS:	SECTION	2.3.1 LEGAL NON	-CONFORMING LOT O	F RECORD. 1 FOOT AE		000
COMMENTS:	SECTION	2.3.1 LEGAL NON	-CONFORMING LOT O	F RECORD. 1 FOOT AE	Check # or Ca	ash 9761
COMMENTS:	SECTION		BUILDING & ZONIN		Check # or Ca	ash 9761 (footer/Slab)
COMMENTS:  Temporary Pov		FOR B		IG DEPARTMENT	Check # or Ca	(footer/Slab)
Temporary Pov	wer	FOR B	BUILDING & ZONIN  Foundation		Check # or Ca ONLY  Monolithic	(footer/Slab)  date/app. by
	wer	FOR B	BUILDING & ZONIN  Foundation Slab	IG DEPARTMENT date/app. by	Check # or Ca ONLY  Monolithic	(footer/Slab)  date/app. by  Nailing
Temporary Pov	vergh-in plumbi	FOR B  date/app. by  ng  date/a	Foundation Slab _ app. by	IG DEPARTMENT	Check # or Ca ONLY  Monolithic	(footer/Slab)  date/app. by
Temporary Pov	vergh-in plumbi	FOR B  date/app. by  ng  date/a	Foundation Slab app. by	IG DEPARTMENT date/app. by	Check # or Ca ONLY  Monolithic	(footer/Slab)  date/app. by  Nailing
Temporary Pov Under slab roug	wergh-in plumbindate/app	FOR B  date/app. by  ng  date/a	Foundation Slab app. by insulation date	date/app. by  date/app. by	Check # or Ca ONLY  Monolithic	(footer/Slab)  date/app. by  Nailing
Temporary Pov Under slab roug Framing Rough-in plumi	yergh-in plumbindate/app	date/app. by  ng date/a	Foundation  Foundation  Slab  app. by  insulation  date  I floor	date/app. by  date/app. by  e/app. by  El ate/app. by	Check # or Ca ONLY  Monolithic  Sheathing/I	(footer/Slab)  date/app. by  Nailing
Temporary Pov Under slab roug	gh-in plumbindate/app	date/app. by  ng date/a  date/app. by  date/a	Foundation  Foundation  Slab  app. by  insulation  date	date/app. by  date/app. by  e/app. by  Elate/app. by	Check # or Ca ONLY  Monolithic  Sheathing/I	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plumi	date/app bing above sl	date/app. by  date/a  date/a  date/a  date/a  te/app. by	Foundation  Foundation  Slab  app. by  insulation  date  I floor	date/app. by  date/app. by  e/app. by  El ate/app. by	Check # or Ca ONLY  Monolithic Sheathing/I	(footer/Slab)  date/app. by  Nailing  date/app. by
Temporary Pov Under slab roug Framing Rough-in plum Heat & Air Duc	date/app bing above sl	date/app. by  date/a  date/a  date/a  I  b by  ab and below wood  te/app. by  e/app. by	Foundation  Foundation  Slab  app. by  Insulation  date  C.O. Final	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by  date/app. by	Check # or Ca ONLY  Monolithic Sheathing/I  ectrical rough-in Pool Culvert	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plum Heat & Air Duc Permanent power	date/app bing above sl	date/app. by  ng  date/a  date/a  date/a  date/a  date/a  Liby  ab and below wood  te/app. by  Utility Pole	Foundation  Foundation  Slab  app. by  Insulation  date  C.O. Final  M/H tie de	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by	Check # or Ca ONLY  Monolithic Sheathing/I  ectrical rough-in Pool Culvert	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plum Heat & Air Duc Permanent power	date/app bing above sl  tet  date ate/app. by	date/app. by  date/a  date/app. by  date/app. by  ab and below wood  te/app. by  e/app. by  Utility Pole  d	Foundation  Foundation  Slab  app. by  Insulation  date  C.O. Final	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by  date/app. by  date/app. by  late/app. by  owns, blocking, electricit	Check # or Ca ONLY  Monolithic Sheathing/I  ectrical rough-in Pool Culvert	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plum Heat & Air Duc Permanent power Pump pole	date/app bing above sl  tet  date ate/app. by	date/app. by  ng  date/a  date/a  date/a  date/a  date/a  Liby  ab and below wood  te/app. by  Utility Pole	Foundation  Foundation  Slab  app. by  insulation  date  C.O. Final  M/H tie delate/app. by	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by  date/app. by	Check # or Ca ONLY  Monolithic  Sheathing/I  ectrical rough-in  Pool  Culvert  y and plumbing	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plum Heat & Air Duc Permanent power Pump pole	date/app bing above sl ct date ate/app. by da	date/app. by  date/a  date/a  date/a  date/a  Lo. by  ab and below wood  te/app. by  Utility Pole  date/app. by	Foundation  Foundation  Slab  app. by  insulation  date  C.O. Final  M/H tie delate/app. by	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by  date/app. by  date/app. by  date/app. by  owns, blocking, electricit  date/app. by	Check # or Ca ONLY  Monolithic  Sheathing/I  ectrical rough-in  Pool  Culvert  y and plumbing	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by
Temporary Pov Under slab roug Framing Rough-in plumb Heat & Air Duc Permanent power Pump pole d Reconnection	date/app bing above slet date/app date/app. by da  RMIT FEE \$	date/app. by  date/a  date/a  date/a  date/a  I  by  ab and below wood  te/app. by  Utility Pole  d  dte/app. by  0.00	BUILDING & ZONIN  Foundation  Slab  app. by Insulation  date  C.O. Final  M/H tie delate/app. by  RV	date/app. by  date/app. by  e/app. by  Elate/app. by  date/app. by  date/app. by  date/app. by  owns, blocking, electricit  date/app. by  E\$ 0.00	Check # or Ca ONLY  Monolithic Sheathing/I  ectrical rough-in  Pool Culvert y and plumbing Re-roof  SURCHARGE	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by
Temporary Pov Under slab rough Framing Rough-in plumb Heat & Air Duck Permanent power Pump pole d Reconnection BUILDING PE	date/app bing above sl et date ate/app. by da  RMIT FEE \$  300.00	date/app. by  date/a  date/app. by  date/app. by  ab and below wood  te/app. by  Utility Pole  d  dte/app. by  O.00	Foundation  Foundation  Slab  app. by Insulation  Grant C.O. Final  M/H tie delate/app. by  RV  CERTIFICATION FEI	date/app. by  date/app. by  e/app. by  e/app. by  date/app. by  date/app. by  date/app. by  cowns, blocking, electricit  date/app. by  FIRE FEE \$64.2	Check # or Ca ONLY  Monolithic Sheathing/I  ectrical rough-in Pool Culvert y and plumbing Re-roof  SURCHARGE O WASTE	(footer/Slab)  date/app. by  Nailing  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  date/app. by  FEE \$ 0.00

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION 776
For Office Use Only (Revised 1-10-08) Zoning Official (SLK 22/12 Building Official 7.6. /2-20-/0
AP# 0/2-33 Date Received 12/20 By Jw Permit # 29097 /1866
Flood Zone A Development Permit NA Zoning A-3 Land Use Plan Map Category A-3
Comments Seed 2-3.1 Legal Nonconfair y Lot of Record
FEMA Map# 04/5 C Elevation NA Finished Floor River NA In Floodway NA
Site Plan with Setbacks Shown DEH # 10-04%   □ EH Release M Well letter Existing well
Recorded Deed or Affidavit from land owner ALLetter of Auth. from installer   State Road Access
□ Parent Parcel # □ STUP-MH □ F W Comp. letter
IMPACT FEES: EMS Fire Corr Road/Code_ TC "(Pd)
School= TOTAL _ Impact Fees Suspended March 2009
PARLATU LIAS
Property ID# 22-55-17-09340-007 Subdivision Mason City Block 47
New Mobile Home Used Mobile Home MH Size XXX Year 2008
<ul> <li>Applicant Mike Belato Phone # 386-963-1373</li> </ul>
- Address 7161 152nd Street Welloom, Fl 32094
Name of Property Owner Brenda Griffin Phone# 365-3290
■ 911 Address 324 500 Calvery Place Lake City FT 32025
■ Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - <u>Suwannee Valley Electric</u> - <u>Progress Energy</u>
Name of Owner of Mobile Home Brenda Griffing Phone # 365-3290
Address 693 500 Deputy J. Davis Lane Lake City, FT 32024
Relationship to Property Owner 5000
Current Number of Dwellings on Property
■ Lot Size Total Acreage 4.35 octob (Owes
■ Do you : Have Existing Drive (Currently using) or Private Drive (Blue Road Sign) or need Culvert Permit (Putting in a Culvert) or Culvert Waiver (Circle one) (Not existing but do not need a Culvert)
■ Is this Mobile Home Replacing an Existing Mobile Home №
■ Driving Directions to the Property 441 Joseph Root CR 240 Two (R) On
"Turves Place" Turve @ on "Colors. P" Land of

Name of Licensed Dealer/Installer

Installers Address 1

Installation Decal # License Number <u></u>

- Ilw Spoke W Carolyn 12.22.10

proside pea. 374 26" x 26" POPULAR PAD SIZES 51135 (929)within 2' of end of home spaced at 5' 4" oc page 1 of 2 FRAME TIES OTHER TIES ANCHORS 20 × 20 17 3/16 × 25 3/16 5 ft 24" X 24"  $(576)^*$ ad Size 8.5 x 18 13 1/4 x 26 Longitudinal Marriage wall Shearwall 16 x 1 Wind Zone III 800 PIER SPACING TABLE FOR USED HOMES Sidewall 22" x 22" (484)\* # Home installed to the Manufacturer's Installation Manual 4 CARLAD Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers. Manufacturer Longitudinal Stabilizing Deyice w/ Lateral Arms CHARCE AND List all marriage wall openings greater than 4 foot and their pier pad sizes below. 20" x 20" (400)34130 Home is installed in accordance with Rule 15-C တ်တ်တ ż CKK Installation Decal # グメこ 3500 psf 8' 8' 8' | 8' | Interpolated from Rule 15C-1 pier spacing table. Pier pad size Wind Zone II Longitudinal Stabilizing Device (LSD) 18 1/2" x 18 TIEDOWN COMPONENTS Used Home 1/2" (342) 107/01/ Serial # တ်တ်တ်တ် PIER PAD SIZES 16" x 16" Perimeter pier pad size (256)COLUMBIA COUNTY PERMIT WORKSHEET Other pier pad sizes (required by the mfg.) I-beam pier pad size (sq in) Footer Opening size Manufacturer Double wide Single wide Triple/Quad New Home 2500 psf 3000 psf 1000 psf 1500 ps 2000 psf capacity bearing Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations) Rule 15C I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. E marriage wall piers within 2' of end of home per if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home These worksheets must be completed and signed by the installer. Submit the originals with the packet. Installer's initials Length x width License # ONERL michael 3 yagato 300 posta e longitudinal 324 911 Address where home is being installed Typical pier spacing Manufacturer NOTE: Installer

page 2 of 2

## POCKET PENETROMETER TEST

pst The pocket penetrometer tests are rounded down to STO or check here to declare 1000 lb. soil without testing.

X Appro

OSS X

Ogg X

## POCKET PENETROMETER TESTING METHOD

- 1. Test the perimeter of the home at 6 locations.
- Take the reading at the depth of the footer.
- Using 500 lb. increments, take the lowest reading and round down to that increment.

SON X

O N

### **FORQUE PROBE TEST**

inch pounds or check A test showing 275 inch pounds or less will require 5 foot anchors. The results of the torque probe test is here if you are declaring 5' anchors without testing

reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000-broking capacity. anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft A state approved lateral arm system is being used and 4 ft. Note:

Installer's initials

# ALL TESTS MUST BE PERFORMED BY A LÍCENSED INSTALLER

7000

Signer of the

29-0

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main gower source. This includes the bonding wire between mult-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

2//2

Date 12/

Installer Signature

Installer verifies all information given with this permit worksheet

is accurate and true based on the

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Debris and organic material removed Water drainage: Natural Swale Fastening multi wide units Floor: Type Fastener: See Length: 38 V. Spacing: 1. Spacing: 1. Spacing: 1. Spacing: 2. Spaci	Debris and organic material removed Water drainage: Natural Swale Pad Other  Fastening multit wide units Floor: Type Fastener: Swale Length: 3% Spacing: 2% Spacing: 1/ype Fastener: Swale Length: 3% Spacing: 2% Spacing: 1/ype Fastener: Swale Length: 3% Spacing: 2% Spacing: 1/ype Fastener: Swale Length: 3% Spacing: 2% Walls: 1/ype Fastener: Swale Length: 3% Spacing: 2% Spacing: 1/ype Fastener: Swale Length: 3/ype Gasket Length: 1/ype Gasket L		
Floor: Type Fastener: Length: 38 Mac Spacing: National Spacing: Type Fastener: See Length: 3 Spacing: Por used homes a min. 30 gauge, 8 wide, galvanized metal strip will be centered homes a min. 30 gauge, 8 wide, galvanized metal strip will be centered homes a min. 30 gauge, 8 wide, galvanized metal strip will be centered homes and that configuration and saket (weatherproofing requirement).  Casket (weatherproofing requirement)  Independent a property installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorty installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorty installed on no gasket being installed. Installed: Installed: Between Floors Yes Between Walls Yes Bottom of rail water. Yes Afficing on units is installed to manufacturer's specifications. Yes Siding on units is installed to manufacturer's specifications. Yes Siding on the installed. Yes Miscellaneous  Skirting to be installed. Yes Miscellaneous Manufacturer's specifications. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Other:	Floor: Type Fastener: Compared to the fastener of the fastener	Debris and organic material removed Water drainage: NaturalSwal	le Pad
Floor: Type Fastener: Cock Length: 38 Spacing: 10 Nalls: Type Fastener: Cock Length: 3 Spacing: 2 Spacing: Type Fastener: Cock Length: 48 Spacing: 2 Spacing: Type Fastener: Cock Length: 48 Spacing: Cock Spacing: Type Fastener: Cock Spacing: Cock Spacing: Type Fastener: Cock Spacing: Cock Spacing	Floor: Type Fastener: Contact	Fastenin	ig multi wide units
Inderstand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.  Installed:  Installed:  Between Floors Yes Between Walls Yes Between Walls Yes Bottom of ridgebeam Yes  Neatherproofing  The bottomboard will be repaired and/or taped. Yes Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed to manufacturer's specifications. Yes Fireplace chimney installed to so as not to allow intrusion of rain water. Yes  Skirting to be installed outside of skirting. Yes  No Dryer vent installed outside of skirting. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Other:	Inderstand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.  Installed:  Installed:  Between Walls Yes Bottom of ridgebeam Yes Bottom of ridgebeam Yes Bottom of rain water. Yes Siding on units is installed to manufacturer's specifications. Yes Siding to be installed. Yes  Miscellaneous  Skirting to be installed. Yes Bottom of rain water. Yes  Miscellaneous  Skirting to be installed. Yes Brange downflow wort installed outside of skirting. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Other:		Length: 3816, Spacing: 10". Length: 3" Spacing: 201. Length: 481 Spacing: 250. Length: 481 Spacing: 250. Spacing:
I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.  Installed:  Installed:  Installed:  Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes Bottom of ridgebeam Yes Bottom of ridgebeam Yes Bottom of ridgebeam Yes Siding on units is installed to manufacturer's specifications. Yes Siding to be installed. Yes Biding to be installed. Yes Range downflow vent installed outside of skirting. Yes Brange downflow vent installed outside of skirting. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Other:	I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.  Installer's initials  Type gasket  Weatherproofing  The bottomboard will be repaired and/or taped. Yes Siding on units is installed to manufacturer's specifications. Yes Siding on units is installed to manufacturer's specifications. Yes Siding on units is installed to manufacturer's specifications. Yes Siding on units is installed to manufacturer's specifications. Yes Skirting to be installed. Yes  Miscellaneous  Skirting to be installed outside of skirting. Yes Drain lines supported at 4 foot intervals. Yes Drain lines supported at 4 foot intervals. Yes Other:	Gasket (wee	atherproofing requirement)
ttomboard will be repaired and/or taped. Yes On units is installed to manufacturer's specifications. Yes On units is installed so as not to allow intrusion of rain water.  Miscellaneous  No NA On the installed outside of skirting. Yes On NIA On Supported at 4 foot intervals. Yes Ones Ones Ones Ones Ones Ones Ones On	ttomboard will be repaired and/or taped. Yes On units is installed to manufacturer's specifications. Yes On units is installed to manufacturer's specifications. Yes On units is installed so as not to allow intrusion of rain water.  Miscellaneous  To be installed. Yes No Ent installed outside of skirting. Yes Onwiflow vent installed outside of skirting. Yes Ones supported at 4 foot intervals. Yes Ones supported at 4 foot intervals. Yes Ones Supported at 4 foot intervals. Yes Ones Ones Supported at 4 foot intervals. Yes Ones Ones Ones Ones Ones Ones Ones On	I understand a properly installed gask homes and that condensation, mold, I a result of a poorly installed or no gas of tape will not serve as a gasket.  Type gasket	ret is a requirement of all new and used meldew and buckled marriage walls are sket being installed. I understand a strip nstaller's initials (
ttomboard will be repaired and/or taped. Yes On units is installed to manufacturer's specifications. Yes On units is installed so as not to allow intrusion of rain water.  Miscellaneous  To be installed. Yes No On the installed outside of skirting. Yes Odownflow vent installed outside of skirting. Yes Odownflow vent installed outside of skirting. Yes Ones supported at 4 foot intervals. Yes Ones supported at 4 foot intervals. Yes Ones Supported at 4 foot intervals. Yes Ones Ones Ones Ones Ones Ones Ones On	ttomboard will be repaired and/or taped. Yes On units is installed to manufacturer's specifications. Yes On units is installed to manufacturer's specifications. Yes On the installed so as not to allow intrusion of rain water.  Miscellaneous  Miscellaneous  NA On the installed outside of skirting. Yes On the installed outside of skirting. Yes On the supported at 4 foot intervals. Yes On the installed outside of skirting. Yes On the supported at 4 foot intervals. Yes On the installed outside of skirting.	Wee	atherproofing
Miscellaneous  y to be installed. Yes No ent installed outside of skirting. Yes downflow vent installed outside of skirting. Y nes supported at 4 foot intervals. Yes	Miscellaneous  y to be installed. Yes No ent installed outside of skirting. Yes downflow vent installed outside of skirting. Y nes supported at 4 foot intervals. Yes sal crossovers protected. Yes	The bottomboard will be repaired and Siding on units is installed to manufac Fireplace chimney installed so as not	
y to be installed. Yes No ent installed outside of skirting. Yes downflow vent installed outside of skirting. Y nes supported at 4 foot intervals. Yes all crossovers protected.	of to be installed. Yes No ent installed outside of skirting. Yes downflow vent installed outside of skirting. Yes nes supported at 4 foot intervals. Yes all crossovers protected. Yes	W	scellaneous
		Skirting to be installed. Yes  Dryer vent installed outside of skirting Range downflow vent installed outside Drain lines supported at 4 foot interva Electrical crossovers protected. Yes	

THIS INSTRUMENT PREPARED BY:
MARK E. FEAGLE, ESQUIRE
FEAGLE & FEAGLE, ATTOR
153 NE Madison Street
Post Office Box 1653
Lake City, Florida 32056-1653
Florida Bar No. 0576905

Inst:2006000875 Date:01/13/2006 Time:13:07
Doc Stamp-Deed: 70.00
DC,P.DeWitt Cason,Columbia County B:1071 P:127

### WARRANTY DEED

THIS INDENTURE, made this 23<sup>101</sup> day of December, 2005, between WENDY FARRINGTON, as Trustee of the Messina 4.350-1 Trust under the provisions of the Trust Agreement dated the 6<sup>th</sup> day of August, 2004, whose mailing address is Post Office Box 979, Tenino, WA 98589, Grantor, and BRENDA BUTCHER, a person and GERALD GRIFFIN, a person, whose mailing address is 9376 County Road 252, Live Oak, Florida 32060, Grantees.

### WITNESSETH:

That said Grantor, for and in consideration of the sum of **TEN AND NO/100** (\$10.00) Dollars, and other good and valuable considerations to said Grantor in hand paid by said Grantees, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said Grantees, and Grantees' heirs, successors and assigns forever, the following described land, situate, lying and being in Columbia County, Florida, to-wit:

Block 47, Mason City Subdivision, according to the plat on file in the Office of the Clerk of the Circuit Court in Plat Book 1, Page 31, Columbia County, Florida.

N.B. No portion of the property constitutes the homestead property of the Grantor.

TOGETHER WITH all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

Inst:2006000875 Date:01/13/2006 Time:13:07

Doc Stamp-Deed: 70.00

DC,P.DeWitt Cason,Columbia County B:1071 P:128

SUBJECT TO restrictions, conditions, reservations, easements, and other matters common to the subdivision or shown on the map or plate thereof in Plat Book 1, Page 31, but omitting any covenant or restriction based on race, color, religion, sex, handicap, familial status or national origin; subject to declaration of covenants, conditions and restrictions as recorded in Official Book 537, Page 212, but omitting any covenant or restrictions as to race, color, religion, sex, handicap, familial status or national origin.

TO HAVE AND TO HOLD the said premises in fee simple forever, with the appurtenances attached thereto upon the trust and for the uses and purposes herein and in said Trust Agreement set forth.

AND the Grantor hereby covenants with said Grantee that the Grantor is lawfully seized of said land in fee simple; that the Grantor has good right and lawful authority to sell and convey said land; that the Grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

FULL power and authority granted to said Trustee, with respect to the said premises or any part of it, and at any time or times, to subdivide said premises or any part thereof, to dedicate parks, streets, highways or alleys and to vacate any subdivision or part thereof, and to re-subdivide said property as often as desired, to contract to sell, to grant options to purchase, to sell on any terms, to convey either with or without consideration, to donate, to mortgage, pledge or otherwise encumber said property, or any part thereof, to lease said property or any part thereof, from time to time, in possession or reversion by leases to commence now or later, and upon any terms and for any period or periods of

time and to renew or extend leases upon any terms and for any period or periods of time and to amend, change, or modify leases and the terms and provisions thereof at any time hereafter, to contact to make leases and to grant options to lease and options to renew leases and options to purchase the whole or any part of the reversion and to contract respecting the manner of fixing the amount of present or future renters to partition or to exchange said property or any part thereof for other real or personal property, to grant easements or changes of any kind, to release, convey or assign any right, title or interest in or about or easement appurtenant to said premises or any part thereof, and to deal with said property and every part thereof in all other ways and for such other considerations as it would be lawful for any person owning the same to deal with the same, whether similar to or different from the ways above specified, at any time or times hereafter.

IN NO CASE shall any party dealing with the said trustee in relation to said premises, to whom said premises or any part thereof shall be conveyed, contracted to be sold, leased or mortgaged by said trustee, be obliged to see to the application of any purchase money, rent, or money borrowed or advanced on said premises, or be obliged to see that the terms of this trust have been complied with, or be obliged to inquire into the necessity or expediency of any act of said trustee, or be obliged or privileged to inquire into any of the terms of said trust agreement; and every deed, mortgage, lease or other instrument executed by said trustee in relation to said real estate shall be conclusive evidence in favor of every person relying upon or claiming under such conveyance, lease or other instrument, (a) that at the time of delivery thereof, the trust created by this Indenture and by said trust agreement was in full force and effect, (b) that such

Inst:2006000875 Date:01/13/2006 Time:13:07

conveyance or other instrument was executed in full accordance of the trust's conditions and limitations contained herein and in said trust agreement or in some amendment thereof and binding upon all beneficiaries thereunder and (c) that said trustee was duly authorized and empowered to execute and deliver every such deed, trust deed, lease, mortgage or other instrument.

THE INTEREST of each and every beneficiary hereunder and of all persons claiming under them or any of them shall be only in the earnings, avails, and proceeds arising from the sale or other disposition of said real estate, and such interest is hereby declared to be personal property. No beneficiary hereunder shall have any title or interest legal or equitable, in or to said real estate as such, but only an interest in the earnings, avails, and proceeds thereof as aforesaid.

IN WITNESS WHEREOF, Grantor has hereunto set Grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in the presence of:

Nobra A. St. br

(Print or type name)

Witness TR

(Print or type name)

STATE OF U MONIMETON COUNTY OF THURSTON

WENDY FARRINGTON (SEAL)

M. BUCCO MANAGEMENT OF STATE O

Inst:2006000875 Date:01/13/2006 Time:13:07

Doc Stamp-Deed: 70.00

DC,P.DeWitt Cason,Columbia County B:1071 P:130

I HEREBY CERTIFY that on this day acknowledgments, personally appeared WEN to me or who has produced Washington	NDY FARRINGTON,	who is personally known
WITNESS my hand and official seal		

WITNESS my hand and official seal in the County and State last aforesaid this day of December, 2005.

(NOTARIAL SEAL)



Inst:2006000875 Date:01/13/2006 Time:13:07

Doc Stamp-Deed : 70.00

\_DC,P.DeWitt Cason,Columbia County B:1071 P:131

MY COMMISSION EXPIRES: 9/29/09

DH 4015, 08/09 (Obsoletes previous editions which may not be used)
Incorporated 64E-6.001, FAC


[ ] Floor/Equipment Drains [ ] Other (Specify)

4


SIGNATURE:

A lication for Onsite Sewage Disposal System Construction Permit. Part II Site Plan Permit Application Number:

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT



Plan Approved Not Approved Date 11 10 10  By Countries CPHU  Notes 14:3 5/00/4 Correct original 5:15 Plan	Site Plan Submitted By Pont	Long	Date
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A and		CPHU
	Notes This should co	mech original d	Site Pla



### SUBCONTRACYOR VERIFICATION FORM

	A STATE OF S	G( = 1272
APPLICATION NUMBER_10/2-33	Miles Dear	96 3.1373
	CONTRACTOR MIKE PARLATE	PHONE -
THIS FORM MUST B	E SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT	

In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>REQUIRED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines

			will result in stop work ora	ers and/or fines.
ELECTRICAL	Print Name Attor	tic Dervice t	Tiplisignature 26 c	Iddendun(allowed)
<b></b>	_ Low	<del>13</del> 3	Phone #: <	SW -02-0 3000
MECHANICAL/	Print Name A Conti	Ctorio45	Signature EE 2	ld En Lyon Callower
PLUMBING/	- CHO	1814531	Phone #: <	8002859-3788
GA5	Print Name Ticko	<u>27. 1-20 pd</u>	Signature	27/00
ROOFING	Print Name	<u> </u>		386-963-1373
C9	License #:		Signature	<del>/-</del> -
SHEET METAL	Print Name		, Phone #:	
	License #:	<del></del>	Signature	·/
			Phone #:	
FIRE SYSTEM/ SPRINKLER	Print Name		Signature	
JENNAKLEK	License#:	,	Phone #:	/
SOLAR	Print Name		Signature /	/
	License #:		Phone #:	
Specially Lie	onse tesers simil	2.1 2.02 (2012	tors Product trans	·
MASON			·/ 1	Sub-Contractor Signature
CONCRETE FINI	ISHER			<del> </del>
RAMING		<del>\</del>	<del>-/</del>	
NSULATION			×	<del> </del>
TUCCO		<del>/</del>	<del>\</del>	
RYWALL		+-/-	<del>- \   </del>	
LASTER		<del></del>		
ABINET INSTAL	LER	<del>-/</del>		
AINTING		4		
COUSTICAL CEI	ILING	<del></del>		
LASS			\	
ERAMIC TILE		<del></del>		
OOR COVERIN	G /	+		
UM/VINYL SID		<del></del>		
ARAGE DOOR	<del>-</del>			
ETAL BLDG ERE	CTOR			
THE DEOG ERE	CION			
				No.

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

### CONTRACTORS' ADDENDUM TO BUILDING PERMIT FOR MOBILE HOME

Building Permit No D	ate:12-20-10
Owner(s) Name: Reado Griffin	·
Sec. 32 Twp. 55 Rge. 17 Tax Pa	
Lot # 15/4 Block 47 Subdivision 70	3.361
I hereby certify that I will be commencing work of	n the above referenced job.
CONTRACTOR	LICENSE NO.
ELECTRICAL: Robert Grant  Signature	EC0002733
MECHANICAL: Robert Grant  Signature	<u>CAC1814931</u>

If the homeowner is performing the work above they must sign a owner builder disclosure along with this form.

COUNTY OF POIN

LINDY M. WILSON  WY COMMISSION # DD 941399  EXPIRES: November 18, 2013  Bonded Thru Budget Notary Services	Sworn to (or affirmed) and subscribed before me  This 8 day of 100 1, 20 10 my  RODE(7 GYOTT  PRINT, TYPE OR STAMP NAME OF NOTARY  Personally known
	Personally known OR Produced Identification Type of Identification Produced



### CODE ENFORCEMENT | EPARTMENT COLUMBIA COUNTY FLORIDA OUT OF COUNTY MOBILE HOME INSPECTION REPORT

COUNTY THE MOBILE HOME IS BEING MOVED FROM
OWNERS NAME BREEda Griffin PHONE CELL 365-3290
INSTALLER MICHAEL 5. 1-3200 PHC VE 963-1373 CELL 683-1322
INSTALLERS ADDRESS 116 152nd Theet Wellborn, FI 30094 623.134
NOBILE HOME INFORMATION
MAKE Fleetwood YEAR DE 38 SIZE 28 x 48
COLOR BEISE SERIAL NO. GAF - NOTAB 57135 ET21
WIND ZONE SMOKE DETECTOR 425
INTERIOR: FLOORS COCA - Superior
DOORS <u>cead</u>
WALLS Spood
CABINETS CECCL
ELECTRICAL (FIXTURES/OUTLETS) 5000
EXTERIOR: WALLS/SIDDING TOOCHE & VICH
WINDOWS Seed
DOORS = FOCA
INSTALLER: APPROVEDNOT APPROVED
NOTES: Have is in great cordition
INSTALLER OR INSPECTORS PRINTED NAME TICKO el J. Taelato
Insteller/Inspector Signature MTM License No THOSENH Date 12-16-10
ONLY THE ACTUAL LICENSE HOLDER OR A BUILL ING INSPECTOR CAN SIGN THIS FORM.
NO WIND ZONE ONE MOBILE HOMES WILL BE PERMITTED. MI BILE HOMES PRIOR TO 1977 ARE PRE-HUD AND THE WIND ZONE MUST BE PROVEN TO BE PERMITTED.
BEFORE THE MOBILE HOME CAN BE MOVED INTO COLUMBI. COUNTY THIS FORM MUST BE COMPLETED AND RETURNED TO THE COLUMBIA COUNTY BUILDING DEPI RTMENT.
ONCE MOVED INTO COLUMBIA COUNTY AN INSPECTOR MUS "COMPLETE A PRELIMINARY INSPECTION ON THE MOBILE HOME. CALL 386-719-2038 TO SET UP THIS INSP. CTION, NO PERMIT WILL BE ISSUED BEFORE THIS IS DONE.
Code Enforcement Approvel Signature Approvel Signature Date 12-20-10



1012-33

### CODE ENFORC :MENT PRELIMINARY MOBILE HOME | ISPECTION REPORT

10(Z = )
DATE MEGELASO 15 10 BA OF 19 INC USE OF LANCE CONT. CO
OWNERS NAME Brenda Britis PHONE 36: -3250 CELL 256-263-333
ADDRESS 324 SW Calvery Place Cake ( of Fr 32025
MOBILE HOME PARK SUBD ASION Was on City Block 47
DRIVING DIRECTIONS TO MOBILE HOME 441 S. (R) Turner Place, (R) Calvery PL
to end of Pavement - Lot on (C)
MOBILE HOME INSTALLER Wiles Parlato PHONE CELL 963-1373
MOBILE HOME INFORMATION
MAKE Fleetwood YEAR OF SIZE I. P x 5-2 COLOR Beigu
SERIAL NO. GAEL 70746 57135 ET 21
WIND ZONE Must be wind zone if or higher NC WIND ZONE I ALLOWED
INSPECTION STANDARDS
INTERIOR: (P or F) · P= PASS F= FAILED \$50.00
SMOKE DETECTOR ( ) OPERATIONAL ( ) MISSING Date of Payment: 12 - 20 - 10
FLOORS () SOLID () WEAK () HOLES DAMAGED LO ATION Paid By:
DOORS () OPERABLE () DAMAGED
WALLS ( ) SOLID ( ) STRUCTURALLY UNSOUND
WINDOWS () OPERABLE () INOPERABLE
PLUMBING FIXTURES ( ) OPERABLE ( ) NOPERABLE ( ) NISSING
CEILING ( ) SOLID ( ) HOLES ( ) LEAKS APPARENT
ELECTRICAL (FIXTURES/OUTLETS) ( ) OPERABLE ( ) EXPC SED WIRING ( ) OUTLET COVERS MISSING ( ) LIGHT FIXTURES MISSING
EXTERIOR: WALLS / SIDDING ( ) LOOSE SIDING ( ) STRUCTURALLY UN: DUND ( ) NOT WEATHERTIGHT ( ) NEEDS CLEANING
WINDOWS ( ) CRACKED BROKEN GLASS ( ) SCREENS MI ISING ( ) WEATHERTIGHT
ROOF ( ) APPEARS SOLID ( ) DAMAGED
STATUS
APPROVED WITH CONDITIONS:
NOT APPROVED NEED RE-INSPECTION FOR FOLLOWING CONDI IONS
SIGNATURE 10 NUMBER 402 DATE 12-22-0



# **COLUMBIA COUNTY, FLORIDA**

# Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Building permit No. 000029097

Parcel Number 22-5S-17-09340-007

Permit Holder MICHAEL J. PARLATO

Owner of Building BRENDA GRIFFIN

Location: 234 SW CALVARY PL, LAKE CITY, FL 32094

Date: 01/10/2011

lay C

**Building Inspector** 

POST IN A CONSPICUOUS PLACE (Business Places Only)