

GAZEBO SIZES RANGE FROM 8'x8' TO 12' X 24'. ALL CUTS AND ASSEMBLIES SHOULD BE SIZED ACCORDINGLY.

DESIGN CRITERIA ASCE 7-22	
BUILDING CODE: 2023	FL BUILDING CODE: 8TH ED.
LIVE LOAD TO FRAMES	20 PSF
CO-LATERAL LOAD	0 PSF
SNOW LOAD	0 PSF
WIND LOAD (3 SEC GUST)	140 MPH (BASIC)
WIND IMPORTANCE FACTOR	1.0
FLOOR LIVE LOAD	60 PSF
UNENCLOSED STRUCTURE FACTOR	0.55

FRONT ELEVATION

NOT TO SCALE

SIDE ELEVATION

NOT TO SCALE

FLOOR DECKING

NOT TO SCALE

ROOF DECKING

NOT TO SCALE

SIZES RANGE FROM 8'x8' TO A 12'x24'. ALL CUTS AND ASSEMBLIES SHOULD BE SIZED ACCORDINGLY.

PIER SUPPORT

NOTE: ALL NAILS AND FASTENERS PER THE NATIONAL BUILDING CODE. ALL NAILS TO BE 2 1/4" x 131 GALVANIZED. THE MATERIALS TO BE USED SHALL BE 1/2" x 3". ALL SCREWS TO BE #8 x 3". INSTALLER SHALL INSURE THAT THE GAZEBO SITE HAS A MINIMUM 1500 POUNDS PER SQUARE FOOT SOIL BEARING CAPACITY.

FLOOR FRAMING

NOT TO SCALE

LEAVING TO BE DONE WITH PRESSURE TREATED 2x LUMBER OR EQUIT FWD/BLOCKS AS FOLDERS.

ANCHOR NUTS, STRUCTURE SHALL BE ANCHORED WITH AN ANCHOR BOLT LOCATIONS USING 1/4" OR 5/8"

ROOF FRAMING

NOT TO SCALE


ROOF FRAMING DETAIL - TOP VIEW

NOT TO SCALE

PROJECT:

WOOD RESOURCES
8'x8' TO 12'x24' RECTANGULAR
GAZEBO DESIGNS

DATE: 10-2-19
SCALE: AS NOTED
DRAWN BY: LK



THIS DRAWING IS PROPERTY OF BRUCE CORBITT, OWNER, AND IS TO BE USED ONLY FOR THE STRUCTURE SPECIFICALLY IDENTIFIED HEREIN, AND IS NOT TO BE REPRODUCED IN WHOLE OR PART, EXCEPT BY AGREEMENT IN WRITING AND WITH APPROPRIATE COMPENSATION.

CLIENT:

BRUCE CORBITT
2322 PARK RD
PEARSON, GA 31642

FILE NAME:
GAZEBO DESIGNS

SHEET
C-2