




Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Jeffrey Galdikas,

Mary Kolovitz
 277 Nw Rhoden Glen
 Lake City, FL 32055
 H: (386)406-3133

FLOORPLAN - 1ST FLOOR



UNIT NOTES

- 101** Wood sill
Drywall return
Blinds
- 102** Wood sill
Drywall return
Blinds
- 103** Wood sill
Drywall return
Blinds
- 104** Wood sill
Drywall return
Blinds
- 105** Wood sill
Drywall return
Blinds
- 106** Wood sill
Drywall return
Blinds
- 107** Wood sill
Drywall return
Vertical Blinds
- 108** Wood sill
Drywall return
Blinds

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Jeffrey Galdikas,

Mary Kolovitz
 277 Nw Rhoden Glen
 Lake City, FL 32055
 H: (386)406-3133

ID#	ROOM	SIZE	DETAILS
-----	------	------	---------

JOB

107	living	73" 70-1/4"	48" 45-7/8"	<p>Window: Acclaim™ Gliding Double, 1:1, Active / Passive, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 35 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: F-Trim, (12 ft), White (2), Glider Clips (8), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)</p>
101	kitchen	36" 34-5/8"	36" 34"	<p>Window: Acclaim™ Casement Single, Right, Base Frame, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)</p>
106	scotts room	36" 34-1/2"	48" 46-1/4"	<p>Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)</p>



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafla.com
 Measure Tech: Jeffrey Galdikas,

Mary Kolovitz
 277 Nw Rhoden Glen
 Lake City, FL 32055
 H: (386)406-3133

ID#	ROOM	SIZE	DETAILS
105	scotts room	36" 48" 34-5/8" 46-1/4"	<p>Window: Acclaim™ Double-Hung (DG), 1:1 Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)</p>
104	guest room	36" 48" 34-3/8" 46-1/4"	<p>Window: Acclaim™ Double-Hung (DG), 1:1 Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)</p>
102	m and m	36" 48" 34-1/2" 46-1/4"	<p>Window: Acclaim™ Double-Hung (DG), 1:1 Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims</p>



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA
 Legal Name: JLM Windows, LLC | License # CGC1527613
 997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
 Phone: 407-803-4723 | Fax: 407-386-8262 | concierge@rbafra.com
 Measure Tech: Jeffrey Galdikas,

Mary Kolovitz
 277 Nw Rhoden Glen
 Lake City, FL 32055
 H: (386)406-3133

ID#	ROOM	SIZE	DETAILS
(1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)			
103	m and m	36" 48" 34-5/8" 46-1/4"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (2), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
108	m and m bath	23" 34" 22-5/8" 34"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior White, Interior White Performance Calculator: Winde, Wind Speed 117, Zone 4, PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), White (1), Interior Caulk- White (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)

PRODUCTS: 8 WINDOWS: 8 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 0

Updated 12/19/24

JOB NOTES

Drywall return
 Wood sill
 Blinds
 Curtains
 Signs of water intrusion-may need drywall work.
Estimated Duration: 1 days