

Permission to construct the building depicted in the drawings is expressly conditioned on the full and timely payment of all fees otherwise due Donald A. Gardner Architects, Inc. and/or Donald A. Gardner, Inc. See additional license terms on "License to Build" document

This copyright notice is "copyright management information" under the Digital Millennium Copyright Act, and Donald A, Gardner Architects, Inc. and/or Donald A. Gardner, Inc. requires its inclusion on all copies to discourage and police copyright infringement. Unauthorized reproduction or usage of these documents or removal of the notification is subject to prosecution.

These plans may be used to construct <u>ONE</u> house only and the license <u>CANNOT</u> be transferred. By violating this copyright it is a violation of the federal copyright statute which provides damages for each infringement from \$250 up to \$150,000.

330656


For questions call 1-800-3


REG#

DO NOT SCALE DRAWINGS.

COPYRIGHT © 9/10/02 ALL RIGHTS RESERVED BY DONALD A. GARDNER, INC. NOT TO BE COPIED OR REPRODUCED WITHOUT WRITTEN PERMISSION

SB3-B
SHEET OF DR





Visit www.DAGmarketplace.com for information on interior and exterior products for your home! ALTERNATE FOUNDATION DETAILS FOR TURN DOWN SLAB BRICK VENEER HOUSE SIDING, STUCCO, OR STONE VENEER HOUSE MISCELLANEOUS TURN DOWN SLAB DETAILS - 1x4 BASE TREATED WOOD PLATE W/ 1/2"+ TREATED WOOD PLATE W/ 1/2"+ ANCHOR BOLTS AT 6'-0" O.C. ANCHOR BOLTS AT 6'-0" O.C. FLOOR FINISH PER OWNER -THRU-WALL FLASHING, - 4" CONC. SLAB W/ 6×6-W1.4×W1.4 W.W.F. — 4" CONC. SLAB W/ 6×6-W1.4×W1.4 W.W.F. PROVIDE WEEPS @ 32" O.C. 4" CONC. SLAB W/ FLOOR FINISH PER OWNER -OVER 6 MIL POLYETHYLENE MOISTURE / OVER 6 MIL POLYETHYLENE MOISTURE 6x6-W1.4xW1.4 W.W.F. 6 MIL VAPOR RETARDER OVER COMPACTED VAPOR RETARDER OVER COMPACTED POLYETHYLENE MOISTURE 4" CONC. SLAB W/ 6x6-W1.4xW1.4 W.W.F. FILL. SLOPE FOR DRAINAGE. DEPRESS FILL. SLOPE FOR DRAINAGE. DEPRESS 4" CONC. SLAB W/ / YAPOR RETARDER -OVER 6 MIL POLYETHYLENE MOISTURE / FOR FLOOR FINISH FOR FLOOR FINISH 6×6-W1.4×W1.4 W.W.F. 6 MIL YAPOR RETARDER OVER COMPACTED POLYETHYLENE MOISTURE TOP OF SLAB - -FILL. SLOPE FOR DRAINAGE. DEPRESS / VAPOR RETARDER -FOR FLOOR FINISH TOP OF SLAB AT PORCH - 6 MIL POLYETHYLENE 4" SAND OVER MOISTURE / YAPOR COMPACTED FILL RETARDER - 6 MIL POLYETHYLENE TURN DOWN SLAB MIN 12" BELOW TURN DOWN SLAB MOISTURE / VAPOR 4" SAND OVER FINISH GRADE OR AS REQUIRED 2" RIGID INSULATION CONT. COMPACTED FILL RETARDER AT PERIMETER OF FLOOR BY LOCAL BUILDING CODE. - # 4'5 @ 12" *O.C. V*ERT. * 4'S @ 12" *O.C.* VERT. - TURN DOWN SLAB SLAB AS REQ'D. BY LOCAL (MIN. 2 BARS) (MIN. 2 BARS) 2" RIGID INSULATION CONT. BUILDING CODE (TYP.) ---AT PERIMETER OF FLOOR · # 4'S @ 12" *O.C. ∨*ERT. SLAB AS REQ'D. BY LOCAL TURN DOWN SLAB MIN 12" BELOW , (MIN. 2 BARS) BUILDING CODE (TYP.) -8" 1'-Ø" FINISH GRADE OR AS REQUIRED/ BY LOCAL BUILDING CODE. — TURN DOWN SLAB @ PORCH 3/4" = 1'-Ø" TURN DOWN SLAB MIN 12" BELOW , - 24" × 12" FOOTING WITH (2) #4 FINISH GRADE OR AS REQUIRED 8" 1'-Ø" 1'-Ø" SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION REINF. RODS CONTINUOUS. BY LOCAL BUILDING CODE. — TURN DOWN SLAB @ PORCH Copyrighted © Donald A. Gardner Architects, Inc. 3/4" = 1'-Ø" and/or Donald A. Gardner, Inc. SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION 330656 TURN DOWN SLAB @ PORCH REG# 3/4" = 1'-Ø" These plans may be used to construct <u>ONE</u> house only and the license <u>CANNOT</u> be transferred. By violating this copyright it is a violation SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION of the federal copyright statute which provides damages for each infringement from \$250 up to \$150,000. Permission to construct the building depicted in the drawings is expressly conditioned on the full and timely payment of all fees otherwise due Donald A. Gardner Architects, Inc. and/or Donald A. Gardner, Inc. See additional license terms on "License to Build" document This copyright notice is "copyright management information" under the Digital Millennium Copyright Act, and Donald A, Gardner Architects, Inc. and/or Donald A. Gardner, Inc. requires its inclusion on all copies to discourage and police copyright infringement. Unauthorized reproduction or usage of these documents or removal of the notification is subject to prosecution. For questions call 1-800-388-7580 FLOOR FINISH PER OWNER -FLOOR FINISH PER OWNER -TREATED WOOD PLATE W/ TREATED WOOD PLATE W/ 1/2" ANCHOR BOLTS AT TREATED WOOD PLATE W/ FLOOR FINISH PER OWNER -1/2" PANCHOR BOLTS AT 4" CONC. SLAB W/ 6x6-W1.4xW1.4 W.W.F. 6 MIL 4" CONC. SLAB W/ 6×6-W1.4×W1.4 W.W.F. 6 MIL 1/2" PANCHOR BOLTS AT 6'-0" O.C. EMBED 1" INTO 6'-Ø" O.C. CONC. SLAB 6'-0" O.C. 4" CONC. SLAB W/ POLYETHYLENE MOISTURE POLYETHYLENE MOISTURE / VAPOR RETARDER -/ VAPOR RETARDER -6x6-W1.4xW1.4 W.W.F. 6 MIL - THRU-WALL FLASHING, PROVIDE POLYETHYLENE MOISTURE / YAPOR RETARDER -WEEPS @ 32" O.C. HOUSE ال الح• م /- 3/8" EXPANSION JOINT FILLER -#4'S@12" O.C. VERT. (MIN. 2 BARS) 4" SAND OVER COMPACTED FILL 4" SAND OVER (TYP. @ HOUSE GARAGE COMPACTED FILL SLAB ONLY) -4" SAND OVER COMPACTED FILL 2" RIGID INSULATION CONT. * 4'S @ 12" O.C. VERT. 2" RIGID INSULATION CONT. AT AT PERIMETER OF FLOOR (MIN. 2 BARS) PERIMETER OF FLOOR SLAB AS SLAB AS REQ'D. BY LOCAL 2" RIGID INSULATION CONT. * 4'S @ 12" O.C. VERT. REQ'D. BY LOCAL BUILDING AT PERIMETER OF FLOOR BUILDING CODE (TYP.) ----(MIN. 2 BARS) CODE (TYP. @ HOUSE SLAB ONLY) -SLAB AS REQ'D. BY LOCAL BUILDING CODE (TYP.) -TURN DOWN SLAB MIN 12" BELOW / TURN DOWN SLAB MIN 12" BELOW FINISH GRADE OR AS REQUIRED 8" | 8" | BY LOCAL BUILDING CODE. FINISH GRADE OR AS REQUIRED TURN DOWN SLAB MIN 12" BELOW / BY LOCAL BUILDING CODE. - $-24" \times 12"$ FOOTING WITH (2) #4 1'-Ø" FINISH GRADE OR AS REQUIRED/ REINF. RODS CONTINUOUS. BY LOCAL BUILDING CODE. DETAIL @ HOUSE AND GARAGE 3/4" = 1'-@" TURN DOWN SLAB @ HOUSE 3/4" = 1'-Ø" SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION TURN DOWN SLAB @ HOUSE 3/4" = 1'-@" SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION - IX4 BASE TREATED WOOD PLATE W/ 1/2"¢ TREATED WOOD PLATE W/ 1/2"+ ANCHOR BOLTS AT 6'-0" O.C. ANCHOR BOLTS AT 6'-0" O.C. FLOOR FINISH PER OWNER -THRU-WALL FLASHING, FLOOR FINISH PER OWNER -— 4" CONC. SLAB W/ 6×6-W1.4×W1.4 W.W.F. 4" CONC. SLAB W/ 6x6-W1.4xW1.4 PROVIDE WEEPS @ 32" O.C. 4" CONC. SLAB W/ TREATED WOOD PLATE W/ 1/2"+ OVER 6 MIL POLYETHYLENE MOISTURE / W.W.F. OVER 6 MIL POLYETHYLENE 6x6-W1.4xW1.4 W.W.F. 6 MIL ANCHOR BOLTS AT 6'-0" O.C. VAPOR RETARDER OVER COMPACTED MOISTURE / YAPOR RETARDER 4" CONC. SLAB W/ POLYETHYLENE MOISTURE — 4" CONC. SLAB W/ 6×6-W1.4×W1.4 W.W.F. EMBED 1" INTO CONC. SLAB 6×6-W1.4×W1.4 W.W.F. 6 MIL FILL. SLOPE FOR DRAINAGE. DEPRESS OVER COMPACTED FILL. SLOPE / YAPOR RETARDER — OVER 6 MIL POLYETHYLENE MOISTURE FOR FLOOR FINISH POLYETHYLENE MOISTURE FOR DRAINAGE. VAPOR RETARDER OVER COMPACTED / VAPOR RETARDER -FILL. SLOPE FOR DRAINAGE. DEPRESS FOR FLOOR FINISH - 6 MIL POLYETHYLENE 4" SAND OVER MOISTURE / VAPOR 6 MIL POLYETHYLENE COMPACTED FILL 4" SAND OVER MOISTURE / VAPOR TURN DOWN SLAB MIN 12" BELOW - 3/8" EXPANSION COMPACTED FILL RETARDER FINISH GRADE OR AS REQUIRED JOINT FILLER 2" RIGID INSULATION CONT. - 3/8" EXPANSION BY LOCAL BUILDING CODE. — AT PERIMETER OF FLOOR -#4'S @ 12" O.C. YERT. 2" RIGID INSULATION CONT. JOINT FILLER SLAB AS REQ'D. BY LOCAL · # 4'S @ 12" O.C. VERT. (MIN. 2 BARS) AT PERIMETER OF FLOOR BUILDING CODE (TYP.) ---(MIN. 2 BARS) SLAB AS REQ'D. BY LOCAL -# 4'S @ 12" O.C. YERT. BUILDING CODE (TYP.) -(MIN. 2 BARS) TURN DOWN SLAB MIN 12" BELOW , FINISH GRADE OR AS REQUIRED/ BY LOCAL BUILDING CODE. TURN DOWN SLAB MIN 12" BELOW $-24" \times 12"$ FOOTING WITH (2) *4 TURN DOWN SLAB @ GARAGE FINISH GRADE OR AS REQUIRED/ 1'-Ø" REINF. RODS CONTINUOUS. BY LOCAL BUILDING CODE. SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION TURN DOWN SLAB @ PATIO 3/4" = 1'-0" 3 W TURN DOWN SLAB @ PATIO SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION 3/4" = 1'-0" SEE OTHER WALL SECTIONS FOR ADDITIONAL INFORMATION DO NOT SCALE DRAWINGS. COPYRIGHT © 03/23/05 ALL RIGHTS RESERVED BY DONALD A. GARDNER, INC. NOT TO BE COPIED OR REPRODUCED WITHOUT WRITTEN PERMISSION Visit www.D'AGmarketplace.com for information on interior and exterior products for your home!