

DATE 04/08/2004

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000021713

APPLICANT JAY S. DAVIS

PHONE 386.752.5174

ADDRESS POB 244

LAKE CITY

FL 32056

OWNER JAY S. DAVIS

PHONE 386.752.5174

ADDRESS 344 SE BEADIE DRIVE

LAKE CITY

FL 32025

CONTRACTOR STACY BECKHAM

PHONE 352.745.2739

LOCATION OF PROPERTY 90-E TO OLD COUNTRY CLUB ROAD TO BEADIE DRIVE, R, LOT ON R @ CURVE.

TYPE DEVELOPMENT M/H & UTILITY ESTIMATED COST OF CONSTRUCTION .00

HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES

FOUNDATION WALLS ROOF PITCH FLOOR

LAND USE & ZONING RSF-MH-2 MAX. HEIGHT 35

Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00

NO. EX.D.U. 1 FLOOD ZONE AE DEVELOPMENT PERMIT NO. F023-04-031

PARCEL ID 09-4S-17-08301-164

SUBDIVISION HIGH HAMMOCK

LOT 14 BLOCK C PHASE UNIT TOTAL ACRES 1.16

IH00000512

Culvert Permit No.

Culvert Waiver

Contractor's License Number

Applicant/Owner/Contractor

EXISTING

04-0373-E

BLK

HD

N

Driveway Connection

Septic Tank Number

LU & Zoning checked by

Approved for Issuance

New Resident

COMMENTS: 1 FOOT ABOVE ROAD

1 FOOT RISE ON FILE

1 UNIT BILLED FOR ASSESSMENTS.

Check # or Cash

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by

Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by

Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by

Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by

Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by

M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by

Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by

M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00

MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$

FLOOD ZONE DEVELOPMENT FEES \$ 50.00 CULVERT FEE \$ TOTAL FEE 300.00

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Community use
PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only

Zoning Official BLK 4-6-04 Building Official ND 4-9-04

AP# 0403-97 Date Received 3/30/04 By GT Permit # 21713

Flood Zone AE Development Permit Yes Zoning RSMH-2 Land Use Plan Map Category RLD

Comments Map# 200 Elevation is set at 104' (Must be a minimum of 105' for Elevation certificate.) Need 1 foot rise letter before permit can be issued

- ☒ Site Plan with Setbacks shown ☒ Environmental Health Signed Site Plan ☐ Env. Health Release
☒ Need a Culvert Permit ☒ Need a Waiver Permit ☒ Well letter provided ☐ Existing Well

09-45-17 -08301-164

- Property ID 12-SC-05569 04-0377E Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home ☒ Year 98
- Subdivision Information High Hammock, Lot 14, BIK C
- Applicant Stacy Beckham Phone # 352-745-2739
- Address PO Box 2442 Lake City, FL 32056
- Name of Property Owner Jay Davis Phone# 386-752-5174
- 911 Address 344 SE Beadie Dr. Lake City, FL 32025
- Name of Owner of Mobile Home Jay Davis Phone # 961-1482
- Address _____
- Relationship to Property Owner —
- Current Number of Dwellings on Property 0
- Lot Size 1.16 Total Acreage 1.16
- Explain the current driveway existing
- Driving Directions GO East (TR) on Old County Club. to Beadie Dr. (TR) Lot on Rt. a curve.
- Is this Mobile Home Replacing an Existing Mobile Home yes.
- Name of Licensed Dealer/Installer Stacy Beckham Phone # 352-745-2739
- Installers Address PO Box 2442 Lake City, FL 32056
- License Number ZH0000512 Installation Decal # 218728

PERMIT NUMBER

PERMIT WORKSHEET

Installer Stacy Beckman License # 27400512

Address of home being installed 252 SE Greener Beadle Dr.

Manufacturer Petwood Length x width 14x12


NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.


Installer's initials

[Signature]

Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home ☐ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☒ Wind Zone II ☐ Wind Zone III ☐

Double wide ☐ Installation Decal # 2187AB

Triple/Quad ☐ Serial # 4231

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4'6"	6'	7'	8'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7'6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

17 1/2 x 25 1/2

Perimeter pier pad size

110 x 110

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size

4 ft 5 ft

ANCHORS

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

[Signature]

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

Number

OTHER TIES

Sidewall

Longitudinal

Marriage wall

Shearwall

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

X 1500 X 1700 X 1700

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1500 X 1500 X 1500

TORQUE PROBE TEST

The results of the torque probe test is 895 inch pounds or check here if you are declaring 5' anchors without testing . A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewalk locations. 1 understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Steve Beckman

Date Tested

7/30/04

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C

Site Preparation

Debris and organic material removed
Water drainage: Natural Swale Pad Other

Fastening multi wide units

Floor: Type Fastener: Length: Spacing:
Walls: Type Fastener: Length: Spacing:
Roof: Type Fastener: Length: Spacing:
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket
Pg.

Installed:

Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Pg. 15C
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes N/A
Range downflow vent installed outside of skirting. Yes N/A
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Date

Steve Beckman 7/30/04

WARRANTY DEED

This Warranty Deed made and executed the 24th day of March A.D. 2004 by LENVIL H. DICKS, a single man not residing on the property described herein, hereinafter called the grantor, to Jay Davis, Whose post office address is 118 NE Colvin Avenue, Lake City, FL 32055, hereinafter called the grantee:

(Wherever used herein the terms "Grantor" and "Grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporation)

Witnesseth: That the grantor, for the consideration of the sum of \$ 10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Columbia County, Florida, viz:

Lot 14, Block C, High Hammock, a subdivision as recorded in Plat Book 5, Page 102, Columbia County, Florida, subject to Restrictions recorded in O. R. Book 0630, Pages 0024-0027, Columbia County, Florida, and subject to Power Line Easement


Together with all the tenements, hereditaments and appurtenances thereto belong or in any-wise appertaining.

To Have and to Hold, the same in fee simple forever.


And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple: that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2003.

In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:



Signature of witness
Nanci Nettles

 L.S.

Lenvil H. Dicks



Signature of witness
Suzanne D. Adams

State of Florida
County of Columbia

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgments, personally appeared Lenvil H. Dicks, who is personally known to me to be the person described in and who executed the foregoing instrument, who was not required to furnish identification, and he acknowledged before me that he executed the same and who did not take an oath.

WITNESS my hand and official seal in the County and State last aforesaid this 24th day of March A.D. 2004



LETTER OF AUTHORIZATION

Date: 3/30/04

Columbia County Building Department
P.O. Box 1529
Lake City, FL 32056

I Stacy Beekham, License No. IT40000512 do hereby

Authorize Jay Davis to pull and sign permits on my behalf.
14x62 on Bradlee Drive


Sincerely,

[Handwritten signature]

Sworn to and subscribed before me this 30th day of MARCH, 2004.


Notary Public: Alan Tedder

My commission expires:




Personally Known ✓

Produced Valid Identification:_____



This information, GIS Map Updated: 03/11/2004, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.



APPROXIMATE SCALE IN FEET
2000 0 2000


NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 200 OF 300

PANEL LOCATION



COMMUNITY-PANEL NUMBER
120070 0200 B

EFFECTIVE DATE:
JANUARY 6, 1988



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/nfi/tst.

Columbia County Building Department
Flood Development Permit

Development Permit
F 023- F023-04-031

DATE 04/09/2004 BUILDING PERMIT NUMBER 000021713

APPLICANT JAY S. DAVIS PHONE 386.752.5174

ADDRESS POB 244 LAKE CITY FL 32056

OWNER JAY S. DAVIS PHONE 386.752.5174

ADDRESS 344 SE BEADIE DRIVE LAKE CITY FL 32025

CONTRACTOR STACY BECKHAM PHONE 352.745.2739

ADDRESS POB 2442 LAKE CITY FL 32056

SUBDIVISION HIGH HAMMOCK Lot 14 Block C Unit C Phase

TYPE OF DEVELOPMENT M/H & UTILITY PARCEL ID NO. 09-4S-17-08301-164

FLOOD ZONE AE BY BLK 1-6-88 FIRM COMMUNITY #. 120070 - PANEL #. 200 B

FIRM 100 YEAR ELEVATION 104.0' PLAN INCLUDED YES or (NO)

REQUIRED LOWEST HABITABLE FLOOR ELEVATION 105.0'

IN THE REGULATORY FLOODWAY YES or NO RIVER

SURVEYOR / ENGINEER NAME GREG Bailey LICENSE NUMBER 43858

☐ ONE FOOT RISE CERTIFICATION INCLUDED

☒ ZERO RISE CERTIFICATION INCLUDED

☐ SRWMD PERMIT NUMBER
(INCLUDING THE ONE FOOT RISE CERTIFICATION)

DATE THE FINISHED FLOOR ELEVATION CERTIFICATE WAS PROVIDED 4-30-04

INSPECTED DATE BY

COMMENTS AWAITS FINISH FLOOR ELEVATION CERTIFICATE
BEFORE FINAL POWER IS RELEASED

135 NE Hernando Ave., Suite B-21
Lake City, Florida 32055
Phone: 386-758-1008
Fax: 386-758-2160



PERMIT EXPIRES ONE YEAR FROM THE DATE OF ISSUANCE



June 1, 1998

ZERO RISE CERTIFICATION

PROPERTY DESCRIPTION: ***Lot 14, Block C, High Hammock Subdivision***

OWNER: ***Charles Wright***

BASE FLOOD ELEVATION: ***104.0***

COMMUNITY-PANEL NUMBER: ***120070 0200 B***

PROJECT REQUIREMENTS: Minimum Finish Floor Elevation ***105.0***
Mobile home to be located on piers in accordance
with current building code.

I hereby certify that construction of the proposed residence will not increase flood
elevations of the Alligator Lake at the project location.



Gregory G. Bailey, P.E.

Date: June 1, 1998

BASE FLOOD ELEVATION OF LAKE = 104.0

LAKE AREA AT BASE FLOOD ELEVATION = 1898 ACRES

PROPOSED BUILDING TYPE = MANUFACTURED HOME

PROPOSED BUILDING ENVELOPE = 1,456 SQ. FT.

PIER SYSTEM FOOTPRINT = 4 rows of 8 piers @ 12"X16" ea. = 42.7 SQ. FT.

GROUND ELEVATION AT THE BUILDING = 100.6

The subject property is located within the lake staging area. Step backwater calculations are not required for this analysis, since this location does not experience the horizontal movement of water. The calculations below are based on the removal of floodplain volume due to the construction of the foundation system.


$$\text{PERCENT FLOODPLAIN AREA REMOVED} = \frac{42.7/43560}{1898} = 0.000052\%$$

$$\text{FLOODPLAIN LEVEL INCREASE} = \frac{42.7 \times 3.4}{898 \times 435} = 0.0000018 \text{ FT.}$$

HIGH HAMMOCK

A Subdivision in the E1/2 of the NE1/4 of Section 9, Township 4 South, Range 17 East

Columbia County, Florida.



LOCATION SKETCH
NOT TO SCALE
SEC. 9, T. 4 S., R. 17 E.


WEST LINE OF NE 1/4 OF SECTION 9

DESCRIPTION:

A PART OF THE EAST 1/2 OF THE SECTION 9, TOWNSHIP 4 SOUTH 17 EAST, MORE PARTICULARLY D, AS FOLLOWS: COMMENCE AT THE EAST CORNER OF SAID SECTION N 88° 39' 03" W ALONG THE NORTH THEREOF, 40.09 FEET TO THE LINE OF STATE ROAD # 153 FOR OF BEGINNING, THENCE RUN ALONG SAID R/W, 702.40 FEET N 88° 57' 27" W, 380.0 FEET, TH


LEGEND:


- 1. ■ = CONCRETE MONUMENT FOUND.
- 2. ■ = PERMANENT REFERENCE MONUMENT.
- 3. □ = PERMANENT CONTROL POINT.



UNPLATTED LANDS

CURVE DATA		DELTA	ARC	TANGENT	CHORD	RADIUS	DELTA	ARC	TANGENT
RADIUS	25.00'	93° 48' 10"	40.93'	26.72'	36.51'	25.00'	42° 50' 00"	18.69'	9.81'
	25.00'	86° 11' 50"	37.61'	23.39'	34.16'	50.00'	95° 57' 49"	83.74'	55.50'
	25.00'	93° 48' 10"	40.93'	26.72'	36.51'	200.00'	25° 01' 31"	87.36'	44.39'
	25.00'	86° 11' 50"	37.61'	23.39'	34.16'	200.00'	61° 59' 37"	216.40'	120.16'
	25.00'	42° 50' 00"	18.69'	9.81'	18.26'	230.00'	87° 01' 01"	349.31'	218.33'
	50.00'	96° 15' 01"	83.99'	55.78'	74.46'	260.00'	14° 20' 16"	65.06'	32.70'
	50.00'	108° 06' 59"	94.35'	68.97'	80.96'	260.00'	14° 18' 07"	64.90'	32.62'
	50.00'	61° 17' 59"	53.49'	29.63'	54.98'	260.00'	14° 01' 58"	63.68'	32.00'
	25.00'	42° 50' 00"	18.69'	9.81'	18.26'	260.00'	14° 08' 44"	64.19'	32.26'
	25.00'	93° 26' 35"	40.77'	26.55'	36.40'	260.00'	13° 57' 35"	63.35'	31.83'
	25.00'	86° 33' 25"	37.77'	23.54'	34.28'	260.00'	16° 14' 24"	73.70'	37.10'
			18.69'	9.81'	18.26'	25.00'	93° 20' 34"	40.73'	26.50'





ELEVATION CERTIFICATE

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

BUILDING OWNER'S NAME Jay Davis			For Insurance Company Use: Policy Number		
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 118 NE Colvin Ave.			Company NAIC Number		
CITY Lake City	STATE FL	ZIP CODE 32055			
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 14 Block "C" High Hammock					
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) Residential					
LATITUDE/LONGITUDE (OPTIONAL) (##°-##'-###" or ###.####)		HORIZONTAL DATUM: <input type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983		SOURCE: <input type="checkbox"/> GPS (Type): <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other:	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER 120070		B2. COUNTY NAME Columbia		B3. STATE FL	
B4. MAP AND PANEL NUMBER 0200	B5. SUFFIX B	B6. FIRM INDEX DATE 6 Jan 1988	B7. FIRM PANEL EFFECTIVE/REVISED DATE	B8. FLOOD ZONE(S) AE	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 104.00

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.

☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other (Describe):B11. Indicate the elevation datum used for the BFE in B9: ☒ NGVD 1929☐ NAVD 1988 ☐ Other (Describe):B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No Designation Date

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 5 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO

Complete items C3.-a-i below according to the building diagram specified in item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.

Datum Conversion/Comments

Elevation reference mark used Does the elevation reference mark used appear on the FIRM? ☐ Yes ☒ No

- ☐ a) Top of bottom floor (including basement or enclosure) 105.64 ft.(m)
- ☐ b) Top of next higher floor . ft.(m)
- ☐ c) Bottom of lowest horizontal structural member (V zones only) . ft.(m)
- ☐ d) Attached garage (top of slab) . ft.(m)
- ☐ e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area) . ft.(m)
- ☐ f) Lowest adjacent (finished) grade (LAG) 100.44 ft.(m)
- ☐ g) Highest adjacent (finished) grade (HAG) 101.24 ft.(m)
- ☐ h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade
- ☐ i) Total area of all permanent openings (flood vents) in C3.h sq. in. (sq. cm)

License Number, Embossed Seal,
Signature, and Date

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.

I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.

I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME L. Scott Britt

LICENSE NUMBER PLS #5757

TITLE Surveyor

COMPANY NAME Britt Surveying

ADDRESS
830 W. Duval St.CITY
Lake CitySTATE
FLZIP CODE
32055

SIGNATURE

DATE
04/28/04TELEPHONE
386-752-7163

IMPORTANT: In these spaces, copy the corresponding information from Section A.			For Insurance Company Use:
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO.			Policy Number
CITY	STATE	ZIP CODE	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS
There is a mobile home on this parcel at this time.

L14856 ☐ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMR-F, Section C must be completed.

E1. Building Diagram Number (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

E2. The top of the bottom floor (including basement or enclosure) of the building is ft.(m) in.(cm) ☐ above or ☐ below (check one) the highest adjacent grade. (Use natural grade, if available).

E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is ft.(m) in.(cm) above the highest adjacent grade. Complete items C3.h and C3.i on front of form.

E4. The top of the platform of machinery and/or equipment servicing the building is ft.(m) in.(cm) ☐ above or ☐ below (check one) the highest adjacent grade. (Use natural grade, if available).

E5. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?
☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, C (Items C3.h and C3.i only), and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E are correct to the best of my knowledge.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME

ADDRESS	CITY	STATE	ZIP CODE
SIGNATURE	DATE	TELEPHONE	
COMMENTS			

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

G1. ☐ The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED
-------------------	------------------------	---

G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum: _____

G9. BFE or (in Zone AO) depth of flooding at the building site is: ft.(m) Datum: _____

LOCAL OFFICIAL'S NAME	TITLE
COMMUNITY NAME	TELEPHONE
SIGNATURE	DATE
COMMENTS	

☐ Check here if attachments

BUILDING DIAGRAMS

The following eight diagrams illustrate various types of buildings. Compare the features of the building being certified with the features shown in the diagrams and select the diagram most applicable. Enter the diagram number in Item C2 and the elevations in Items C3a-C3g.

In A zones, the floor elevation is taken at the top finished surface of the floor indicated; in V zones, the floor elevation is taken at the bottom of the lowest horizontal structural member (see drawing in instructions for Section C).

DIAGRAM 1

All slab-on-grade single- and multiple-floor buildings (other than split-level) and high-rise buildings, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor is at or above ground level (grade) on at least one side.*




DIAGRAM 2

All single- and multiple-floor buildings with basement (other than split-level) and high-rise buildings with basement, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides. Buildings constructed above crawl spaces that are below grade on all sides should also use this diagram.*




DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least one side.*





DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides. Buildings constructed above crawl spaces that are below grade on all sides should also use this diagram.*



* A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.