


FRONT ELEVATION
NOT TO SCALE




SIDE ELEVATION
NOT TO SCALE




DOUBLE ROOF FRAMING (OPTIONAL)
NOT TO SCALE




FRONT ELEVATION (w/ OPTIONAL DOUBLE ROOF)
NOT TO SCALE




ROOF FRAMING DETAIL – SIDE VIEW
NOT TO SCALE

Arthur L. Kay
Digitally signed by Arthur L. Kay
Date: 2021.02.08 14:25:18 -05'00'




FLOOR DECKING
NOT TO SCALE




ROOF DECKING
NOT TO SCALE




ROOF DETAIL (DOUBLE ROOF)
NOT TO SCALE




BENCH DETAILS
NOT TO SCALE




FLOOR FRAMING
NOT TO SCALE

LEVELING TO BE DONE WITH PRESSURE TREATED 2X LUMBER OR CEMENT PAD/BLOCKS AS FOOTERS.

ANCHOR NOTE: STRUCTURE SHALL BE ANCHORED IN A MINIMUM OF 4 LOCATIONS USING "A" OR "B"

NOTE: ALL NAILERS AND FASTNERS PER THE NATIONAL DESIGN SPECIFICATIONS FOR WOOD CONSTRUCTION 2005 EDITION REVISED.

ALL NAILS TO BE 3 1/4" x .131 GALVANIZED PNEUMATICALLY DRIVEN.
ALL SCREWS TO BE #8 x 3"

INSTALLER SHALL INSURE THAT THE GAZEBO SITE HAS A MINIMUM 1500 POUNDS PER SQUARE FOOT SOIL BEARING CAPACITY.




ROOF FRAMING
NOT TO SCALE




BENCH CONSTRUCTION
NOT TO SCALE




FLOOR JOIST FRAMING DETAIL
NOT TO SCALE




ROOF FRAMING DETAIL – TOP VIEW
NOT TO SCALE

GAZEBO SIZES RANGE FROM 8'x8' TO 12' X 24'. ALL CUTS AND ASSEMBLIES SHOULD BE SIZED ACCORDINGLY.

| DESIGN CRITERIA | ASCE 7-16 |
|---|---|
| BUILDING CODE: 2020 FL BUILDING CODE; 7TH ED. | |
| LIVE LOAD TO FRAMES | 20 PSF |
| COLLATERAL LOAD | 0 PSF |
| SNOW LOAD | 0 PSF |
| WIND LOAD (3 SEC GUST) | 140 MPH (V BASIC) |
| WIND IMPORTANCE FACTOR | 1.0 |
| WIND EXPOSURE | B |
| FLOOR LIVE LOAD | 60 PSF |
| UNENCLOSED STRUCTURE FACTOR | 0.55 |


ARTHUR L KAY
5521 TERRAIN
LUTZ, FL 33558
813 270 0030


2-1-2021

DWG. 19-2-19
SCALE: AS NOTED
DRAWN BY: LK

PROJECT:
WOOD RESOURCES
8'x8' TO 12'x24' RECTANGULAR
GAZEBO DESIGNS


THIS DRAWING IS PROPERTY OF, TO BE USED ONLY FOR THE PURPOSE OF THE PROJECT OWNER, THE ARTHUR L. KAY GROUP, INC. AND IS NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT PERMISSION, AGREEMENT, OR WRITTEN AUTHORIZATION.


CLIENT:
BRUCE CORBITT
2322 PARK RD
PEARSON, GA 31642

FILE NAME:
GAZEBO DESIGNS

SHEET
C–2