

MIL SUITE MATTHEW & LYNDI KARLTON


Teena M. Ruffo 2925 SW SR 47 Lake City Florida, 32025 Cell: (386) 867 - 1191 Email: teenaruffo@gmail.com

PRINTED DATE: Thursday, September 28, 26 DRAWN BY: CHECKED BY ieena M. Ruffo

FINALS DATE:

JOB NUMBER:


DRAWING NUMBER **A-3** 



## \* FRONT ELEVATION \*

\* MIL SUITE \*


SCALE : 1/4" = 1'-0"



#### \* REAR ELEVATION \*

\* MIL SUITE \*


SCALE : 1/4" = 1'-0"



#### \* RIGHT ELEVATION \*

\* MIL SUITE \*

SCALE : 1/4" = 1'-0"



### \* LEFT ELEVATION \*

MIL SUITE \*

SCALE : 1/4" = 1'-0"

MIL SUITE
FOR
MATTHEW & LYNDI
KARLTON

Teena M. Ruffo 2925 SW SR 47 Lake City Florida, 32025 Cell: (386) 867 - 1191 Email: teenaruffo@gmail.com

PRINTED DATE:
Thursday, September 28, 2


DRAWN BY: CHECKED BY
sena M. Ruffo

FINALS DATE:

JOB NUMBER:

DRAWING NUMBER

**A-4**OF 5 SHEET



# \* ELECTRICAL PLAN \*

\* MIL SUITE \*

SCALE : 3/16" = 1'-0"

ELECTRICAL LEGEND		
ELECTRICAL	COUNT	SYMBOL
ceiling fan globe 01	3	
pendant large	2	0
pot light	15	o
Under Cab Light Strip	1	
exterior light 04	1	
outdoor carriage light	3	•
spotlight double	4	Φ
Smoke Detector	2	S
electrical subpanel	1	
automatic garage dr opener	1	Ď
dimmer switch 3-way	2	\$30
fan	1	•
garage dr opener	1	da
light	1	¢
outlet	13	ф
outlet 220v	5	<b>d</b> b
outlet gfi	11	(then
outlet wp	4	Фе
switch	18	\$
switch 3 way	2	\$50
vanity bar light 02	1	000

#### ELECTRICAL PLAN NOTES

- E-I WIRE ALL APPLIANCES, HYAC UNITS AND OTHER EQUIPMENT PER MANUFACTORS SPECIFICATIONS.
- E-2 ALL INSTALLATIONS SHALL BE PER NATIONAL ELECTRIC CODE.
- E-3 ALL SMOKE /CARBON MONOXIDE DETECTORS SHALL BE 120Y W/BATTERY BACKUP OF THE PHOTOELECTRIC TYPE, AND SHALL BE INTERLOCKED TOGETHER, INSTALL INSIDE AND NEAR ALL BEDROOMS AS PER CODE.
- E-4 TELEPHONE, TELEVISION AND OTHER LOW VOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNERS DIRECTION AND IN ACCORDANCE WITH APPLICABLE SECTIONS OF NATIONAL ELCT. CODE LATEST EDITION.
- E-5 ELECTRICAL CONTRACTOR SHALL BE RESPONSIBLE FOR THE DESIGN AND SIZING OF ELECTRICAL SERVICE AND CIRCUITS.
- E-6 ENTRY OF SERVICE UNDERGROUND OR OVERHEAD) IS TO BE DETERMINED BY THE POWER COMPANY.

ALL BEDROOM RECEPTICALS ARE TO BE AFCI (ARC FAULT CIRCUIT INTERRUPT)

75% OF ALL PERMANENT LIGHTS TO BE ENERGY EFFECIENT.

MIL SUITE
FOR
MATTHEW & LYNDI
KARLTON

Teena M. Ruffo 2925 SW SR 47 Lake City Florida, 32025 Cell: (386) 867 - 1191 Email: teenaruffo@gmail.com

PRINTED DATE:
Thursday, September 28, 20

DRAWN BY: CHECKED BY:
Teena M. Ruffo

BUILDING CONTRACTO

FINALS DATE:

JOB NUMBER:

DRAWING NUMBER A-5

OF 5 SHEETS