

DATE 7/18/2003

Columbia County Building Permit / Application

PERMIT

000020884

This Permit Expires One Year From Date of Issue

New Resident


APPLICANT STEVE LIVINGSTON PHONE 792-4017
ADDRESS _____ FL _____
OWNER RANDY WILKERSON PHONE _____
ADDRESS 187 NW PATRIOT COURT LAKE CITY FL 32055
CONTRACTOR DON TODD PHONE _____
LOCATION OF PROPERTY 4IN,TL ON MOORE RD, TR ON CIMMARON,TR ON CANTON LANE,
TL ON PATRIOT COURT, 3RD LOT ON RIGHT
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
FLOOR AREA _____ TOTAL AREA _____ HEIGHT .00 STORIES _____ WALLS _____
FOUNDATION _____ ROOF (Type & Pitch) _____ FLOOR _____
LAND USE & ZONING RR MAX. HEIGHT _____
MINIMUM SET BACK: STREET-FRONT / SIDE 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE A CERT. DATE _____ DEV. PERMIT 2303014

LEGAL DESCRIPTION

PARCEL ID 13-3S-16-02100-108 SUBDIVISION HUNTERS LANDING
BLOCK _____ LOT 8 UNIT _____ TOTAL ACRES 3.10

I certify that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction and that all foregoing information accurate and all work will be done in compliance with all applicable laws regulating construction and zoning.

EXISTING IH0000316
Driveway Connection _____ Culvert Waiver _____ Contractor's License Number _____


Applicant/Owner/Contractor

01-0072-N BK RK
Septic Tank Number _____ LU & Zoning checked by _____ Approved for Issuance _____

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power _____ Foundation _____ Monolithic _____
date/app. by _____ date/app. by _____ date/app. by _____
Under slab rough-in plumbing _____ slab _____ framing _____
date/app. by _____ date/app. by _____ date/app. by _____
Rough-in plumbing above slab and below wood floor _____
date/app. by _____
Electrical rough-in _____ Heat and Air Duct _____ Peri. beam _____
date/app. by _____ date/app. by _____ date/app. by _____
Permanent power _____ Final _____ Pool _____
date/app. by _____ date/app. by _____ date/app. by _____

COMMENTS: FIRE,17.01,WASTE,45.75,TOTAL,187.76,153 FT FLOOR ELEV.\$10 DP

OTHER TYPES OF INSPECTIONS

Culvert _____ M/H tie downs, blocking, electricity and plumbing _____
date/app. by _____ date/app. by _____

Utility Pole _____ Pump pole _____ Reconnection _____
date/app. by _____ date/app. by _____ date/app. by _____

BUILDING PERMIT FEE \$.00 ZONING CERT. FEE \$ 25.00 Certification Fee \$.00 Surcharge \$.00

MISC. FEES \$ 100.00 CULVERT FEE \$ _____ TOTAL PERMIT FEE \$ 125.00

INSPECTORS OFFICE  CLERKS OFFICE _____

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

DATE 07/18/2003

Columbia County
Building Permit / Application

PERMIT

000020884

This Permit Expires One Year From Date of Issue

New Resident

APPLICANT CURTIS STOVER PHONE 590-1505
ADDRESS 2804 113TH ROAD LIVE OAK FL 32060
OWNER RANDY WILKERSON PHONE
ADDRESS 187 NW PATRIOT COURT LAKE CITY FL 32055
CONTRACTOR CURTIS STOVER PHONE
LOCATION OF PROPERTY 41N,TL ON MOORE RD, TR ON CIMMARON,TR ON CANTON LANE,
TL ON PATRIOT COURT, 3RD LOT ON RIGHT
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
FLOOR AREA TOTAL AREA HEIGHT .00 STORIES WALLS
FOUNDATION ROOF (Type & Pitch) FLOOR
LAND USE & ZONING RR MAX. HEIGHT
MINIMUM SET BACK: STREET-FRONT / SIDE 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE A CERT. DATE DEV. PERMIT 2303014

LEGAL DESCRIPTION

PARCEL ID 13-3S-16-02100-108 SUBDIVISION HUNTERS LANDING
BLOCK LOT 8 UNIT TOTAL ACRES 3.10

I certify that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction and that all foregoing information is accurate and all work will be done in compliance with all applicable laws regulating construction and zoning.

EXISTING IH0000581
Driveway Connection Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
01-0072-N BK RK
Septic Tank Number LU & Zoning checked by Approved for Issuance

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by
Under slab rough-in plumbing slab framing
date/app. by date/app. by date/app. by
Rough-in plumbing above slab and below wood floor
date/app. by
Electrical rough-in Heat and Air Duct Peri. beam
date/app. by date/app. by date/app. by
Permanent power Final Pool
date/app. by date/app. by date/app. by

COMMENTS: FIRE,17.01,WASTE,45.75,TOTAL,187.76,153 FT FLOOR ELEV \$10 DP

OTHER TYPES OF INSPECTIONS

Culvert M/H tie downs, blocking, electricity and plumbing
date/app. by date/app. by
Utility Pole Pump pole Reconnection
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$.00 ZONING CERT. FEE \$ 25.00 Certification Fee \$.00 Surcharge \$.00
MISC. FEES \$ 100.00 CULVERT FEE \$ TOTAL PERMIT FEE \$ 125.00
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

DATE 07/18/2003

Columbia County
Building Permit / Application

PERMIT

000020884

This Permit Expires One Year From Date of Issue

New Resident

APPLICANT STEVE LIVINGSTON PHONE 792-4017
ADDRESS _____ FL _____
OWNER RANDY WILKERSON PHONE _____
ADDRESS 187 NW PATRIOT COURT LAKE CITY FL 32055
CONTRACTOR DON TODD PHONE _____
LOCATION OF PROPERTY 41N,TL ON MOORE RD, TR ON CIMMARON,TR ON CANTON LANE,
TL ON PATRIOT COURT, 3RD LOT ON RIGHT
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
FLOOR AREA _____ TOTAL AREA _____ HEIGHT .00 STORIES _____ WALLS _____
FOUNDATION _____ ROOF (Type & Pitch) _____ FLOOR _____
LAND USE & ZONING RR MAX. HEIGHT _____
MINIMUM SET BACK: STREET-FRONT / SIDE 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE A CERT. DATE _____ DEV. PERMIT 2303014

LEGAL DESCRIPTION

PARCEL ID 13-3S-16-02100-108 SUBDIVISION HUNTERS LANDING
BLOCK _____ LOT 8 UNIT _____ TOTAL ACRES 3.10

I certify that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction and that all foregoing information accurate and all work will be done in compliance with all applicable laws regulating construction and zoning.

EXISTING _____ IH0000316 _____
Driveway Connection Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
01-0072-N BK RK
Septic Tank Number LU & Zoning checked by Approved for Issuance

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power _____ Foundation _____ Monolithic _____
date/app. by date/app. by date/app. by
Under slab rough-in plumbing _____ slab _____ framing _____
date/app. by date/app. by date/app. by
Rough-in plumbing above slab and below wood floor _____
date/app. by
Electrical rough-in _____ Heat and Air Duct _____ Peri. beam _____
date/app. by date/app. by date/app. by
Permanent power _____ Final _____ Pool _____
date/app. by date/app. by date/app. by

COMMENTS: FIRE,17.01,WASTE,45.75,TOTAL,187.76,153 FT FLOOR ELEV.\$10 DP

OTHER TYPES OF INSPECTIONS

Culvert _____ M/H tie downs, blocking, electricity and plumbing _____
date/app. by date/app. by
Utility Pole _____ Pump pole _____ Reconnection _____
date/app. by date/app. by date/app. by
BUILDING PERMIT FEE \$.00 ZONING CERT. FEE \$ 25.00 Certification Fee \$.00 Surcharge \$.00
MISC. FEES \$ 100.00 CULVERT FEE \$ _____ TOTAL PERMIT FEE \$ 125.00
INSPECTORS OFFICE _____ CLERKS OFFICE _____

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

DATE 07/18/2003

Columbia County
Building Permit / Application

PERMIT

000020884

This Permit Expires One Year From Date of Issue

New Resident

APPLICANT CURTIS STOVER PHONE 590-1505
ADDRESS 2804 113TH ROAD LIVE OAK FL 32060
OWNER RANDY WILKERSON PHONE
ADDRESS 187 NW PATRIOT COURT LAKE CITY FL 32055
CONTRACTOR CURTIS STOVER PHONE
LOCATION OF PROPERTY 41N,TL ON MOORE RD, TR ON CIMMARON,TR ON CANTON LANE,
TL ON PATRIOT COURT, 3RD LOT ON RIGHT
TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00
FLOOR AREA TOTAL AREA HEIGHT .00 STORIES WALLS
FOUNDATION ROOF (Type & Pitch) FLOOR
LAND USE & ZONING RR MAX. HEIGHT
MINIMUM SET BACK: STREET-FRONT / SIDE 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE A CERT. DATE DEV. PERMIT 2303014

LEGAL DESCRIPTION

PARCEL ID 13-3S-16-02100-108 SUBDIVISION HUNTERS LANDING
BLOCK LOT 8 UNIT TOTAL ACRES 3.10

I certify that all work will be performed to meet the standards of all laws regulating construction in this jurisdiction and that all foregoing information is accurate and all work will be done in compliance with all applicable laws regulating construction and zoning.

EXISTING IH0000581
Driveway Connection Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
01-0072-N BK RK
Septic Tank Number LU & Zoning checked by Approved for Issuance

FOR BUILDING & ZONING DEPARTMENT ONLY

(Footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by slab date/app. by framing date/app. by
Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat and Air Duct date/app. by Peri. beam date/app. by
Permanent power date/app. by Final date/app. by Pool date/app. by

COMMENTS: FIRE,17.01,WASTE,45.75,TOTAL,187.76,153 FT FLOOR ELEV \$10 DP

OTHER TYPES OF INSPECTIONS

Culvert M/H tie downs, blocking, electricity and plumbing date/app. by
Utility Pole Pump pole Reconnection date/app. by

BUILDING PERMIT FEE \$.00 ZONING CERT. FEE \$ 25.00 Certification Fee \$.00 Surcharge \$.00
MISC. FEES \$ 100.00 CULVERT FEE \$ TOTAL PERMIT FEE \$ 125.00
INSPECTOR'S OFFICE CLERK'S OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

DIRECTION
To property

MOBILE HOME SALES INC DELIVERY INSTRUCTIONS

DELIVERY DATE: _____

CUSTOMER NAME: Randy @ Ironwood

PHYSICAL ADDRESS: _____

HOME PHONE#: 365-0027 WORK #: 754-8844

SERIAL#: GAFLEX 75A35415 MAKE/MODEL: Fleetwood SIZE: 16x80
NS21

TRADE INFORMATION: _____

SPECIAL INSTRUCTIONS TO DELIVERY CREW: _____

DIRECTIONS TO HOME SITE:

From Ironwood Homes go to Hwy 41 at Popeyes
and Hardees take (L) on 41N then go 3 miles to
Moore Road take (L) then go to Cinnamon about
1 mile down take (R) then go to CANTON LN. Take
(R) then go to Patriot Ct. Take (L) 3rd Lot on
(R) grass just mowed.

MAP, IF NECESSARY

ACCOUNT NUMBER		ESCROW CD	ASSESSED VALUE	EXEMPTIONS	TAXABLE VALUE	MILLAGE CODE
R02100-108			14,500	0	14,500	003

0026503 SL T 0810 32056-12

SUBRANDY LIMITED PARTNERSHIP
P O BOX 513
LAKE CITY FL 32056

~~NADINE COARY 30.2%~~

13-3S-16 0000/0000 3.10 Acre
LOT 8 HUNTERS LANDING S/D.

\$86.95

Control # 1001008.0065 of 0118
Date 12/05/02 Amount 276.33DP
PAID BY: SUBRANDY LIMITED PARTNERSHIP

H. RAY WALKER TAX COLLECTOR



AD VALOREM TAXES		
TAXING AUTHORITY	MILLAGE RATE (DOLLARS PER \$1,000 OF TAXABLE VALUE)	TAXES LEVIED
C001 BOARD OF COUNTY COMMISSIONERS	8.7260	126.53
S002 COLUMBIA COUNTY SCHOOL BOARD		
DISCRETIONARY	.7600	11.02
LOCAL	5.8750	85.19
CAPITAL OUTLAY	2.0000	29.00
W SR SUWANNEE RIVER WATER MGT DIST	.4914	7.13
HLSH SHANDS AT LAKE SHORE	1.5000	21.75
IIDA INDUSTRIAL DEVELOPEMENT AUTH	.1380	2.00
TOTAL MILLAGE 19.4904		AD VALOREM TAXES \$282.62

PAID

NON-AD VALOREM ASSESSMENTS	
LEVYING AUTHORITY	AMOUNT
FFIR FIRE ASSESSMENTS	5.22
NON-AD VALOREM ASSESSMENTS \$5.22	

RETAIN THIS PORTION FOR YOUR RECORDS

COMBINED TAXES AND ASSESSMENTS		PAY ONLY ONE AMOUNT		See reverse side for important information.	
\$287.84					
IF PAID BY PLEASE PAY	Nov 30 276.33	Dec 31 279.20	Jan 31 282.08	Feb 28 284.96	Mar 31 287.84

IF PAID BY

COPY
NOT FOR RECORDING

Prepared by and return to: Bradley N. Dicks
P.O. Box 1
Lake City, FL 32056-0001

AGREEMENT FOR DEED

1. THIS AGREEMENT is entered into this 23rd day of May, 2003, by and between Subrandy Limited Partnership, whose address is P.O. Box 513 Lake City, Florida 32056 ("Seller") and Randy K. Wilkerson ("Buyer"), who is/are residents of the State of Florida and who directs that all mail be sent to Rt. 22 Box 490-12 Lake City, FL 32024 .

2. AGREEMENT TO CONVEY. Provided that Buyer makes the payments and performs the other covenants required to be performed by the Buyer hereunder (collectively, the "Buyer's Obligations"), Seller agrees to convey to Buyer in fee simple by General Warranty Deed, free of all liens and encumbrances except Permitted Encumbrances (as hereinafter defined), the real property and any improvements thereon located in Columbia County, Florida, and more particularly described as follows (the "Property"):

Lot 8, Hunters Landing, a subdivision as recorded in Plat Book 7, Page 68, Columbia County, FL, subject to Restrictions recorded in O. R. Book 925, Pages 803-805, Columbia County, Florida, and subject to Power Line Easement.

Includes Well, Septic and Power Pole.

This lot lies within a hundred year flood zone as shown on the recorded plat.

3. PURCHASE PRICE. In consideration of the Seller's covenants and agreements hereunder, Buyer hereby agrees to pay to the Seller the sum of Seventeen Thousand and 00/100 DOLLARS (\$ 17,000.00) (the "Purchase Price") to be paid by Buyer to Seller at Seller's address set forth above, or as necessary, to the escrow agent specified below, or at such other address as Seller shall designate, as follows:

Down Payment of Three Hundred and 00/100 DOLLARS (\$300.00) the receipt of which is hereby acknowledged by Seller ; Additional Down Payment of Three Hundred and 00/100 DOLLARS (\$ 300.00) on or before June 6, 2003, And the balance of Sixteen Thousand Four Hundred and 00/100 DOLLARS (\$16,400.00) with interest thereon at the rate of twelve and one half percent (12.50 %) per annum in one hundred eighty (180) consecutive monthly installments in the amount of Two Hundred Two and 13/100 DOLLARS (\$202.13) each, payable on the first day of each calendar month commencing on July 1, 2003.

4. SPECIAL TERMS AND CONDITIONS. None.

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to psf or check here to declare 1000 lb. soil ✓ without testing.

X X X

POCKET PENETROMETER TESTING METHOD

- 1. Test the perimeter of the home at 8 locations.
- 2. Take the reading at the depth of the footer.
- 3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X X X

TORQUE PROBE TEST

The results of the torque probe test is inch pounds or check here if you are declaring 5' anchors without testing ✓. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A slate approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

JCS Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name: James Curtis Stover
Date Tested: 7-8-03

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer lap or septic tank. Pg.
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed ✓ Compacted fill
Water drainage: Natural Swale Pad Other

Fastening multi wide units

Floor: Type Fastener: Length: Spacing:
Walls: Type Fastener: Length: Spacing:
Roof: Type Fastener: Length: Spacing:
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Pg.

Installed:
Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or laped. Yes ✓ Pg.
Siding on units is installed to manufacturer's specifications. Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes (No)
Dryer vent installed outside of skirting. Yes (N/A)
Range downflow vent installed outside of skirting. Yes (N/A)
Drain lines supported at 4 foot intervals. Yes ✓
Electrical crossovers protected. Yes ✓
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature [Signature] Date 7-8-03

PERMIT NUMBER

Installer J. CURTIS STOVER License # TH0000581




Address of home being installed 187 NW PATRIOT CT

Manufacturer Fleetwood Westco Length x width 80x16

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall lies exceed 5 ft 4 in.

Installer's initials J.C.S.



New Home ☐ Used Home ☒
Home installed to the Manufacturer's Installation Manual ☐
Home is installed in accordance with Rule 15-C ☒
Single wide ☒ Wind Zone II ☒ Wind Zone III ☐
Double wide ☐ Installation Decal # 203874
Triple/Quad ☐ Serial # GAFLX75A35415WS21

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	4' 6"	6'	7'	8'	8'	8'
2000 psf	6'	6'	8'	8'	8'	8'	8'
2500 psf	7' 6"	7' 6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22

Perimeter pier pad size 16x16

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

ANCHORS



within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

OTHER TIES

Number

28


Sidewall

Longitudinal

Marriage wall

Shearwall

I Don Todd accept responsibility
of the following Job permit numbers
20960, 20977, 20884


#IH0000316

Don Todd
11066 89th Rd
Live Oak FL 32060
386-963-3433

CHECKED JONWOOD 7-16-03 PM

The well affidavit, from the well driller, is required before the permit can be issued.

This application must be completely filled out to be accepted. Incomplete applications will not be accepted.

email Dick

SUBRANOV Septic installed IN YEAR 2001

Using Existing Well
RK 7-16-03

For Office Use Only

Zoning Official BSLK

Building Official RK

AP# 0307-32 Date Received 7-10-03 By JW Permit # 20884

Flood Zone A Development Permit YES Zoning RR Land Use Plan Map Category RES. Low Den

Comments 1st Floor Elevation to be 153.0 feet per plot

- Property ID # 13-35-16 02100-108
(see Back page WARRANTY Deed) * (Must have a copy of the property deed)
HUNTERS CANYON 2/D
- New Mobile Home _____ Used Mobile Home ☒ Year 1999
- Applicant J. CURTIS STOVER Phone # 386-590-1505
- Address 2804 113th RD. LIVE OAK, FL 32060
- Name of Property Owner RANDY K. WILKINSON Phone # _____
- Address 4109 Highway 90-W, LAKE CITY, FL 32055
- Name of Owner of Mobile Home (same) Property owner Phone # _____
- Address _____
- Relationship to Property Owner SELF
- Current Number of Dwellings on Property NONE
- Lot Size 300 x 450.01 Total Acreage 3.10
- Current Driveway connection is Existing
- Is this Mobile Home Replacing an Existing Mobile Home NO.
- Name of Licensed Dealer/Installer J. CURTIS STOVER Phone # 590 1505
- Installers Address 2804 113th RD. LIVE OAK, FL 32060
- License Number 1H0000581 Installation Decal # 203874

The Permit Worksheet (2 pages) must be submitted with this application.

Installers Affidavit and Letter of Authorization must be notarized when submitted.

* 911 ADDRESS NEEDED

PERMIT NUMBER 20884

Installer

Tom Todd

License #

TH 0000316

Address of home being installed

182 NW Parkway Ct
Lake Park FL 32025

Manufacturer

Free Wood

Length x width

80x16


NOTE:

If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home


I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials

Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home

☐

Used Home

☒

Home installed to the Manufacturer's Installation Manual

☐

Home is installed in accordance with Rule 15-C

Single wide

☒

Wind Zone II

☒

Wind Zone III

☐

Double wide

☐

Installation Decal #

Triple/Quad

☐

Serial #

CAFLX75A3545A521

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4'6"	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'
2500 psf	7'6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

12x22

Perimeter pier pad size

16x16

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Opening

Pier pad size

ANCHORS

4 ft

5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

OTHER TIES

Longitudinal Stabilizing Device (LSD)

Longitudinal Stabilizing Device w/ Lateral Arms


Sidewall Longitudinal Marriage wall

Sho...

Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan
Permit Application Number: 01-0072-N

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

DICKS/CR 00-7652



1 inch = 75 feet

Site Plan Submitted By Paul Lopez Date 1/23/01
Plan Approved [Signature] Not Approved _____ Date 1/23/01

By Paul Lloyd / John / Hase Columbia CPHU

Notes: _____

COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: cc911add@isgroup.net

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: JULY 10, 2003

ENHANCED 9-1-1 ADDRESS:

187 NW PATRIOT CT (LAKE CITY, FL 32055)

Addressed Location 911 Phone Number: NOT AVAIL.

OCCUPANT NAME: WILKERSON

OCCUPANT CURRENT MAILING ADDRESS: _____

PROPERTY APPRAISER MAP SHEET NUMBER: 68A

PROPERTY APPRAISER PARCEL NUMBER: 13-3S-16-02100-108

Other Contact Phone Number (If any): _____

Building Permit Number (If known): _____

ADDRESSING DEPARTMENT ID#: _____

(Addressing Department Use Only, THIS IS NOT AN ADDRESS)

Remarks: LOT 8 HUNTERS LANDING S/D

Address Issued By: _____

Columbia County 9-1-1 Addressing Department

COLUMBIA COUNTY
9-1-1 ADDRESSING
APPROVED

PRE-INSPECTION

2 different
All of d/w
OK
18

DATE: 7-9-03

PERMIT#: _____ SEPTIC#: _____

CONTRACTOR: _____

OWNERS NAME: Cheryl KellethTYPE OF INSPECTION: Pre - Insp

PHONE#: _____

DATE NEEDED: Thursday

FLOOD ZONE: _____ SETBACKS: _____

CULVERT: _____

WAIVER DATE: _____ CULVERT DATE: _____

APPROVAL DATE FROM ROAD DEPARTMENT: _____

DIRECTIONS: at Ironwood

1999	Horton	24x48
1998	Redman	24x52
1999	Fleetwood	16x80

All OK

COMMENTS: 2 Double-WidesINSPECTION TAKEN BY: LH

0307032



APPROXIMATE SCALE IN FEET



NATIONAL FLOOD INSURANCE PROGRAM

FIRM

FLOOD INSURANCE RATE MAP

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 125 OF 290

PANEL LOCATION



COMMUNITY-PANEL NUMBER

120070 0125 B

EFFECTIVE DATE:

JANUARY 6, 1988

Federal Emergency Management Agency



This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/nifd.

Print Date: 7/15/03 (printed at scale and type A)



APPLICATION FOR DEVELOPMENT PERMIT

PERMIT NO. K023-03-014DATE: 7-18-03

(COUNTY NO. & SEQUENCE)

APPLICANT: J. CURTIS STOVENADDRESS: 2804 113th Rd. LIVE OAK, 71 32060TELEPHONE: (386) 590. 1505OWNER: RANDY WILKINSON (187 NW 72nd St.) LS 81ADDRESS: 4109 Highway 90-W

TELEPHONE: _____

NEW SUBDIVISION NO (YES/NO)IF YES, RECORD THE ENGINEER'S
REGISTRATION NO. P.E. NO. 45263
DALE JOHNSTRS 13-38-16SUBDIVISION HUNTERS LANDING LOT/BLOCK: 8DU MOBILE HOME WORK _____

RIVER: _____ RIVER MILE _____

PLAN NO (YES/NO) WELL PERMIT NO. _____SUR-ELEVATION _____ SANITARY PERMIT NO. 01-0072SURVEYOR NO. _____ BUILDING PERMIT NO. 20884OFFICIAL 100-YEAR ELEVATION 153.0' MSL (SRWMD)REQUIRED LOWEST HABITABLE FLOOR ELEVATION 154.0' MSL (SRWMD)PERMIT APPROVED Charles L. Winner 7-18-03
ADMINISTRATOR SIGNATURE DATEEXPIRATION DATE OF PERMIT 07-18-2009

VIOLATIONS: _____ FINAL INSPECTION DATE: _____

COMMENTS: Waits until door elevation before
Power is released.

blank
copy
original in
spec file

ONE FOOT RISE CERTIFICATION

HUNTERS LANDING

ALL LOTS... 1-23

I hereby certify that construction of the proposed residences of less than 3000 square feet per lot will increase flood elevations less than one foot in the floodplain at the project location.



Dale C. Johns, P.E

Date: 9/24/01

P.E. NUMBER 45263

ROUTE 15 BOX 3834

LAKE CITY, FL 32024

HUNTERS LANDING SUBDIVISION

100 YEAR FLOOD ELEVATIONS

Lots 1-3	155.0'
Lot 4	154.0'
Lot 5-6	152.0'
Lot 7	150.0
Lot 8-9	153.0'
Lot 10-11	146.0
Lot 12	145.0'
Lot 13-15	144.0'
Lot 16-23	1' above roadway (no 100-yr elevations needed)



Dale C. Johns, P.E.

9-17-01

PE number 45263