

BEARING HEIGHT SCHEDULE

8'-1 1/8"

6/12 PITCH  
2'0" O/H

NOTES:

- 1) REFER TO HD 91 (RECOMMENDATIONS FOR HANDLING INSTALLATION AND TEMPORARY BRACING) REFER TO ENGINEERED DRAWINGS FOR PERMANENT BRACING REQUIRED
- 2) ALL TRUSSES (INCLUDING TRUSSES UNDER VALLEY FRAMING) MUST BE COMPLETELY DECKED OR REFER TO DETAIL V05 FOR ALTERNATE BRACING REQUIREMENTS
- 3) ALL VALLEYS ARE TO BE CONVENTIONALLY FRAMED BY BUILDER
- 4) ALL TRUSSES ARE DESIGNED FOR 2' o.c. MAXIMUM SPACING, UNLESS OTHERWISE NOTED
- 5) ALL WALLS SHOWN ON PLACEMENT PLAN ARE CONSIDERED TO BE LOAD BEARING, UNLESS OTHERWISE NOTED
- 6) S142 TRUSSES MUST BE INSTALLED WITH THE TOP BEING UP
- 7) ALL ROOF TRUSS HANGERS TO BE SIMPSON HTR26, UNLESS OTHERWISE NOTED. ALL FLOOR TRUSS HANGERS TO BE SIMPSON THA422, UNLESS OTHERWISE NOTED
- 8) BEARING ADVERT. INTEL. (HDR) TO BE FURNISHED BY BUILDER

SHOP DRAWING APPROVAL

THIS LAYOUT IS THE SOLE SOURCE FOR FABRICATION OF TRUSSES AND V055 ALL PREVIOUS ARCHITECTURAL OR OTHER TRUSS LAYOUTS. REVIEW AND APPROVAL OF THIS LAYOUT MUST BE RECEIVED BEFORE ANY TRUSSES WILL BE ORDERED. VERIFY ALL CONDITIONS TO INSURE AGAINST CHANGES THAT WILL RESULT IN EXTRA CHARGES TO YOU.

Issued Drawing Date \_\_\_\_\_

Approved by \_\_\_\_\_ Date \_\_\_\_\_



**Burnell**  
PHONE: 904.437.3349 FAX: 904.437.3994  
**Jacksonville**  
PHONE: 904.772.6100 FAX: 904.772.1973  
**Lake City**  
PHONE: 386.755.6894 FAX: 386.755.7973  
**Sanford**  
PHONE: 407.322.0099 FAX: 407.322.5593

**RICHARD KEEN**

OLD ITCHETUCKNEE RD.

DATE	8-30-07	BY	K.L.H.	NO.	L253081
SCALE	CUSTOM	REVISION	NTS		

