

Need Pre-liminary!

*** The well affidavit, from the well driller, is required before the permit can be issued.***
*** This application must be , completely, filled out to be accepted. Incomplete applications will not be accepted.

For Office Use Only		Zoning Official <u>SLK</u>	Building Official <u>HD 2/23/04</u>
AP# <u>0402-36</u>	Date Received <u>2/13</u>	By <u>SLK</u>	Permit # <u>21553</u>
Flood Zone <u>X</u>	Development Permit <u>N/A</u>	Zoning <u>A-3</u>	Land Use Plan Map Category <u>A-3</u>
Comments			

Lot 3 Block F, Suwannee Valley Estates

Property ID # 22-25-16-0121-DD *(Must have a copy of the property di

- New Mobile Home Used Mobile Home ☒ Year 2002
Little Pond Farm land Trust and
- Applicant Mike Cushman Phone # 752-1212
- Address 4411 SW Van Arsdel Glen Lake City, FL 32024
- Name of Property Owner Same Phone#
- Address
- Name of Owner of Mobile Home Same Phone #
- Address
- Relationship to Property Owner Same
- Current Number of Dwellings on Property 2
- Lot Size 100 x 120 Total Acreage 1/3 acre
- Current Driveway connection is existing

PERMIT NUMBER _____

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil _____ without testing.

x 2000

x 2000

x 2000

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 2000

x 2000

x 2000

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing _____. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. holding capacity.

AMP Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Michael J. Parlato

Date Tested

12-12-04

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units Pg yes

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg yes

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg yes

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐

Fastening Methods

Floor: Type Fastener: lag Length: 3"
Walls: Type Fastener: scab Length: 3"
Roof: Type Fastener: lag Length: 3"
For used homes a min 30 gauge will be centered over the peak of roofing nails at 2" on center on l

Gasket (weatherstripping)

I understand a properly installed gasket is required for all homes and that condensation, mold, mildew, or a result of a poorly installed or no gasket or use of tape will not serve as a gasket.

Installation

Type gasket foam
Pg. WA Bel Bel Bol Bol

Weatherstripping

The bottomboard will be repaired and/or replaced. Siding on units is installed to manufacturer's specifications. Fireplace chimney installed so as not to obstruct

Miscellaneous

Skirting to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☐ No ☐
Range downflow vent installed outside of skirting. Yes ☐ No ☐
Drain lines supported at 4 foot intervals. Yes ☐ No ☐
Electrical crossovers protected. Yes

Little Pond Farm
 Bonnie M. Cus

SUWANNEE VALLEY ESTATES

41 North to Suwannee Valley
 Turn (L) on Second St.
 Turn (L) on First Ave.
 1st home on the Left

DESCRIPTION

COMMENCE AT THE
 SOUTH RANGE 16 EAST,
 LINE OF SAID SECTION
 OF SUWANNEE ACRES
 BOOK 3, PAGE 39, POA
 ALONG THE WEST LINE
 SOUTHWEST CORNER OF
 304.51 FEET THENCE N 70° 46' 4
 WEST, THENCE N 70° 46' 4
 U.S. HIGHWAY NO. 41, 33
 51° 14' 8, ALONG THE WES
 THENCE 88° 01' 14, ALON
 ACRES, 1214.35 FEET 7

DEDICATION

KNOW ALL MEN BY
 THESE PRESENTS, THAT
 HEREIN I, LEE, HAS WIFE,
 DESCRIBED TO BE SU
 TO BE KNOWN AS "SU
 THE STREETS AS NEA

WITNESS Samuel H. Hall

WITNESS Samuel H. Hall

ACKNOWLEDGEMENT
 STATE OF FLORIDA
 COUNTY OF COLUMBIA

ON THIS 9th
 APPEARED BEFORE ME
 WIFE, TO ME, WERE MY
 DESCRIBED IN AND WIT
 FOR THE PURPOSES TH

WITNESS MY HAND AND
 FLORIDA THIS 9th

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY:
 AND THAT THE LAND WAS
 SUBDIVIDED, AND PLATTED
 AND THAT P.A.M.'S HAVE


Sub No: 69-558
 DATE OF FILING: 10/10/68
 FILE NO. 10/10/68
 11/14/68

APPROVED BY BOARD OF
 COMMISSIONERS, COLUMBIA CO

SIGNED J. B. Smith

ATTEST J. E. Cram

DATE 7-14-1969



Display Device : W2
 User : PUBLIC

CAM110M01 S CamaUSA Appraisal System Columbia County
 2/13/2004 15:41 Property Maintenance Land 002
 Year T Property AG 000
 2004 R 22-2S-16-01721-001 Sel Bldg 001
 Owner ARSDALL HOWARD VAN TRUSTEE & + Conf 1000 Xfea 001
 Address LONNIE CUSHMAN TOTAL B
 RT 20 BX 847 Total Acres

City, St LAKE CITY FL Zip 32055 Retain Cap? Renewal Notice
 Country (PUD1) (PUD2) (PUD3)


ApprBy JS 12/22/2003 AppCode UseCd 000200 MOBILE HOME
 TxDist Nbhd Mkta ExCode Exemption/% TxCode Units Tp
 003 22216.02 03
 SWNE VALY

House# - Street SUWANNEE VALLEY EST MD Dir #
 City

Subd N/A Condo .00 N/A
 Sect 22 Twn 2S Rnge 16 Subd Blk
 Legals LOTS 24 & 25 BLOCK C & LOTS 3 THRU 7 & 15 BLOCK F Lot
 SUWANNEE VALLEY ESTATES S/D. ORB 454-518, 471-718, +
 Map# 40 Mnt 1/02/2004 PINKY

F1=Task F2=Exit F3=Exit F4=Prompt F11=Docs F10=GoTo PGUP/PGDN F24=MoreKeys

Q402-36



Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan
Permit Application Number: 04-0219N

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

CUSHMAN/CR 03-1780

Suwannee Valley Est.
Block F, Lot 3

