Columbia County Building Permit Application

For Office Use Only Application # 1204 - 42 Date Received 417 12 By 4 Permit # 30/08
Zoning Official Date 25 April 20 Flood Zone X Land Use Zoning Zoning
FEMA Map # Plans Examiner 7,6 Date 4-24-12
Comments Section 2.3
NOC DEH Deed or PA Site Plan State Road Info Well letter 1911 Sheet Parent Parcel #
Dev Permit # In Floodway Letter of Auth. from Contractor NF W Comp. letter
IMPACT FEES: EMS Fire Corr Sub VF Form Whit-All
Road/CodeSchool= TOTAL (Suspended) Ellisville Water App Fee Paid
Septic Permit No. NIA Fax 352 485-2362
Name Authorized Person Signing Permit Bill Cason Phone 352-283-3542
Address 20223 NE 6"STREET, Gainesville, F1, 32609
Owners Name Brice Cannon Phone 386-623-32/2
911 Address 235 Sw Ainsley Glen, LAKE City, A, 32024
Contractors Name Casan Builbels Inc Phone 352-283-3542
Address 20223 NE 600 STILLET, EcineSville F1, 32609
Fee Simple Owner Name & Address Brice Curpen 2355 w Ains 1e yo len, LAKE City 32021
Bonding Co. Name & Address N/A
Architect/Engineer Name & Address MARK Disosupy P.E. Po Box 868, LAKE City FT, 32056
Mortgage Lenders Name & Address Name & Address
Circle the correct power company – FL Power & Light – Clay Elec. – Suwannee Valley Elec. – Progress Energy
Property ID Number 01-55-16-63405-202 Estimated Cost of Construction \$8,500.00
Subdivision Name Southwood meadows Lot 2 Block A Unit 2 Phase
Driving Directions FORD; Nto Southwes meabows, 18:54Tow Ainsley 6 1en
Ainsley Glen, 4th on P Number of Existing Dwellings on Property_
Sonstruction of a 1944 Court Poss 1 1945 Court P
Construction of New Front Porch / Roof Shinsles Total Acreage 1.22 Lot Size 130 1360 Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive Total Building Height
Number of Stories Heated Floor Area
Number of Stories Heated Floor Area 1,188 Total Floor Area 2,225 Roof Pitch 6/12
Application is hereby made to obtain a permit to do work and installations as in the control of

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction. CODE: Florida Building Code 2010 and the 2008 National Electrical Code.

Page 1 of 2 (Both Pages must be submitted together.)

Revised 3-15-12

OK# 0484

Columbia County Building Permit Application

TIME LIMITATIONS OF APPLICATION: An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

TIME LIMITATIONS OF PERMITS: Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.


WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

NOTICE TO OWNER: There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. You must verify if your property is encumbered by any restrictions or face possible litigation and or fines.

(Owners Must Sign All Applications Before Permit Issuance.)

Owners Signature	**OWNER BUILDERS MUS	ST PERSO	NALLY APPEAR AND SIGN THE BUILDING PERMIT.
written statement to the	IT: By my signature I unders owner of all the above written uding all application and per	en respo	d agree that I have informed and provided this onsibilities in Columbia County for obtaining limitations.
Contractor's Signature (Pe	ermitee)	Colu	ractor's License Number <u>Lic#cB-co6o/5/</u> Imbia County petency Card Number383
Affirmed under penalty of	perjury to by the Contractor and	d subscrib	bed before me this 17 day of April 20/2.
Personally knownor	Produced Identification	SEAL:	LAURIE HODSON MY COMMISSION # DD 805657
State of Florida Notary Sig	nature (For the Contractor)		EXPIRES: July 14, 2012 Bonded Thru Notary Public Underwriters



SUBCONTRACTOR VERIFICATION FORM

	APPLICATION NUM	MBER	204-4Z THIS FORM MU	CONTRACTOR	IOR TO THE ISSUANCE OF		_ PHONE 351-283-35 YZ
	ordinance 89-6	subcontra 5, a contra	ctors who actually ctor shall require a	did the trade special subcontractors	rk at the permitted si cific work under the p to provide evidence of of Competency licens	ermit. Per F of workers' o	lorida Statute 440 and
	Any changes, t start of that su	he permit	ted contractor is re or beginning any t	esponsible for the work. Violations v	corrected form bein	g submitted k orders and	to this office prior to the d/or fines.
M	IZ90	Print Nam License #:		HOLF	Signature	Jenn ne #: 35)	Holf- 578-5367
	MECHANICAL/ A/C	Print Nam License #:	e		SignaturePhor		200000
	PLUMBING/ GAS	Print Nam License #:		A	SignaturePho	ne #:	
	ROOFING	ROOFING Print Name Tracy McDonald		Conald	Signature Pho	ne #: 3(2	213 (247
	SHEET METAL Print Name_License #: FIRE SYSTEM/ Print Name_License#:		T METAL Print Name		Signature Phone #: Signature Phone #:		
	SOLAR	Print Nam License #:			SignaturePhor	ne #:	
İ	Specialty Li	cense	License Number	Sub-Contrac	tors Printed Name	Sub	-Contractors Signature
Г	MASON		VI	14			
10	CONCRETE FIN	ISHER	CB-C060151	1.5.12.11e	- William Trasm	38	Z
de	FRAMING		CB C060151	1 in the	william Cosa	-	
014	INSULATION		C/3 C00 01 3 .	aur pr	W111.mm) (***	>0	
Ī	STUCCO						
	DRYWALL			1			
Ī	PLASTER			N			
	CABINET INSTA	ALLER					
	PAINTING					1	
	ACOUSTICAL C	EILING		/			
	GLASS				A	†	
	CERAMIC TILE				//		
	FLOOR COVERI	NG				 	
.	ALUM/VINYL S	IDING					
-	GARAGE DOOR					<u> </u>	
-	METAL BLDG E				-	-	
-			rmits: identificatio	n of minimum ne	amium nalieu Evan	omployer -	hall as a condition to

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Nha

Prepared by: Matthew D. Rocco Abstract & Title Services, Inc. 3731 NW 40TH Terrace, Suite B Gainesville, FL 32606

-Warranty Deed

Individual to Individual

THIS WARRANTY DEED made the 28th day of January, 2005 by

Terry Petersen and his wife, Debbie Petersen

hereinafter called the grantor, to

Inst:2005002271 Date:02/01/2005 Time:13:03

Doc Stamp-Deed: 1064.00 ______DC,P.Dewitt Cas _DC,P.DeWitt Cason,Columbia County B:1036 P:2483

Brian Cannon, A Married Person

whose post office address is: 11360 SW CR 240, Lake City, FL 32024 hereinafter called the grantee:

(Wherever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs. legal representatives and assigns of individuals, and the successors and assigns of corporation)

Witnesseth: That the grantor, for and in consideration of the sum of \$10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys, and confirms unto the grantee, all that certain land situate in COLUMBIA County, FLORIDA, viz: Parcel ID# R03405-202

Lot 2, Block A, Southwood Meadows Unit 2, according to plat thereof recorded in Plat Book 6, Page 84, Public Records of Columbia County, Florida.

TOGETHER with all tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

TO HAVE AND TO HOLD, the same in fee simple forever.

AND the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever, and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2004.

IN WITNESS WHEREOF, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:

STATE OF FLORIDA COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 28th day of January, 2005 by Terry Petersen and his wife. Debbie Petersen personally known to me or, if not personally known to me, who produced Driver's License No. for identification and who did not take an oath.

(SEAL)

Notary Public

My Commission DD150708

Columbia County Property Appraiser

DB Last Updated: 3/12/2012

Parcel: 01-5S-16-03405-202

<< Next Lower Parcel Next Higher Parcel >>

Owner & Property Info

Owner's Name	CANNON BRIAN				
Mailing Address	235 SW AINSLEY GLN LAKE CITY, FL 32024				
Site Address	235 SW AINSLEY GLN				
Use Desc. (code)	SINGLE FAM (000100)				
Tax District	3 (County) Neighborhood 1516				
Land Area	0.000 ACRES Market Area 01				
Description	NOTE: This des Description for t	cription is not to be used a	s the Legal		
LOT 2 BLOCK A SOUTH		C/D LINIT O ODD see see			

LOT 2 BLOCK A SOUTHWOOD MEADOWS S/D UNIT 2. ORB 802-905, 806-212, 872-1863, 872-1863, WD 1036-2483.

2011 Tax Year

Tax Collector

Tax Estimator

r Property Card

Parcel List Generator


Interactive GIS Map

Print

<< Prev

Search Result: 2 of 25

Next >>



Property & Assessment Values

2011 Certified Values		
Mkt Land Value	cnt: (0)	\$21,600.00
Ag Land Value	cnt: (1)	\$0.00
Building Value	cnt: (1)	\$95,566.00
XFOB Value	cnt: (4)	\$9,564.00
Total Appraised Value		\$126,730.00
Just Value		\$126,730.00
Class Value		\$0.00
Assessed Value		\$126,730.00
Exempt Value	(code: HX)	\$50,000.00
Total Taxable Value	Other	Cnty: \$76,730 : \$76,730 Schl: \$101,730

2012 Working Values

NOTE:

2012 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

Show Working Values

Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
1/28/2005	1036/2483	WD	I	0		\$152,000.00
6/1/1995	806/212	WD	I	0		\$82,200.00
3/1/1995	802/905	WD	٧	U	35	\$22,800.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value	
1	SINGLE FAM (000100)	1995	(31)	1788	2225	\$94,227.00	
	Note: All S.F. calculations are based on <u>exterior</u> building dimensions.						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0166	CONC,PAVMT	1995	\$348.00	0000174.000	0 x 0 x 0	(000.00)
0294	SHED WOOD/	1995	\$900.00	0000120.000	10 x 12 x 0	(000.00)
0258	PATIO	2009	\$1,350.00	0000600.000	20 x 36 x 0	(000.00)

NOTICE OF COMMENCEMENT

Tax Parcel Identification Number:

203405-202

Clerk's Office Stamp

Inst:201212005715 Date:4/12/2012 Time:3:01 PM DC,P.DeWitt Cason,Columbia County Page 1 of 1 B:1233 P:196

THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT.

1. Description of property (legal descript	tion): 2000sg. At Hardy Board house
a) Street (job) Address: 2. General description of improvements:	35 SW Ainsley Glen Lake City, FL 32024
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Owner Information Name and address: Name and address of fee single.	ian Cannon 235 Sw Ainsley Glas Lake City, FL
c) Interest in property	iple ditenoider (if other than owner)
4. Contractor Information	Λ 111 1 20020 10 11
b) Telephone No.:	352-283-3542 Fax No. (Opt.)
5. Surety Information	N-A
a) Name and address: b) Amount of Bond:	<u> </u>
c) Telephone No.:	
	Fax No. (Opt.)
6. Lender a) Name and address: b) Phone No	
7. Identity of person within the State of El	orida designated by owner upon whom notices or other documents may be served:
and did did did.	
b) Telephone No.:	Fax No. (Opt.)
8. In addition to himself, owner designate	a ha fill a d
723.13(I)(b), Florida Statutes:	s the following person to receive a copy of the Lienor's Notice as provided in Section
a) Name and address:	N- A
b) Telephone No.:	Fax No. (Opt.)
0 5	
is specified):	ment (the expiration date is one year from the date of recording unless a different date
IMPROVEMENTS TO YOUR PROPERTY: A	MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING
COUNTY OF COLUMBIA	10.
	Signature of Owner or Owner's Authorized Office/Director/Partner/Manager
	Brigo Cucopo
	Printed Name
The foregoing instrument was acknowledged by	12 1
	perore me , a Florida Notary, this day of April 20 by:
	as
fact) for	as(type of authority, e.g. officer, trustee, attorney
	(type of authority, e.g. officer, trustee, attorney (name of party on behalf of whom instrument was executed).
Personally Known OR Produced Identific	(type of authority, e.g. officer, trustee, attorney (name of party on behalf of whom instrument was executed). (atton 1/ Type DL C 550 075 80 30 3
Personally Known OR Produced Identific	(type of authority, e.g. officer, trustee, attorney (name of party on behalf of whom instrument was executed). Type DL C 550 075 80 303 JOSEPH L. DICKS, JR. Commission # DD 854598 Expires January 26, 2013 Bonded Thru Troy Fain Insurance 800-385-7019
Personally Known OR Produced Identific Notary Signature Ozer Ozer 11. Verification pursuant to Section 92.52	(type of authority, e.g. officer, trustee, attorney (name of party on behalf of whom instrument was executed). Type DL C 550 075 80 303 JOSEPH L. DICKS, JR. Commission # DD 854598 Expires January 26, 2013 Bonded Thru Troy Fain Insurance 800-385-7019
Personally Known OR Produced Identification Signature Or Produced Identification Pursuant to Section 92.52	(type of authority, e.g. officer, trustee, attorney (name of party on behalf of whom instrument was executed). Type DL C 550 075 80 303 JOSEPH L. DICKS, JR. Commission # DD 854598 Expires January 26, 2013 Bonded Thru Troy Fain Insurance 800-385-7019

14561 - FLA ADRUIT

Laminated asphalt Sundles

PRODUCT DATA

Manufactured in Tuscaloosa, AL.

ASTM HERITAGE 30 AR® shingles feature a double-layer fiberglass mat construction with a random-cut sawtooth design,

The two layers of mat are coated with asphalt and then laminated together and surfaced with mineral granules that will help protect against discoloration caused by algae. A self-seating strip of asphalt helps provide added wind resis-

For application to roof decks with inclines of not less than 2 Inches per foot. For slopes between 2 inches and 4 inches per foot, refer to wrapper instructions.

- · 30 year limited warranty, 5 year FULL START, limited transferability, winds up to 70 MPH
- Affordable upgrade from 3-tab shingles
- Superior fire resistance compared to organic shingles
- Rustic beauty of wood shakes
- Shadowtone feature adds depth and dimensional appearance
- · Algae resistant granules to protect against discoloration in areas where extreme humidity is a problem
- 10 year limited warranty against discoloration caused by certain algae growth

UL Class A Fire Rating **UL Wind Resistant**

Fed. Spec.: Exceeds SS-S-001534. Class A, Type I

ASTM D 3018, Type 1 ASTM E 108, Class A

ASTM D 3161. Type I (modified to 110 mph)

ASTM D 3462

Classic Heritage Colors:

- Weathered Wood
- Rustic Cedar
- Rustic Hickory
- · Driftwood

- Oxford Grey
- Shadow Grey
- · Desert Sand
- · Rustic Black
- Oide English Pewter
- Glacier White
- Rustic Evergreen



JOT DATA*

Shingle size

Exposure Shingles per square

5 78

12" X 37"

Bundles per square

All values stated as nominal

CAUTION: The National Institute for Occupational Safety and Health (NIOSH) has concluded that furnes of heated asphalt are a potential occupational carcinogen. Do not heat or burn this product.

Visit our Web Site at www.tamke.com

Central District Northeast District Southeast District Southwest District

Western District

220 West 4th St., Joplin, MO 4500 Temico Dr., Frederick, MD 2300 35th St., Tuscaloosa, AL 7910 S. Central Exp., Dallas, TX 5300 East 43rd Ave., Demuer. CO.

64801 800-841-4691 21701 800-368-2055 35401 800-228-2656 75216 800-443-1834 800-530-8868

21/2002



THE COMMET COMMET

Product Approval Method

Method 1 Option A

Date Submitted

02/14/2012

Date Validated

02/24/2012

Date Pending FBC Approval

Date Approved

02/29/2012

Summary	of	Produces
---------	----	----------

FL #	Medel, Number or Name	Description
1810.1	2 30 ASTM D 4869 Type 1	Asphalt saturated organic felt
Approved for Impact Resign Design Press Other: For us Shingles with si	use in HVHZ; No use outside HVHZ; Yes tant: N/A	Certification Agency Cartificate F11614 R6 C CAC Florida Approvals.ogf F11614 R6 C CAC Florida Approvals.odf Quality Assurance Contract Expiration Date
1814.2	#15 ASTM D 4869 Type 1	Asphalt saturated organic feit
Approved for Impact Resist Design Prese Other: for use shingles with sk	use in MVMZ: No use obtaide MVMZ: Yes ant: N/A under discontinuous roof i.e. asphalt spe greater than 2:12	Certification Agency Certificate FL1814 R6 C CAC Florida Approvals.pdf FL1814 R6 C CAC Florida Approvals.pdf FL1814 R6 C CAC Florida Approvals.pdf Quality Assurence Centract Expiration Date 10/07/2014 Installation Instructions FL1814 R6 II Florida Approvals.pdf FL1814 R6 II Florida Approvals.pdf Verified By: Marmi-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
1814.3	#15 ASTM DZZ6 Type I	Asphalt saturated organic felt
Approved for a Impact Resista Design Preseur Other: For use hingles with slo	re: N/A under discontinuous roof i.e. asphalt be greater than 2:12	Certification Agency Cartificate EL1814 R6 C CAC NOA new.pdf Quality Assurance Contract Expiration Data 04/12/2016 Installation Instructions FL1814 R6 II NOA new.pdf Verified By: miami-Dade BCCO - CER Created by Independent Third Party: Evaluation Reports Created by Independent Third Party:
814.4	#30 ASTM D-226 TYPE II	Asphalt saturated organic felt
ipproved for u impact Resista Jesign Pressur Ither: For use u	se in HVMZ: Yes se outside MVMZ: Yes ne: N/A e: N/A nder discontinuous roof i.e. asphalt e greater than 2:12	Certification Agency Certificate FL1814 R6 C CAC NOA new.pof Quality Assurance Contract Expiration Date 04/12/2016 Installation Instructions FL1814 R6 II NOA new.pdf Verified Sy: Mismi-Dade SCCO - CER Created by Independent Third Party: Evaluation Reports Greated by Independent Third Party:

Contact Us :: 1940 Norm Manrae Street, Tellahasane 61 12300 Phane: 850-687-1826

Under Florida iaw, e-mail eddresses are public records. If you do not want your a-mail address released in ressonace to a pand clottrosic mail to this entity. Inclinat, contact the cities by change or by traditional mail. If you have any questions accessibility, presse correct our wich Medicin it <u>retinister proper, since Supplementary</u>

Ртопист Арргоин Ассоры:

Territor Nacional Method

Method | Option A

5,77,1,7 x = \$127.5

Approved 16 20 2005

The Alexandria

". A -refired

29 2965

Care the feet to the 2004 Dries

So Page

3age 1:1

2.3				
AF	op/Seq	Product Model # or Name	Model Description	Limits of Use
>16	59.*	Eite Glass-Seal AR	A heavy weight 3 tab asphalt shingle.	Aspnalt shingles shall bused only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.
195	56.2	Giass-Seal AR	A 3 tab asphalt shingle	Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.
195	59 5	Heritage 30 AR	A heavy weight dimensional asphalt shingle.	Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.
195	56.4	Heritage 40 AR	A heavy weight oimensional asphalt shingle.	Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.
195	6.5	ler:tage 50 AR	A heavy weight dimensional asphalt shingle.	Asphalt shingles shall be used only on roof slopes of 2;12 or greater. Not approved for use in HVHZ.
1959	€ G -	eritage Declaration	asphalt shingle.	Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.
1976	3 T	2 1.utpr / 1-	dimensional asphalt shingle.	Asphalt shingles shall be used only on roof slopes of 2:12 or greater. Not approved for use in HVHZ.

Hext :



received here Carrisoner 19200). The State of Florida 14th gets reserved



9/28/2005





MOST TODICS SECTION SECTION SET STORE STORE PUBLICATIONS FRE SCIS SIZE MAY LINKS SANCH

Business Professional



ंदा > <u>ार्कित कर्मात क्रिकेट के कि</u>

FL =

Application Type Code Version Application Status

FL1814-R6 Revision 2010

Approved

*Approved by DCA. Approvals by DCA shall be reviewed and ratifled by the POC and/or the Commission if necessary.

Comments Archived

Product Manufacturer

Address/Phone/Email

WOODLAND INDUSTRIES. INC.

1520 KALAMAZOO DRIVE GRIFFIN, GA 30224 (770) 228-6102 dina.crownover@gmall.com

Authorized Signature

DINA CROWNOVER

dina.crownover@gmail.com

Technical Representative Address/Phone/Email

DINA CROWNOVER 1520 KALAMAZOO DRIVE GRIFFIN, GA 30224 DPCWOODLAND@AOL.COM

Quality Assurance Representative Address/Phone/Email

Category Subcategory

Roofing

Underlayments

Compliance Method

Certification Mark or Listing

Certification Agency

Validated By

Miami-Dade BCCO - CER

Miami-Dade BCCO - VAL

Referenced Standard and Year (of Standard)

Standard

Year

NTY BUIL

ASTM D 4869 ASTM D-226

2005 2006

Equivalence of Product Standards

Certified By

Approved Certification Agency

FL1814 R6 Equiv Florida Approval8.odf FL1814 R6 Equiv Florida Approval9.oof

FL:814 R6 Equiv NOA new pdf

PRODUCT APPROVAL SPECIFICATION SHEET

As required by Florida Statute 553.842 and Florida Administrative Code 98-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products.

Control for any of the applica			19977
Category/Subcategory	Menulacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING			
B. SLIDING			
C. SECTIONAL			
D. ROLL UP			
E. AUTOMATIC			
F. OTHER	1		
17 0111611	-		
2. WINDOWS	 		
A. SINGLE HUNG	 		
B. HORIZONTAL SLIDER	 		
C. CASEMENT			
D. DOUBLE HUNG			
E. FIXED			
F. AWNING			
G. PASS THROUGH			
H. PROJECTED			
I. MULLION		TVDI	
J. WIND BREAKER		COUNTY BUILDIN	
K. DUAL ACTION		Receiv (G)	
L. OTHER		To the second	
		to to	
3. PANEL WALL	 		
A. SIDING	1	OF LUDY -	
B. SOFFITS			
C. EIFS	 	Comple 7th	
D. STOREFRONTS		empliance Y	
E. CURTAIN WALLS		NS THER	
F. WALL LOUVER	 	CAAMINA	
G. GLASS BLOCK	 		
H. MEMBRANE			
I. GREENHOUSE			
J. OTHER			
J. OINER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES	TANKO	HERITOGE 30 AR	1956.3
B. UNDERLAYMENTS	INDODIANO INDUSTIONS	\$ 30 ASTIM D4869 TYPE !	1814.1
C. ROOFING FASTENERS		Design of the t	1819.1
D. NON-STRUCTURAL			
METAL ROOFING			
E. WOOD SHINGLES AND			
SHAKES			1
F. ROOFING TILES			
G. ROOFING INSULATION			
H. WATERPROOFING			
BUILT UP ROOFING			
ROOF SYSTEMS			
J. MODIFIED BITUMEN			1 1
SINGLE PLY BOOF			
C. SINGLE PLY ROOF			
K. SINGLE PLY ROOF SYSTEMS			
SINGLE PLY ROOF SYSTEMS ROOFING SLATE			
<. SINGLE PLY ROOF			

Jategory/Subcategory Manufacturer	Conduct Conduc	
The incited of	Product Description	Aphilomasmi Blaussia aut 2
		Approval Number(s)

	0020120700	WINTERNA TOWNS INTERNATION	PAGE 03
N. LIQUID APPLIED	1 .1		
ROOF SYSTEMS			1
O. ROOF TILE ADHESIVE			
P. SPRAY APPLIED			
POLYURETHANE ROOF	1 1		
O. OTHER			
a. Offich			
Alternation			
. SHUTTERS			
A. ACCORDION			
BAHAMA			
. STORM PANELS			
. COLONIAL			
. ROLL-UP			
EQUIPMENT			
. OTHERS			
. OTHERS			
SKYLIGHTS			
SKYLIGHT			
OTHER			
STRUCTURAL			
COMPONENTS			
. WOOD CONNECTORS/			
ANCHORS			
TRUSS PLATES			
FNONCEDED IN THE			
ENGINEERED LUMBER			
RAILING			
COOLERS-FREEZERS			
CONCRETE			
ADMIXTURES			
MATERIAL			
INSULATION FORMS			
PLASTICS			
DECK-ROOF			
WALL			
SHEDS			
OTHER			
NEW EXTERIOR			
ENVELOPE PRODUCTS			
			_

.:/GENERAL/STATEPRODUCES

==)	Notice of Treatment				
Applicator: Florida I	Pest Control & Chemical Co. (www.flapest.com)				
City LAKE City	Phone 152 1703				
Site Location: Subdiv					
Address 235 5 W	Ainsley GIN				
Product used Premise	Active Ingredient % Concentration				
Tremse	Imidacloprid 0.1%				
Termidor	Fipronil 0.12%				
☐ Bora-Care I	Disodium Octaborate Tetrahydrate 23.0%				
Control of the Control	/				
Type treatment:	Soil Wood				
Area Treated FROUT PORCH	Square feet Linear feet Gallons Applied				
As per Florida Building Code 104.2.6 – If soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.					
If this notice is for the f	final exterior treatment, initial this line				
4/30/12	1048 Janes Parller				
Date					
Date	Time Print Technician's Name				
Remarks:	Time Print Technician's Name				