

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official LW/LCH Building Official ZNA

AP# 44715 Date Received 3/12 By JW Permit # 39587

Flood Zone X Development Permit _____ Zoning I Land Use Plan Map Category I

Comments Watertown Overlay District 4.22.2.3

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☐ Recorded Deed or ☒ Property Appraiser PO ☐ Site Plan ☒ BH # 20-0225 ☒ Well letter OR

☐ Existing well ☐ Land Owner Affidavit ☒ Installer Authorization ☐ FW Comp. letter ☒ App Fee Paid

☐ DOT Approval ☐ Parent Parcel # _____ ☐ STUP-MH _____ ☒ 911 App

☐ Ellisville Water Sys ☐ Assessment _____ Out County ☒ In County 3.13.20 ☐ Sub VF Form

Property ID # 35-35-17-07368-001 Subdivision _____ Lot# _____

- New Mobile Home _____ Used Mobile Home ☒ MH Size 70L 14W Year 1993
- Applicant John Thompson Phone # 386-623-6130
- Address POB 1093 LAKE CITY, FL 32056
- Name of Property Owner John Thompson Phone# 386-623-6130
- 911 Address 304 NE OKINAWA ST. LAKE CITY FL 32055
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home John Thompson Phone # 386-623-6130
Address POB 1093 LAKE CITY FL 32056
- Relationship to Property Owner Self
- Current Number of Dwellings on Property 1 REMOVED
- Lot Size 1.90 Total Acreage 1.90
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home Yes - Removed already
- Driving Directions to the Property Turn left off 90 to Washington Street going to Watertown cross railroad track turn right on Byron Street turn left on Vega Terr 90 to end of road turn left on 304 NE Okinawa Street

Name of Licensed Dealer/Installer Glenn Williams Phone # 386-344-3669

Installers Address 640 SE Putnam St LAKE CITY FL 32025

License Number 1A1054858 Installation Decal # 59966

JW 1st 4.7.20
1st 4.8.20

Mobile Home Permit Worksheet

Application Number: _____ Date: _____

New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual
Home is installed in accordance with Rule 15-C

Single wide ☒ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 599666

Triple/Quad ☐ Serial # GA5LV39A10150-121



Installer: Glen Williams License # 1H1054858

Address of home being installed: 304 NE Okinawa St

Manufacturer: _____ Length x width: 14x70

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home
I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials: GW



26 Frame Ties
6 Tech LSD

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4'	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7'	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x25
Perimeter pier pad size 16x16
Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS

4 ft ☒ 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer _____

Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer _____

OTHER TIES

Sidewall Longitudinal Marriage wall Shearwall
Number 22

Mobile Home Permit Worksheet

Application Number: _____

Date: _____

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

X 1500 X 1500 X 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1500 X 1500 X 1500

TORQUE PROBE TEST

The results of the torque probe test is 780 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials _____

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name _____

Date Tested _____

Glenn Williams
3-10-20

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Site Preparation

Debris and organic material removed _____
Water drainage: Natural _____ Swale _____ Pad ☒ Other _____

Fastening multi wide units

Floor: Type Fastener: _____ Length: _____ Spacing: _____
Walls: Type Fastener: W Length: 1 Spacing: A
Roof: Type Fastener: _____ Length: _____ Spacing: _____
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials GW

Type gasket _____

Installed: _____

Between Floors Yes _____

Between Walls Yes _____

Bottom of ridgebeam Yes _____

Weatherproofing

The bottomboard will be repaired and/or taped. Yes _____ Pg. _____

Siding on units is installed to manufacturer's specifications. Yes _____

Fireplace chimney installed so as not to allow intrusion of rain water. Yes _____

Miscellaneous

Skirting to be installed. Yes _____ No _____

Dryer vent installed outside of skirting. Yes _____ N/A _____

Range downflow vent installed outside of skirting. Yes _____ N/A _____

Drain lines supported at 4 foot intervals. Yes _____

Electrical crossovers protected. Yes _____

Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature _____

Date _____

Glenn Williams 3-10-20

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 44715 CONTRACTOR GIBBYN Williams Jr. PHONE 386.623.6130

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

✓ ELECTRICAL	Print Name <u>John Thompson</u>	Signature <u>[Signature]</u>
	License #: <u>—</u>	Phone #: <u>(386) 623-6130</u>
	Qualifier Form Attached ☐	
✓ MECHANICAL/ A/C	Print Name <u>John Thompson</u>	Signature <u>[Signature]</u>
	License #: <u>—</u>	Phone #: <u>(386) 623-6130</u>
	Qualifier Form Attached ☐	

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Legend

Roads

Roads

others

Dirt

Interstate

Main

Other

Paved

Private

SRWMD Wetlands

Parcels

Lake City Limits

2018Aerials

2018 Flood Zones

0.2 PCT ANNUAL CHANCE

A


AE

AH

LidarElevations

Columbia County, FLA - Building & Zoning Property Map

Printed: Tue Mar 17 2020 16:37:46 GMT-0400 (Eastern Daylight Time)



Parcel Information

Parcel No: 35-3S-17-07368-001

Owner: THOMPSON JOHN

Subdivision:

Lot:

Acres: 0.6373316

Deed Acres:

District: District 1 Ronald Williams

Future Land Uses: Industrial

Flood Zones:

Official Zoning Atlas: I

All data, information, and maps are provided "as is" without warranty or any representation of accuracy, timeliness of completeness. Columbia County, FL makes no warranties, express or implied, as to the use of the information obtained here. There are no implied warranties of merchantability or fitness for a particular purpose. The requester acknowledges and accepts all limitations, including the fact that the data, information, and maps are dynamic and in a constant state of maintenance, and update.



SITE PLAN CHECKLIST

- ___ 1) Property Dimensions
- ___ 2) Footprint of proposed and existing structures (including decks), label these with existing addresses
- ___ 3) Distance from structures to all property lines
- ___ 4) Location and size of easements
- ___ 5) Driveway path and distance at the entrance to the nearest property line
- ___ 6) Location and distance from any waters; sink holes; wetlands; and etc.
- ___ 7) Show slopes and or drainage paths
- ___ 8) Arrow showing North direction

SITE PLAN EXAMPLE

Revised 7/1/15

NOTE:
This site plan can be copied and used with the 911 Addressing Dept. application forms.



Prepared by: Deenitris Weston

Inst: 201812026431 Date: 12/21/2018 Time: 2:43PM
Page 1 of 2 B: 1375 P: 107, P. DeWitt Cason, Clerk of Court
Columbia, County, By: KV
Deputy Clerk

Quitclaim Deed

The Quit Claim Deed executed this 21st day of December, 2018, by first party,
Grantor, Deenitris Weston

whose post office address is 15936 Kiwi Way Lake City FL 32025

to second party, Grantee John Thompson

whose post office address is P.O. BOX 1093 Lake City FL 32056

Witnesseth, that the said first party, for the sum of \$ Gift, and other good and valuable
consideration paid by the second party, the receipt whereof is hereby acknowledged, does hereby remise, release and
quitclaim unto the said second party forever, all the right, title, interest and claim which the said first party has in and to the
following described parcel of land, and improvements, and appurtenance thereto in _____ County, Florida to wit:

See Exhibit "A"

In witness whereof, the said first party has signed and sealed these presents the day and year first above written, sealed
and delivered in presence of:

Lisa Hutchinson

Witness Signature

Deenitris Weston

Grantor Signature

Lisa Hutchinson

Printed Name

Deenitris Weston

Printed Name

Leslie F. 1000

Witness Signature

Grantor Signature

LESLEY F. 1000

Printed Name

Printed Name

County of: Columbia State of: Florida

Sworn to and subscribed before me this 21st day of Dec., 2018. The Party of the first part
appeared, personally known to me/produced a valid ID, and acknowledged to me that he/she/they executed the same in
his/her/their authorized capacity (ies), and that by his/her/their signature(s) on the instrument the person(s) upon behalf of
which the person(s) acted, executed the instrument. Witness my hand and official seal.



Sharon Sheppard

Notary signature

Exhibit "A"

in the County of Columbia State of Florida, to-wit:
TOWNSHIP 3 South, RANGE 17 East

SEC 35: Commence at the Northwest Corner of the NW 1/4 of the NW 1/4
and run thence N 89° 18' East along the North line of said section
350 yards (1,050 feet) to the Point Of Beginning: thence continue
North 89° 18' East 70 yards (210.00)" thence S 6° 45' West 210.00 feet:
thence S 89° 18' West 210.00 feet: thence N 6° 45' East 210.00 feet
to the Point Of Beginning, containing one (1) acre, more or less

09976
FILED AND RECORDED
NOV 1985
CLERK OF COURT
COLUMBIA

Columbia County Property Appraiser

updated: 1/6/2020

2020 Working Values

Parcel: 35-3S-17-07368-001

Tax Collector

Tax Estimator

Property Card

Parcel List Generator

<< Next Lower Parcel

Next Higher Parcel >>

2019 TRIM (pdf)

Interactive GIS Map

Print


<< Prev

Search Result: 25 of 69

Next >>

Owner & Property Info

Owner's Name	THOMPSON JOHN		
Mailing Address	P O BOX 1093 LAKE CITY, FL 32056		
Site Address	304 NE OKINAWA ST		
Use Desc. (code)	VACANT (000000)		
Tax District	2 (County)	Neighborhood	35317
Land Area	0.900 ACRES	Market Area	06
Description	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction.		
COMM NW COR OF NW1/4 OF NW1/4, RUN E 1050 FT FOR POB, CONT E 210 FT, S 210 FT, W 210 FT, N 210 FT TO POB. 577-486, QC 1289-1350, QC 1375-107			



Property & Assessment Values

2019 Certified Values		
Mkt Land Value	cnt: (0)	\$9,838.00
Ag Land Value	cnt: (2)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$9,838.00
Just Value		\$9,838.00
Class Value		\$0.00
Assessed Value		\$9,838.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$9,447 Other: \$9,447 Schl: \$9,838	

2020 Working Values		
Mkt Land Value	cnt: (0)	\$9,838.00
Ag Land Value	cnt: (2)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$9,838.00
Just Value		\$9,838.00
Class Value		\$0.00
Assessed Value		\$9,838.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$9,838 Other: \$9,838 Schl: \$9,838	

NOTE: 2020 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
12/21/2018	1375/107	QC	V	U	11	\$100.00
2/18/2015	1289/1350	QC	V	U	11	\$100.00
8/1/1981	473/8	QD	V	Q		\$3,600.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000000	VAC RES (MKT)	1 UT - (0000000.000AC)	1.00/1.00/1.00/1.00	\$6,588.00	\$6,588.00
009945	WELL/SEPT (MKT)	1 UT - (0000000.000AC)	1.00/1.00/1.00/1.00	\$3,250.00	\$3,250.00

Columbia County Property Appraiser

updated: 1/6/2020

<< Prev

25 of 69

Next >>



COLUMBIA COUNTY BUILDING DEPARTMENT
135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, Glenn Williams, give this authority for the job address show below
Installer License Holder Name

only, 304 NW Okinawa, and I do certify that
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
<u>John Thompson</u>	<u>[Signature]</u>	☒ Agent ☐ Officer ☒ Property Owner
		☐ Agent ☐ Officer ☐ Property Owner
		☐ Agent ☐ Officer ☐ Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.


[Signature] License Holders Signature (Notarized) 111 1054858 License Number 7-10-20 Date

NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Columbia

The above license holder, whose name is Glenn Williams, personally appeared before me and is known by me or has produced identification (type of I.D.) FIDC on this 12th day of March, 2020.

[Signature]
NOTARY'S SIGNATURE



District No. 1 - Ronald Williams
District No. 2 - Rocky Ford
District No. 3 - Bucky Nash
District No. 4 - Toby Witt
District No. 5 - Tim Murphy



BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: **1/29/2020 2:37:44 PM**
Address: **304 NE OKINAWA St**
City: **LAKE CITY**
State: **FL**
Zip Code **32055**

Parcel ID **07368-001**

REMARKS: Address Verification.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By: **Signed:/ Matt Crews**

Columbia County GIS/911 Addressing Coordinator

**COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT**

263 NW Lake City Ave., Lake City, FL 32055 Telephone: (386) 758-1125
Email: gis@columbiacountyfla.com



Columbia County Property Appraiser

updated: 3/9/2020

2020 Working Values

Parcel: 35-3S-17-07368-001

Tax Collector

Tax Estimator

Property Card

Parcel List Generator

<< Next Lower Parcel

Next Higher Parcel >>

2019 TRIM (pdf)


Interactive GIS Map

Print

Owner & Property Info

Search Result: 1 of 1

Owner's Name	THOMPSON JOHN		
Mailing Address	P O BOX 1093 LAKE CITY, FL 32056		
Site Address	304 NE OKINAWA ST		
Use Desc. (code)	VACANT (000000)		
Tax District	2 (County)	Neighborhood	35317
Land Area	0.900 ACRES	Market Area	06
Description	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction.		
COMM NW COR OF NW1/4 OF NW1/4, RUN E 1050 FT FOR POB, CONT E 210 FT, S 210 FT, W 210 FT, N 210 FT TO POB. 577-486, QC 1289-1350, QC 1375-107			



Property & Assessment Values

2019 Certified Values		
Mkt Land Value	cnt: (0)	\$9,838.00
Ag Land Value	cnt: (2)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$9,838.00
Just Value		\$9,838.00
Class Value		\$0.00
Assessed Value		\$9,838.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$9,447 Other: \$9,447 Schl: \$9,838	

2020 Working Values		
Mkt Land Value	cnt: (0)	\$9,838.00
Ag Land Value	cnt: (2)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$9,838.00
Just Value		\$9,838.00
Class Value		\$0.00
Assessed Value		\$9,838.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$9,838 Other: \$9,838 Schl: \$9,838	

NOTE: 2020 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
2/18/2015	1289/1350	QC	V	U	11	\$100.00
8/1/1981	473/8	QD	V	Q		\$3,600.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000000	VAC RES (MKT)	1 UT - (0000000.000AC)	1.00/1.00/1.00/1.00	\$6,588.00	\$6,588.00
009945	WELL/SEPT (MKT)	1 UT - (0000000.000AC)	1.00/1.00/1.00/1.00	\$3,250.00	\$3,250.00

Columbia County Property Appraiser

updated: 3/9/2020

Mobile Home

App# 44715 Applicant: JOHN THOMPSON (386.623.6130) Application Date: 3/12/2020

Convert To ▾

Entered By Janice Williams

Updated By: Janice Williams on 3/12/2020 9:39 AM

Previous | Next | Last ☐ Permits Only

1. JOB LOCATION

2. CONTRACTOR

3. MOBILE HOME DETAILS

4. APPLICANT

5. REVIEW

6. FEES/PAYMENT

(\$65.00 - \$65.00 =
\$0.00)

7. DOCUMENTS/REPORTS

(2)

8. NOTES/DIRECTIONS

9. INSPECTIONS (1)

Completed Inspections

Add Inspection

Release Power

Schedule Inspection (ScheduleInspection.aspx?Id=44715)

Inspection	Date	By	Notes
Passed: Mobile Home - In County Pre-Mobile Home before set-up	3/13/2020	TROY CREWS	Z O ..

The completion date must be set To release Certificates to the public.

Permit Completion Date (Releases Occupancy and Completion Forms)

Permit Closed On

Incomplete Requested Inspections

Inspection	Date	By	Notes
------------	------	----	-------

DATA SHEET UNDERNEATH

KITCHEN

SINK



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 20-0225
DATE PAID: 3/20/20
FEE PAID: 310.80
RECEIPT #: 472806

APPLICATION FOR:

☒ New System ☐ Existing System ☐ Holding Tank ☐ Innovative
☒ Repair ☐ Abandonment ☐ Temporary ☐

APPLICANT:

John ThompsonAGENT: Ronald Ford - Ford's SepticTELEPHONE: 386-755-6288MAILING ADDRESS: 116 NW Lawtey Way Lake City, Florida 32055

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: N/A BLOCK: N/A SUBDIVISION: MEETS & BOUNDS PLATTED: _____

PROPERTY ID #: 35-35-17-07368-001 ZONING: _____ I/M OR EQUIVALENT: ☒ Y ☐ N

PROPERTY SIZE: 0.90 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ ≤ 2000 GPD ☐ > 2000 GPD

IS SEWER AVAILABLE AS PER 381.0065, FS? ☒ Y ☐ N DISTANCE TO SEWER: N/A FT

PROPERTY ADDRESS: 304 NE Okinawa Street Lake City, FL 32055

DIRECTIONS TO PROPERTY: From CCHD: travel North on US Hwy 441. Turn R on NE Buscom Norris Drive. Turn L on NE Washington Street. Turn L on NE Burbank Terrace. Turn R on NE Okinawa Street. # 304 on right.

BUILDING INFORMATION

☒ RESIDENTIAL ☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	SFR-mobile Home	2	980	
2				
3				
4				

☐ Floor/Equipment Drains ☐ Other (Specify) _____

SIGNATURE: Ronald FordDATE: 3-18-2020

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT




North

*scale: one inch = 30 feet

Permit Application Number

200225

PART II - SITEPLAN



Notes:

* PARCEL ID #: 35-3S-17-07368-001* ADDRESS: 304 NE Okinawa Street
Lake City, Florida 32055Site Plan submitted by: Ronald Ford

- Ronald Ford Ford's Septic Tank Service, LLC.

Plan Approved

Not Approved

Date 3/24/20

By

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



Hall's Pump and Well Services, Inc.

904 NW Main Blvd.

Lake City, FL 32055

hallspumpandwell@bellsouth.net

Contractor #

1503

Submitted By

Benjamin D. Dicks

4/8/2020

Parcel ID 35-3S-17E-07368-001

Well Letter of Compliance

Property Owners: John Thompson

Columbia County, 304 Okinawa St., Lake City, FL 32056

Drop pipe size, 1-1/4" inch

4 Inch black steel well casing, 235mm wall thickness

Tank sized, PC 244, 81 gallon, will supply a 23.9 gal. draw down at 40/60 pressure setting.

All wells will have a pump and tank combination that will be sufficient for 1 minute of runtime

If you have any questions please call our office @ 386-752-1854

Pump size 1.0 hp, 230 volt, single ph, pump and motor
OT 4" in diameter

Benjamin Dicks,

Office Coordinator,

Hall's Pump and Well Services, Inc.

904 NW Main Blvd.

Lake City, FL 32055

(P): (386)752-1854

Thanks,