

y vary with surface conditions, weather, footwear and roof pitch.  
Juedo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.  
Cuent peut varier dépendant de la température, chaussures utiliser et le toit pente.

MEETS / SATISFAIT : ASTM D4869 & CSA  
enavetopeak.com/RhinoRoof | 800-557-8727  
Copyright © 2020 Owens Corning. All Rights Reserved.  
Copyright © 2020 Owens Corning. Tous droits réservés.


RHINO

ather, footwear and roof pitch  
arface; tipo de calzado o clima y la pendiente del techo  
empérature, chaussures utiliser et le toit pente

02083131521063



La resistencia  
La dura



MIAMI-DADE COUNTY  
APPROVED



CODE COMPLIANCE  
COMPATIBLE AD CODE  
Intertek

CAN/CSA A123  
CCRR APPRO  
CODE APPRO  
CAN/CSA I  
APPROUVE P  
DU BATIMENT

MEETS / SATISFAIT : ASTM D4869  
enavetopeak.com/RhinoRoof | 800-557-8727  
Copyright © 2020 Owens Corning. All Rights Reserved.  
Copyright © 2020 Owens Corning. Tous droits réservés.

337 SW  
Buttercup or



y vary with surface conditions, weather, footwear and roof pitch.  
Juedo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.  
Cuent peut varier dépendant de la température, chaussures utiliser et le toit pente.

MEETS / SATISFAIT : ASTM D4869 & CSA  
enavetopeak.com/RhinoRoof | 800-557-8727  
Copyright © 2020 Owens Corning. All Rights Reserved.  
Copyright © 2020 Owens Corning. Tous droits réservés.


RHINO

ather, footwear and roof pitch  
arface; tipo de calzado o clima y la pendiente del techo  
empérature, chaussures utiliser et le toit pente

02083131521063



La resistencia  
La dura



MIAMI-DADE COUNTY  
APPROVED



CAN/CSA A123  
CCRR APPRO  
CODE APPRO  
CAN/CSA I  
APPROUVE P  
DU BATIMENT

MEETS / SATISFAIT : ASTM D4869  
enavetopeak.com/RhinoRoof | 800-557-8727  
Copyright © 2020 Owens Corning. All Rights Reserved.  
Copyright © 2020 Owens Corning. Tous droits réservés.





337 SW  
Buttercup

