

\$556.70

4

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-11) Zoning Official BLE 18 Dec 2012 Building Official RJ
AP# 1212-25 Date Received 12-13-12 By CH Permit # 30688
Flood Zone X Development Permit N/A Zoning RR Land Use Plan Map Category R.V.2.0.
Comments Elevation confirmation of existing grade meets of plat
See Surveyors Letter
FEMA Map# per plat Elevation 125' Finished Floor 126' River N/A In Floodway N/A
☒ Site Plan with Setbacks Shown ☒ EH # 12-0559 ☒ EH Release ☒ Well letter ☒ Existing well
☒ Recorded Deed or Affidavit from land owner ☒ Installer Authorization ☒ State Rd Access ☒ 911 Sheet
☐ Parent Parcel # ☐ STUP-MH ☒ F W Comp. letter ☒ App Fee Pd ☒ VF Form
IMPACT FEES: EMS ☐ Fire ☐ Corr ☐ Out County ☒ In County Declaral
Road/Code ☐ School ☐ = TOTAL ☐ Suspended March 2009 ☐ Ellisville Water Sys

- Property ID # 15-45-17-08355-514 Subdivision Eagles Ridge Phase 2 lot
- New Mobile Home ☒ Used Mobile Home ☐ MH Size 16x72 Year 2012
 - Applicant Wendy Grennell Phone # 386-288-2428
 - Address 3104 SW Old Wire Rd Ft White FL 32038
 - Name of Property Owner Matthew Cupp Phone# 386-209-3316
 - 911 Address 316 SE Valerie Ct. Lake City FL 32025
 - Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
 - Name of Owner of Mobile Home Matthew Cupp Phone # 386-209-3316
Address 7964 86th St. Live Oak FL 32060
 - Relationship to Property Owner Same
 - Current Number of Dwellings on Property 0
 - Lot Size 1 Total Acreage 1
 - Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
 - Is this Mobile Home Replacing an Existing Mobile Home Yes - gone couple years
 - Driving Directions to the Property Price Creek Rd to Sharon Lane
turn (R) to Bonnie (L) to Benny (L) to Valerie
Ct (R) 7th lot on (R)
 - Name of Licensed Dealer/Installer Rusty Knowles Phone # 386-755-6441
 - Installers Address 5801 SW SR 47 Lake City FL 32024
 - License Number IT1038219 Installation Decal # 13307

Left Wendy a message 12-18-12
Call her at 386-288-2428

45

>> Print as PDF <<

See Deed

LOT 14 EAGLES RIDGE PHASE 2.
AGD 1076-1090, CT 1126-2431,
QCD 1241-2

SUBRANDY LIMITED PARTNERSHIP 15-4S-17-08355-514
P O BOX 513
LAKE CITY, FL 32056

Columbia County 2013 R
CARD 001 of 001
BY JEFF

PRINTED 10/15/2012 11:42
APPR 8/11/2005 JS

BUSE	AE?	HTD AREA	.000 INDEX	15417.06 EAGLES	RIDGE	PUSE	000000 VACANT
MOD	BATH	EFF AREA	29.614 E-RATE	.000 INDX	STR 15- 4S-17E		
EXW	FIXT	RCN	%GOOD	AYB	MKT AREA 06		0 BLDG
%	BDRM		BLDG VAL	EYB	(PUD1		0 XFOB
RSTR	RMS				AC	1.000	15,150 LAND
RCVR	UNTS	%FIELD CK:			NTCD		0 CLAS
%	C-W%	%LOC: 316 VALERIE CT SE LAKE CITY			APPR CD		0 MKTUSE
INTW	HGHT				CNDO		15,150 JUST
%	PMTR				SUBD		15,150 APPR
FLOR	STYS				BLK		
%	ECON				LOT		0 SOHD
HTTP	FUNC				MAP#		0 ASSD
A/C	SPCD						0 EXPT
QUAL	DEPR				TXDT 002		0 COTXBL
FNDN	UD-1						
SIZE	UD-2						
CEIL	UD-3						
ARCH	UD-4						
FRME	UD-5						
KTCH	UD-6						
WINDO	UD-7						
CLAS	UD-8						
OCC	UD-9						
COND	%						
SUB	A-AREA % E-AREA	SUB VALUE					
----- BLDG TRAVERSE -----							
----- PERMITS -----							
NUMBER DESC AMT ISSUED							
23060 M H 340 4/22/2005							
----- SALE -----							
BOOK PAGE DATE PRICE							
1241 2 8/04/2012 U V 100							
GRANTOR LENVIL H DICKS TRUSTEE (LENVIL DIC							
GRANTEE SUBRANDY LIMITED PARTNERSHIP							
1126 2431 7/18/2007 U V 100							
GRANTOR CLERK OF COURT							
GRANTEE SUBRANDY LIMITED							

TOTAL

-----EXTRA FEATURES----- FIELD CK:-----

AE BN	CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT	PRICE	ADJ	UT	PR	SPCD	%	%GOOD	XFOB	VALUE
-------	------	------	-----	-----	------	-----	----	----	-----	-------	----	-------	-----	----	----	------	---	-------	------	-------

LAND	DESC	ZONE	ROAD	{UD1	{UD3	FRONT	DEPTH	FIELD CK:												
AE	CODE	TOPO	UTIL	{UD2	{UD4	BACK	DT	ADJUSTMENTS												
Y	000000	VAC RES	RSF-1	0007				1.00 1.00 1.00 1.00		1.000	LT	14400.000		14400.00					14,400	
			0002	0003																
Y	009947	SEPTIC						1.00 1.00 1.00 1.00		1.000	UT	750.000		750.00					750	

D Daniel & Gore, LLC
G Professional Surveying and Mapping

P.O. Box 1501
Lake City, Florida 32056

December 18, 2012

Matthew Cupp
316 SE Valerie Court
Lake City, FL 32025

Subject: Elevation Letter

Dear Mr. Cupp:

Daniel & Gore, LLC has performed a vertical survey on Lot 14, Eagles Ridge, Phase 2, a subdivision in Section 15, Township 4 South, Range 17 East, Columbia County, Florida (Tax parcel # 08355-514). A level run was performed to the site, from a Nail & Disc (PCP), found at the centerline intersection of Valerie Court and SE Bennie Lane, with an elevation of 144.71', NGVD 1929. We have determined the following:

- The Eagles Ridge, Phase 2 subdivision plat has requires the minimum finish floor elevation to be 125.0'.
- We have set a TBM (nail in service power pole) at 130.0'.
- We have located the actual ground elevation (at the proposed building location) with an elevation of 130.0'.

If you have any questions, please call me.

Sincerely,



Scott Daniel, PSM

WARRANTY DEED

This Warranty Deed made and executed the 11th day of October A.D. 2012, by **SUBRANDY LIMITED PARTNERSHIP**, a Florida limited partnership, hereinafter called the grantor, to **MATTHEW RAY CUPP**, Whose post office address is 7964 86th Street, Live Oak, FL 32060, hereinafter called the grantee:

(Wherever used herein the terms "Grantor" and "Grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporation)

Witnesseth: That the grantor, for the consideration of the sum of \$ 10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in Columbia County, Florida, viz

LOT 14, EAGLES RIDGE PHASE 2, a subdivision as recorded in Plat Book 7, Pages 172-173, Columbia County, Florida, subject to Restrictions recorded in O.R. Book 1016, Pages 1096-1099, Columbia County, Florida, and subject to Power Line Easement.


Together with all the tenements, hereditaments and appurtenances thereto belong or in any-wise appertaining.


To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple: that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2011.


In Witness Whereof, the said grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in our presence:


Signature of Witness

 L.S.
Bradley N. Dicks, General Partner
Subrandy Limited Partnership

Timothy A. Delbene
Print name of Witness


Signature of witness


Tanya A. D. Buchner
Print name of Witness

State of Florida
County of Columbia

I HEREBY CERTIFY that on this day, before me, an officer duly authorized in the State aforesaid and in the County aforesaid to take acknowledgments, personally appeared Bradley N. Dicks, who is personally known to me to be the person described in and who executed the foregoing instrument, who was not required to furnish identification, and he acknowledged before me that he executed the same and who did not take an oath.

WITNESS my hand and official seal in the County and State last aforesaid this 11th day of October, A.D. 2012

This instrument prepared by: Bradley N. Dicks
Address: P.O. Box 513 Lake City, FL 32056



"EAGLES RIDGE PHASE 2"

IN SECTION 15, TOWNSHIP 4 SOUTH, RANGE 17 EAST,
COLUMBIA COUNTY, FLORIDA


PLAT BOOK 7
PAGES 173
SHEET 2 OF 2

SCALE: 1" = 100'



CURVE TABLE

PI	RADIUS	DELTA	ARC	CHORD	CHORD BEARING
1	100.00	90°00'00"	157.08	157.08	S 45°00'00" W
2	100.00	45°00'00"	78.54	78.54	S 22°30'00" W
3	100.00	30°00'00"	51.69	51.69	S 15°00'00" W
4	100.00	15°00'00"	25.84	25.84	S 7°30'00" W
5	100.00	09°00'00"	15.71	15.71	S 4°30'00" W
6	100.00	04°30'00"	7.86	7.86	S 2°15'00" W
7	100.00	02°15'00"	3.93	3.93	S 1°07'30" W



LINE TABLE

STATION	BEARING	DISTANCE	CUMULATIVE DISTANCE
1	S 45°00'00" W	157.08	157.08
2	S 22°30'00" W	78.54	235.62
3	S 15°00'00" W	51.69	287.31
4	S 7°30'00" W	25.84	313.15
5	S 4°30'00" W	15.71	328.86
6	S 2°15'00" W	7.86	336.72
7	S 1°07'30" W	3.93	340.65

LINE TABLE

STATION	BEARING	DISTANCE	CUMULATIVE DISTANCE
1	S 45°00'00" W	157.08	157.08
2	S 22°30'00" W	78.54	235.62
3	S 15°00'00" W	51.69	287.31
4	S 7°30'00" W	25.84	313.15
5	S 4°30'00" W	15.71	328.86
6	S 2°15'00" W	7.86	336.72
7	S 1°07'30" W	3.93	340.65

100 YEAR FLOOD MOVED
STATIONS 11, 12, 13, 14, 15, 16, 17, 18, AND 19
ARE SUBJECT TO THE 100 YEAR FLOOD. THE 100 YEAR FLOOD
IS ESTABLISHED TO BE 175.00 FEET AND A MINIMUM FLOOR
ELEVATION HAS BEEN ESTABLISHED TO BE 125.00 FEET BY
COURT ORDER, RE #23046.

DEVELOPER:

SUBDIVISION LOTS 1-24
2400 1/2 MI. HWY 20 W. LAKE CITY, FLORIDA 32055
305-720-2000



BRITT SURVEYING
LAND SURVEYORS AND MAPPERS

800 WEST GUNWAL STREET
LAKE CITY, FLORIDA 32055

TELEPHONE: (904) 720-2100 FAX: (904) 720-2101 WORK ORDER # 1-11079



ALL RIGHTS ARE RESERVED
BY THE SURVEYOR
P. DEWITT CASON
STATE OF FLORIDA
COLUMBIA COUNTY, FLORIDA
RECEIVED

OFFICIAL RECORDS
BOOK 173 PAGE 173

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER _____

CONTRACTOR

Rusty Knowles

PHONE

755-6441

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name _____ License #: _____	Signature _____ Phone #: _____
MECHANICAL/ A/C <u>B 701</u>	Print Name <u>Robert Grant</u> License #: <u>CAC1814931</u>	Signature <u>[Signature]</u> Phone #: <u>800-859-3708</u>
PLUMBING/ GAS	Print Name <u>Rusty Knowles</u> License #: <u>IL11038219</u>	Signature <u>[Signature]</u> Phone #: <u>386-755-6441</u>

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

65

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1212-25 CONTRACTOR Busty Knowles PHONE 755-6441

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name <u>Matthew Cupp</u> License #: <u>owner</u>	Signature <u>Matthew Cupp</u> Phone #: <u>386-209-3316</u>
MECHANICAL/ A/C	Print Name _____ License #: _____	Signature _____ Phone #: _____
PLUMBING/ GAS	Print Name _____ License #: _____	Signature _____ Phone #: _____

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; Identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Contractor Forms: Subcontractor form: 1/11

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150.

I, Rusty L. Knowles, license number IH 1038219
Please Print
do hereby state that the installation of the manufactured home for Matthew
Cupp at 316 SE Valerie Ct
Applicant
911 Address
will be done under my supervision.

[Signature]
Signature

Sworn to and subscribed before me this 5 day of December,
2012.

Notary Public: Shirley M. Bennett
Signature

My Commission Expires: 9-10-16
Date



850 349205631

56



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 12-2559
DATE PAID: 12-14-12
FEE PAID: 425.00
RECEIPT #: 1091656

APPLICATION FOR:

[] New System [☒ Existing System [] Holding Tank [] Innovative
[] Repair [] Abandonment [] Temporary []

APPLICANT: Matthew CuppAGENT: Wendy GrennellTELEPHONE: 386-288-2428MAILING ADDRESS: 3104 SW Old Wire Rd Ft White FL 32038

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 14 BLOCK: NA SUBDIVISION: Eagles Ridge Phase 2 PLATTED: 2002

PROPERTY ID #: 15-45-17-08355-514 ZONING: _____ I/M OR EQUIVALENT: [Y] ☒ [N]

PROPERTY SIZE: 1 ACRES WATER SUPPLY: [☒ PRIVATE PUBLIC ☒] <=2000GPD [] >2000GPD

IS SEWER AVAILABLE AS PER 381.0065, FS? [Y] ☒ [N] DISTANCE TO SEWER: NA FT

PROPERTY ADDRESS: 316 SE Valerie Ct. Lake City FL 32025

DIRECTIONS TO PROPERTY: Price Creek Rd to Sharon Lane
turn (R) to Bonnie turn (L) to Bernie turn (L)
to Valerie Ct turn (R) 7th lot on (R)

BUILDING INFORMATION

[☒ RESIDENTIAL

[] COMMERCIAL

Unit No. Type of Establishment No. of Bedrooms Building Area Sqft Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC

NEW	1	SWMH SF Residential	3	1056	
	2				
	3				
OLD	4	DWMH	4	2128	

[] Floor/Equipment Drains [] Other (Specify) _____


SIGNATURE: Wendy GrennellDATE: 12/12/12

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 12-0559

----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = 40 feet.



Notes: _____

Site Plan submitted by: Wendy Sherrill

Plan Approved X

By: [Signature]

Not Approved _____

Columbia CHD

Agent

Date 12/20/12


County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

56

Matthew Cupp
Lot 14 Eagles Ridge

Scale 1"=40'



Windy Gennel

COLUMBIA COUNTY
FLORIDA

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 15-4S-17-08355-514

Building permit No. 000030688

Permit Holder RUSTY KNOWLES

Owner of Building MATTHEW CUPP

Location: 316 SE VALERIE CT, LAKE CITY, FL 32025

Date: 12/26/2012



[Signature]

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)



1212-25

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 12/13/2012 DATE ISSUED: 12/13/2012

ENHANCED 9-1-1 ADDRESS:

316 SE VALERIE CT

LAKE CITY FL 32025

PROPERTY APPRAISER PARCEL NUMBER:

15-4S-17-08355-514

Remarks:

RE-ISSUE OF EXISTING ADDRESS FOR NEW STRUCTURE ON PARCEL.

Address Issued By: SIGNED: / RONAL N. CROFT
Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

36

COLUMBIA COUNTY PERMIT WORKSHEET

These worksheets must be completed and signed by the installer.
Submit the originals with the packet.

Installer Rusty L. Knowles License # EH-1038219


911 Address where home is being installed 316 SE Valerie Ct
Lake City FL

Manufacturer Live Oak Length x width 16x76 box

NOTE: If home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the skelwall ties exceed 5 ft 4 in.

Installer's initials RLK



page 1 of 2

New Home ☒ Used Home ☐
Home installed to the Manufacturer's Installation Manual ☒
Home is installed in accordance with Rule 15-C ☐
Single wide ☒ Wind Zone II ☒ Wind Zone III ☐
Double wide ☐ Installation Decal # 13307
Triple/Quad ☐ Serial # ordered

PIER SPACING TABLE FOR USED HOMES (726)

Load bearing capacity	Footer size (sq ft)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	4' x 6'	3'	4'	5'	6'	7'	8'
1500 psf	4' x 6"	4'	5'	6'	7'	8'	9'
2000 psf	5' x 6"	5'	6'	7'	8'	9'	10'
2500 psf	6' x 6"	6'	7'	8'	9'	10'	11'
3000 psf	7' x 6"	7'	8'	9'	10'	11'	12'
3500 psf	8' x 6"	8'	9'	10'	11'	12'	13'

* Interpolated from Rule 15C-1 pier spacing table.

POPULAR PAD SIZES

Pad Size	Sq Ft
16 x 16	256
18 x 18	324
18 x 22.5	405
20 x 20	400
20 x 24	480
24 x 24	576
26 x 26	676

PIER PAD SIZES

I-beam pier pad size 23'4x31'6
Perimeter pier pad size NA
Other pier pad sizes (required by the rule) 16x16

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

ANCHORS

4 ft ☒ 5 ft ☒

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

OTHER TIES

Sidewall Number 28
Longitudinal NA
Marriage wall NA
Shearwall NA

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) Manufacturer NA
Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer NA

COLUMBIA COUNTY PERMIT WORKSHEET

page 2 of 2

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil ☒ without testing.

x 1.2 x 1.2 x 1.0

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1.2 x 1.2 x 1.0

TORQUE PROBE TEST

The results of the torque probe test is NA 639 11010 in pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

RLK Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Rusty L. Kwanos

Date Tested

12-5-12

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15-6-1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15-1

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15-1-1

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐ Pad ☒ Other ☐

Fastening multi wide units

Floor: Type Fastener: NA Length: _____ Spacing: _____
Walls: Type Fastener: NA Length: _____ Spacing: _____
Roof: Type Fastener: NA Length: _____ Spacing: _____
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mekew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Type gasket NA
Pg. _____

Installer's initials RLK

Installed:

Between Floors Yes ☐
Between Walls Yes ☐
Bottom of ridgebeam Yes ☐

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒
Siding on units is installed to manufacturer's specifications. Yes ☒ Pg. 15-2-7
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☐ No ☒
Dryer vent installed outside of skirting. Yes ☐ No ☒
Range downflow vent installed outside of skirting. Yes ☐ No ☒
Drain lines supported at 4 foot intervals. Yes ☒ No ☐
Electrical crossovers protected. Yes ☒ No ☐
Other: 15-1 may or may not have page #1, 2


Setup Manual

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature [Signature]

Date 12-5-12

I Beam pier 7' o.c. using 23 1/4 x 3 1/4 Abs pads
T - 6 1101V All steel Foundation from Oliver Tech



SUPPORT PIERTYP

8-19-2011

FOUNDATION NOTES:
- THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
- FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PID TYPE, SOIL CONDITION, ETC.
- FOOTINGS ARE REQUIRED AT SUPPORT POSTS, SEE INSTALLATION MANUAL FOR REQUIREMENTS.

- | | |
|------------------------------|--|
| (A) MAIN ELECTRICAL | (G) DUCT CROSSOVER |
| (B) ELECTRICAL CROSSOVER | (H) SEWER DROPS |
| (C) WATER INLET | (I) RETURN AIR (WOPT, HEAT PUMP OH DUCT) |
| (D) WATER CROSSOVER (IF ANY) | (J) SUPPLY AIR (WOPT, HEAT PUMP OH DUCT) |
| (E) GAS INLET (IF ANY) | |
| (F) GAS CROSSOVER (IF ANY) | |


Live Oak Homes
MODEL: L-5723A - 16 X 76
3-BEDROOM / 2-BATH

L-5723A

L-5723A
3-BEDROOM / 2-BATH
16 X 76 - Approx. 1056 Sq. Ft.

Matthew Cupp
Lot 14 Eagles Ridge

Scale 1"=40'



Windy Shennell