


Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

ABC
Supply Co. Inc.

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC

ABC

ABC

ENT

PRO GUARD

SYNTHETIC ROOFING UNDERLAYMENT

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

PPRO
SYNTHETIC

LÍNEA DE SUPERPOSICIÓN

with surface conditions, weather, footwear and roof pitch
cuando a las condiciones de la superficie, tipo de calzado o clima y la pendiente
ement peut varier dépendant de la température, chaussures utiliser et le toit

AP LINE


LÍNEA DE SUPERPOSICIÓN

D226 Type II,
ASTM D8257
and A220.1

Petmark 000051402
272 NW Fairway Dr
Lake City FL 32055

Supply





Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

ABC
Supply Co. Inc.

ASTM D5216 Type II
ASTM D5216

SYNTHETIC ROOFING UNDERLAYMENT
LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE

OVERLAP LINE

OVERLAP LINE

Petm ~~1~~ 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Petmit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit# 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

PRO GUARD 20



PERMIT 000051402
272 NW Fairway Dr
Lake City FL 32055

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Slip resistance may vary with surface conditions, weather, footwear and use. Always use proper safety practices. Dependence on the manufacturer's instructions.

Suppl

20 LAYMENT

ABC



CAN/CSA A123.3 and A220.1

THIS MATERIAL MAY VARY WITH SURFACE CONDITIONS, MATERIALS, METHODS, SYSTEMS AND USES.
Las condiciones de superficie, materiales, métodos, sistemas y usos pueden variar.
This material may vary with surface conditions, materials, methods, systems and uses.
Las condiciones de superficie, materiales, métodos, sistemas y usos pueden variar.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

OVERLAYMENT

SYNTHETIC ROOFING

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055






Petra 000051402
272 NW Fairway Dr
Lake City FL 32055

Petm ~~000051402~~
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



ABC
Supply Co. Inc.

Si la resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

Meets the following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8327
CAN/CSA A123.3 and A230.1

ABC
Supply Co. Inc.

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

Si la resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

Si la resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

Permit # 00005140
272 NW Fairway Dr
Lake City FL 32055

Petmick 000051402
272 NW Fairway Dr
Lake City FL 32055

meets the Following: ASTM D226 Type II.

JARD 20 INVENT

310g resistance may vary with surface conditions, weather, footwear
conditions rather than according to the surface, tips de
conditions ne glissement peut varier (important de la température, chaus

LIQUA DE SUPERPOSH

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lakewood City FL 32055



Petmick 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32755

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit 000051402
272 NW Fairway Dr
Lake City FL 32055

2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35



Permit # 0000514
272 NW Fairway Dr
Lake City FL 3205

Petmink 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055





Slip resistance may vary with surface conditions.
deslizamiento puede variar de acuerdo a las condiciones de la superficie.
La resistencia al deslizamiento puede variar dependiendo de las condiciones de la superficie.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D2266 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A133.3 and A220.1

Supply

Petmink 000051402
272 NW Fairway Dr
Lake City FL 32055





DE SUPERPOSICION

ente

ASTM D226 Type II,
e IV, ASTM D8257
A123.3 and A220.1

G

2

PERMIT

06010012 48 9 10

71001090

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

surface conditions, weather, footwear and roof pitch
condiciones de la superficie, tipo de calzado o clima y la pendiente
dépendant de la température, chaussures utiliser et le

LÍNEA DE SUPERPOSICIÓN

Meets the Following
ASTM D4869 Type
CAN/CSA A123

GU
ROOF

TUSCALO

TUSCALO

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

and roof pitch

ado o clima y la pendiente del techo
ssures utiliser et le toit pente

SICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Supply Co. inc.



Slip r
La resistencia al deslíz puedé
Le dégrée de résistan

1 028 94 33 122024 063 R

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055



Petm... 000051 02
272 NW Fairway Dr
Lake City FL 32055

Permin* 00005 L 02
272 NW Fairway Dr
Lake City FL 32065

weather, footwear and roof pitch
surface, tipo de calzado o clima y la pendiente del techo
la température, chaussures utiliser et le toit pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257

Supply Co. Inc.



Permit # 00005102
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Petmitt
272 NW Fairway Dr
Lake City FL 32045



Permit # 000051-02
272 NW Fairway Dr
Lake City, FL



Supply Co. inc.



La resistencia al desliz puede variar
Le degré de résistance au glissement

Slip resistance

OVERLAP

40028 94 33 122024 063 R

weather, footwear and roof pitch
superficie, tipo de calzado o clima y la pendiente del
la température, chaussures utiliser et le toit pente

LINEA DE SUPERPOSICIÓN

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055





Permit # 000051402
272 NW Fairway
Lake City FL 32055



Slip resistance may vary with surface conditions, weather, footwear
a al desliz puede variar de acuerdo a las condiciones de la superficie, tipo d
grée de résistance au glissement peut varier dépendant de la température, c

LÍNEA DE SUPERF

OVERLAP LINE

Co. inc.



Petmit* 000051402
272 NW Fairway Dr
Lake City FL 32055



Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

Permit # 000051402
272 NW Fairway Dr
Lake City FL 32055

AB Supply Co. Inc.

ARCO
Supply Co., Inc.

La resistencia al deslíz Slip
Le degré de résistan