	Columb	ia County	Building I	Permit	PERMIT
333/2		t Expires One Ye			000023436
	DAWSON		PHONE LAKE CITY	288-3300	FL 32025
	E DUVAL STREET		PHONE	334 793-3232	
ADDRESS 1780	GRASS HOME BUILDERS	_	=======================================	*	FL 32025
ADDRESS 1780 CONTRACTOR	LIFESTYLES DEV/KEITH		PHONE	850 656-5669	
LOCATION OF PRO		ON OLD COUNTRY O	CLUB RD, TL ON LI	NDALE GLEN,	
LOCATION OF THE	1ST LOT O				
TYPE DEVELOPME	ENT SFD,UTILITY	EST	TIMATED COST OF	CONSTRUCTION	64500.00
HEATED FLOOR A	REA 1290.00	TOTAL ARE	EA1713.00	HEIGHT	.00 STORIES 1
FOUNDATION C	CONC WALL	S FRAMED R	COOF PITCH 6/1	2 F	LOOR SLAB
LAND USE & ZONI	NG RSF-2		M	AX. HEIGHT	17
Minimum Set Back F	Requirments: STREET-F	RONT 25.00	REAR	15.00	SIDE 10.00
NO. EX.D.U. 0	FLOOD ZONE	<u>x</u>	DEVELOPMENT PI	ERMIT NO.	
PARCEL ID 03-4	S-17-07486-116	SUBDIVISIO	N HAIGHT ASHI	BURY	
LOT 16 BLC		UNIT	TO	OTAL ACRES	
		***************************************	$\overline{}$		
00000747	25.00	CC034453	An	y d	5
Culvert Permit No.		ntractor's License Nun	nber	Applicant/Owne	r/Contractor
CULVERT	05-0592-N	BK			nce New Resident
Driveway Connection	-57.		ng checked by	Approved for Issuar	ice New Resident
COMMENTS: ONE	E FOOT ABOVE THE ROAL	O, NOC ON FILE			
				Check # or C	Cash 8877
	Printer, and Control and States				Casii Gerr
	FOR BU	LDING & ZONIN	IG DEPARTMEN		(footer/Slab)
Temporary Power	date/app. by	Foundation	date/app. by	Monolithic	date/app. by
Under slab rough-in p		Slab	date app. of	Sheathing	g/Nailing
Chaci siao roagn-in p	date/app		date/app. by		date/app. by
		Rough-in plumbing ab	ove slab and below w	ood floor	
Electrical rough-in	ate/app. by				date/app. by
Licetical rough-in	date/app. by	Heat & Air Duct	date/app. by	Peri. beam (Lint	date/app. by
Permanent power _		C.O. Final		Culvert	
	date/app. by	Ċ	late/app. by	- Si	date/app. by
M/H tie downs, block	ing, electricity and plumbing	date/app	. by	Pool _	date/app. by
Reconnection		Pump pole	Utility		
M/H Pole	date/app. by Trav	date/ el Trailer	app. by	date/app. l Re-roof	У
date/app.	. by	d	ate/app. by		date/app. by
BUILDING PERMIT	FEE \$ 325.00	CERTIFICATION FE	E\$ 8.56	SURCHARG	GE FEE \$ 8.56
	a artiful W				
	STEP STATES	TERT FEE \$ 50.00	FIRE FEE &	WAS	
MISC. FEES \$.00 ZONING	CHI VERT E	_		TE FEE \$
FLOOD ZONE DEVI	.00 ZONING	CULVERT F	FIRE FEE \$ EE \$ 25.00 CLERKS OFFIC	TOTAL FE	

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

Columbia County Building Permit Application

Columbia County Building Permit Application	Revised 9-23-0
For Office Use Only Application # 0507-29 Date Received 7-11-05 By 14 Permit #	747/23436
Application Approved by - Zoning Official 61K Date 0.67.05 Plans Examiner OK 77H	
Flood Zone Posses Development Permit MA Zoning RSF-2 Land Use Plan Map Categor	OTVRES L- DEA
Comments	
(Aut needed)	
000110000	2 2
Applicants Name + My Lausson Phone 288 - Address 1780 E. Duval St. 1 AKE Cutu Fl 32025	3360
	223727
911 Address 250 SELVAGE Gla Jake City 32028	130234
Contractors Name Lye Styles Dev. Keith Plat Phone 850-10	Rose of
Address 2858 REminoton Green Cucle Tallaho	seft.
Fee Simple Owner Name & Address SPINE NONE	
Bonding Co. Name & Address OOUE	
Architect/Engineer Name & Address	
Mortgage Lenders Name & Address Work Ducket Rt 755	
Circle the correct power company - FL Power & Light - Clay Elec Suwannee Valley Elec P	rogressive Energy
Property ID Number 2345170748 6-11 6 Estimated Cost of Construction 4	2,900,00
Subdivision Name Haight ASh buy Lot 16 Block Unit	Phase
Driving Directions Baya to old Country Club take Righ	J 11/2
muson left 1st Dut padon Kight.	
O Company	
Type of Construction Sungle Family Number of Existing Dwellings on Prop	erty
Total Acreage Lot Size Do you need a Culvert Permit or Culvert Walver or Hav	e an Existing Drive
	Rear 100
FORCKES IN GHTAGE 403 TOTAL Area 1,713	Plich 6/12
Application is hereby made to obtain a permit to do work and installations as indicated. I certify that installation has commenced prior to the issuance of a permit and that all work be performed to meet all laws regulating construction in this jurisdiction.	no work or the standards of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be compliance with all applicable laws and regulating construction and zoning.	e done in
WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCED TO SECOND A NOTICE OF COMMENCED TO SECOND A NOTICE OF COMMENTS	YOU PAYING
TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.	ILT WITH YOUR
Lefestale Develop (s.	
Owner Builder or Agent (Including Contractor) Contractor Signature	P.
Contractors License Number (2	(034453
COUNTY OF COLUMBIA COUNTY OF COLUMBIA Competency Card Number NOTARY STAMP/SEAL	
Sworn to (or affirmed) and subscribed before me	11
this 25 day of May	7
Personally known or Produced Identification Commission Novary Signature	The state of
Expires February 15, 2009 Bonded Troy Fain - Insurance, Inc. 184-7019	

2/09/2005 10:52 Legal Description Maintenance Year T Property Sel 2005 R 03-45-17-07486-116 WIREGRASS HOME BUILDERS INC	Columbia County 13750 Land 001 AG 000 Bldg 000 Xfea 000 13750 TOTAL B
3	
1 LOT 16 HAIGHT-ASHBURY S/D. WD 1021-2921.	
7	
9 1111(0)11111000000000000000000000000000	
a a contration of the contrati	
13	
15	
17	
19	
ZI	
23	
25	
27	
Mnt	8/18/2004 KYLIE
F1=Task F3=Exit F4=Prompt F10=GoTo PGUP/PGDN F	F24=MoreKeys



STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number _____ ---- PART II - SITE PLAN----Scale: Each block represents 5 feet and 1 inch = 50 feet. Site Plan submitted by: Signature Plan Approved Not Approved Date County Health Department ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT DH 4015, 10/96 (Replaces HRS-H Form 4015 which may be used) (Stock Number: 5744-002-4015-6) Page 2 of 3

P/ () / P/ A

PLOT PLAN IN SECTION TOWNSHIP__4 SOUTH. 17_EAST. RANGE_ COLUMBIA COUNTY, FLA.

LOT 16 OF "HAIGHT ASHBURY", A SUBDIVISION AS PER PLAT THEREOF RECORDED IN PLAT BOOK 7 PAGE 185 OF THE PUBLIC RECORDS OF COLUMBIA COUNTY,

PLOT PLAN ONLY. THIS IS NOT A BOUNDARY SURVEY. LOT DIMENSIONS BASED ON PLAT OF RECORD.

SURVEYOR'S NOTES:

- 1. BOUNDARY BASED ON SKETCH FROM PLAT OF RECORD.
- BOUNDARY BASED ON SKETCH FROM PLAT OF RECORD.
 BEARINGS BASED ON PLAT OF RECORD.
 THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD INSURANCE RATE MAP, DATED JANUARY 6, 1988, COMMUNITY PANEL NO. 120070 0200 B.
 NO EASEMENT FOR DRAINAGE IS SHOWN ON THIS LOT IN RECORDS IN THE POSSESSION OF THIS OFFICE.
 THE IMPROVEMENTS, IF ANY, INDICATED ON THIS SURVEY DRAWING ARE AS LOCATED ON DATE OF FIELD SURVEY AS SHOWN HEREON.
 IF THEY EXIST, NO UNDERGROUND ENCROACHMENTS AND/OR UTILITIES WERE LOCATED FOR THIS SURVEY EXCEPT AS SHOWN HEREON.
 "NOT VALID WITHOUT THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER."
 CLOSURE IS NOT APPLICABLE AT THIS TIME.

- 8. CLOSURE IS NOT APPLICABLE AT THIS TIME.
- 9. THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF AN ABSTRACT OR TITLE POLICY. THEREFORE EXCEPTION IS MADE HEREON REGARDING EASEMENTS, RESERVATIONS, RESTRICTIONS, AND/OR TITLE CONFLICTS OF RECORD, IF ANY, NOT PROVIDED BY THE CLIENT OR HIS AGENTS.
- 10. CERTIFIED TO:

SYMBOL LEGEND

- CONCRETE MONUMENT FOUND
 CONCRETE MONUMENT SET, LS 4708
 IRON PIN OR PIPE FOUND
 5/8" IRON ROD SET, LS 4708

 "X— WIRE FENCE
 E— ELECTRIC UTILITY LINE (OVERHEAD)
 UGE UNDERGROUND ELECTRIC SERVICE
 CTV CABLE TV LINE (OVERHEAD)
 "O CHAIN LINK FENCE
 "O WOODEN FENCE

- ♦ WOODEN FENCE

 CMP CORRUGATED METAL PIPE

 RCP REINFORCED CONCRETE PIPE

 LS LAND SURVEYOR
- LICENSED BUSINESS
- OFFICIAL RECORD BOOK ORR
- PERMANENT REFERENCE MONUMENT PERMANENT CONTROL POINT PRM
- PCP
- UTILITY POLE
 RIGHT-OF-WAY
- R/W
- NO IDENTIFICATION FLA. DEPT. OF TRANSPORTATION NO ID. FLA. D.O.T.
 - CENTERLINE Œ
 - CONCRETE MONUMENT C.M.
 - IRON ROD I.R.
 - IRON PIPE I.P

MARK D. DUREN, P.S.M. LS 4708

1604 SW SISTERS WELCOME ROAD LAKE CITY, FLA. 32025 (386) 758-9831 OFFICE (386) 758-8010 FAX

FIELD SURVEY DATE DRAWN FORWI	DATE N MAY 3. REGRASS	ZOO5 HOMES	
EIEI D. BOOK	N/A P	AGE	

35 L 35 L DRAWN BY M. DURENZ 75-WO#_

SEE 00-417PH1_FP_05.05.04

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs Residential Whole Building Performance Method A

Pro	ect	Nar	ne:
-----	-----	-----	-----

Lot 16 Haight Ashbury

Address: City, State: Owner:

Lake City, FI 32055-0000 **Wiregrass Properties**

Climate Zone:

North

Builder:

Permitting Office: Columbia Permit Number: 234 36

Jurisdiction Number: 22/000

1.	New construction or existing		New	_	12. Coo	oling systems		
2.	Single family or multi-family		Single family	_	a. Cer	ntral Unit	Cap: 24.0 kBtu/hr	_
3.	Number of units, if multi-family		1	_			SEER: 10.00	-
4.	Number of Bedrooms		3	_	b. N/A	A		_
5.	Is this a worst case?		Yes					
6.	Conditioned floor area (ft²)		1290 ft ²		c. N/A	A		
7.	Glass area & type	Single Pane	Double Pane	_				_
a.	Clear glass, default U-factor	0.0 ft ²	95.0 ft ²		13. Hea	ating systems		
2000	. Default tint	0.0 ft ²	0.0 ft ²	_	a. Ele	ectric Heat Pump	Cap: 24.0 kBtu/hr	_
c.	Labeled U or SHGC	0.0 ft ²	0.0 ft ²				HSPF: 8.30	
8.	Floor types	217.77			b. N/A	A		_
a.	Slab-On-Grade Edge Insulation	R=	0.0, 146.0(p) ft					_
5000	. N/A				c. N/A	A		_
C.	N/A							_
9.	Wall types			_	14. Ho	t water systems		
a	. Frame, Wood, Exterior	R=	13.0, 1168.0 ft ²		a. Ele	ectric Resistance	Cap: 42.0 gallons	_
1111000	. N/A						EF: 0.92	_
C.	. N/A				b. N/A	A		_
d	. N/A							
	. N/A			11	c. Co	enservation credits		
e.	Ceiling types				(HI	R-Heat recovery, Solar		
775,5657%	. Under Attic	R=	30.0, 1290.0 ft ²		DI	HP-Dedicated heat pump)		
(8)	. N/A				15. HV	VAC credits	PT, CF,	
4.5	. N/A			-	(CI	F-Ceiling fan, CV-Cross ventilation,		
11.	Ducts				HI	F-Whole house fan,		
a	. Sup: Unc. Ret: Unc. AH: Garage	Sup	. R=6.0, 35.0 ft		PT	Γ-Programmable Thermostat,		
1 22	. N/A				M	Z-C-Multizone cooling,		
					M	Z-H-Multizone heating)		

Glass/Floor Area: 0.07

Total as-built points: 18807 Total base points: 22303

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY:

7-18-05

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _

DATE:

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

BUILDING OFFICIAL: _ DATE:

EnergyGauge® (Version: FLRCPB v3.30)

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE SCORE* = 85.6

The higher the score, the more efficient the home.

Wiregrass Properties, , Lake City, FI, 32055-0000

1	New construction or existing		New		12	Cooling systems		
1. 2.	Single family or multi-family		Single family	_		Central Unit	Cap: 24.0 kBtu/hr	
3.	Number of units, if multi-family		onigic family	_	ca.	Contain Onit	SEER: 10.00	
	Number of Bedrooms		3	_	h	N/A	DDD11. 10.00	
4.	Is this a worst case?		Yes	_	U.	N/A		
5.			1290 ft ²	_		N/A		_
6.	Conditioned floor area (ft²)	a: . n			U.	IVA		_
7.	Glass area & type	Single Pane	Double Pane	_	12	Heating systems		_
	Clear - single pane	0.0 ft ²	95.0 ft ²	_		Electric Heat Pump	Cap: 24.0 kBtu/hr	
	Clear - double pane	0.0 ft ²	0.0 ft²	_	a.	Electric Heat Fullip	HSPF: 8.30	_
	Tint/other SHGC - single pane	0.0 ft ²	0.0 ft ²	_		N/A	11511. 8.30	_
	Tint/other SHGC - double pane				D.	N/A		-
8.	Floor types			_		NT/A		-
	Slab-On-Grade Edge Insulation	K=0	0.0, 146.0(p) ft	-	C.	N/A		_
	N/A			_		••		_
	N/A		160			Hot water systems	C 42 011	
9.	Wall types	-		_	a.	Electric Resistance	Cap: 42.0 gallons	-
	Frame, Wood, Exterior	R=1	3.0, 1168.0 ft ²	_	-		EF: 0.92	_
377	N/A			_	b.	N/A		_
	N/A			_				_
d.	. N/A			_	C.	Conservation credits		
e.	N/A					(HR-Heat recovery, Solar		
10.	Ceiling types			_		DHP-Dedicated heat pump)		
a.	Under Attic	R=3	30.0, 1290.0 ft ²	_	15.	HVAC credits	PT, CF,	
b	. N/A			_		(CF-Ceiling fan, CV-Cross ventilation,		
C.	N/A					HF-Whole house fan,		
11.	Ducts			_		PT-Programmable Thermostat,		
a.	Sup: Unc. Ret: Unc. AH: Garage	Sup.	R=6.0, 35.0 ft	_		MZ-C-Multizone cooling,		
b	. N/A					MZ-H-Multizone heating)		
I ce	ertify that this home has compli	ed with the	Florida Ener	gy Effi	cien	cy Code For Building		
Con	nstruction through the above er	ergy saving	features whi	ch will	be i	installed (or exceeded)	OF THE STATE	a
	his home before final inspectio						3	B
	ed on installed Code compliant		Section of the sectio	•			13/23	31
Out								100

*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is <u>not</u> a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStath designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.

Date:

City/FL Zip: ____

Builder Signature: _

Address of New Home: ___

EnergyGauge® (Version: FLRCPB v3.30)




SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , Lake City, FI, 32055-0000 PERMIT #:

	BASE		6			AS-	BUI	LT				
GLASS TYPES .18 X Condition Floor Are		SPM =	Points	Type/SC		erhang Len		Area X	SP	мх	SOF	= Points
.18 1290.0)	20.04	4653.3	Double, Clear	E	1.0	8.0	50.0	42.		0.99	2084.4
				Double, Clear	S	1.0	8.0	6.0	35.		0.98	211.8
				Double, Clear	W	1.0	8.0	15.0	38.	2000	0.99	573.1
			2.0	Double, Clear	. N	1.0	8.0	24.0	19.	20	0.99	456.7
				As-Built Total:		3		95.0				3326.0
WALL TYPES	Area >	K BSPM	= Points	Туре		R-	Value	Area	Х	SPN	1 =	Points
Adjacent	0.0	0.00	0.0	Frame, Wood, Exterior			13.0	1168.0		1.50		1752.0
Exterior	1168.0	1.70	1985.6									
Base Total:	1168.0		1985.6	As-Built Total:				1168.0				1752.0
DOOR TYPES	Area >	K BSPM	= Points	Туре				Area	Х	SPN	1 =	Points
Adjacent	0.0	0.00	0.0	Exterior Insulated				19.0		4.10		77.9
Exterior	39.0	6.10	237.9	Exterior Insulated				20.0		4.10		82.0
Base Total:	39.0		237.9	As-Built Total:				39.0				159.9
CEILING TYPES	Area)	X BSPM	= Points	Туре		R-Valu	ie /	Area X S	SPN	IX SC	CM =	Points
Under Attic	1290.0	1.73	2231.7	Under Attic			30.0	1290.0	1.73	X 1.00		2231.7
Base Total:	1290.0		2231.7	As-Built Total:				1290.0				2231.7
FLOOR TYPES	Area 2	X BSPM	= Points	Туре		R-	Value	Area	Х	SPN	/ =	Points
Slab	146.0(p)	-37.0	-5402.0	Slab-On-Grade Edge Insulati	on		0.0	146.0(p		-41.20		-6015.2
Raised	0.0	0.00	0.0	500								
Base Total:			-5402.0	As-Built Total:				146.0				-6015.2
INFILTRATION	Area	X BSPM	= Points					Area	X	SPN	/1 =	Points
	1290.0	10.21	13170.9					1290	.0	10.2	1	13170.9

EnergyGauge® DCA Form 600A-2001




SUMMER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , Lake City, FI, 32055-0000 PERMIT #:

	BA	SE			AS-BUILT										
Summer Bas	se Po	ints:	3	16877.4	Summer	As	-Built	Po	ints:					14	4625.3
Total Summer Points		ystem lultiplier	=	Cooling Points	Total Component	Х	Cap Ratio		Duct Multiplie	r	System Multiplier		Credit Multiplie	= r	Cooling
16877.4	0.	4266		7199.9	14625.3 14625.3		1.000	(1.0	90 x 1.147 1.250		0.341 0.341		0.902 0.902		5632.2 6 632.2

EnergyGauge™ DCA Form 600A-2001




WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , Lake City, FI, 32055-0000 PERMIT #:

E	BASE	15		AS-BUILT									
GLASS TYPES .18 X Conditione Floor Area		WPM =	Points	Type/SC	Ove Omt	erhang Len	Hgt	Area X	w	РМ Х	WOF	= Points	
.18 1290.0		12.74	2958.2	Double, Clear	Ε	1.0	8.0	50.0		.79	1.01	947.5	
				Double, Clear	S	1.0	8.0	6.0		.30	1.00	79.5	
		*		Double, Clear	W	1.0	8.0	15.0		.73	1.00	311.7	
				Double, Clear	N	1.0	8.0	24.0	24	.58	1.00	589.7	
				As-Built Total:		-		95.0				1928.4	
WALL TYPES	Area X	BWPM	= Points	Туре		R-\	/alue	Area	Х	WPM	=	Points	
Adjacent	0.0	0.00	0.0	Frame, Wood, Exterior			13.0	1168.0		3.40		3971.2	
And a second	1168.0	3.70	4321.6										
Base Total:	1168.0		4321.6	As-Built Total:		-		1168.0				3971.2	
DOOR TYPES	Area X	BWPM	= Points	Туре				Area	Х	WPN	=	Points	
Adjacent	0.0	0.00	0.0	Exterior Insulated				19.0		8.40		159.6	
Exterior	39.0	12.30	479.7	Exterior Insulated				20.0		8.40		168.0	
Base Total:	39.0		479.7	As-Built Total:				39.0				327.6	
CEILING TYPES	Area X	BWPM	= Points	Туре	R	-Value	Ar	ea X W	PN	1 X WC	:M =	Points	
Under Attic	1290.0	2.05	2644.5	Under Attic			30.0	1290.0	2.0	5 X 1.00		2644.5	
Base Total:	1290.0		2644.5	As-Built Total:				1290.0				2644.5	
FLOOR TYPES	Area X	BWPM	= Points	Туре		R-	Value	Area	Х	WPM	1 =	Points	
Slab 14	46.0(p)	8.9	1299.4	Slab-On-Grade Edge Insulation	on		0.0	146.0(p		18.80		2744.8	
Raised	0.0	0.00	0.0					10					
Base Total:			1299.4	As-Built Total:				146.0				2744.8	
INFILTRATION	Area X	BWPM	= Points	r _o de				Area	Х	WPM	1 =	Points	
	1290.0	-0.59	-761.1					1290	.0	-0.59)	-761.1	

EnergyGauge® DCA Form 600A-2001




WINTER CALCULATIONS

Residential Whole Building Performance Method A - Details

ADDRESS: , Lake City, FI, 32055-0000 PERMIT #:

×	E	BASE			AS-BUILT										
Winter Base	e P	oints:		10942.3	Winter A	s-E	Built P	oir	nts:					10	0855.4
Total Winter Points	Total Winter X System = Heating Points Multiplier Points					X	Cap Ratio		Duct Multiplie		System Multiplier		Credit Multiplier	= r	Heating Points
10942.3		0.6274		6865.2	10855.4 10855.4		1.000 1.00	(1.0	069 x 1.169 : 1.250		0.411 0.411		0.950 0.950	5	5294.7 5294.7

EnergyGauge™ DCA Form 600A-2001



WATER HEATING & CODE COMPLIANCE STATUS

Residential Whole Building Performance Method A - Details

ADDRESS: , Lake City, FI, 32055-0000 PERMIT #:


	В	ASE			AS-BUILT									
WATER HEA Number of Bedrooms						EF	Number of Bedrooms	х	Tank X Ratio	Multiplier X	Credit =			
3		2746.00		8238.0	42.0	0.92	3		1.00	2626.61	1.00	7879.8		
					As-Built To	otal:						7879.8		

CODE COMPLIANCE STATUS													
BASE				AS-BUILT									
Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	=	Total Points
7200		6865		8238		22303	5632		5295		7880		18807

PASS



EnergyGauge™ DCA Form 600A-2001



Prepared BY:

James R. Guerino

2858 Remington Green Circle Tallahassee. Florida 32308

Inst:2005010735 Date:05/09/2005 Time:09:33 DC,P. DeWitt Cason,Columbia County B:1045 P:1277

NOTICE OF COMMENCEMENT

To whom it may concern:

The undersigned hereby informs you that improvements

Section	made to certain real property, and in accordance with 7 1 3.13 of (lie Florida Statutes, the following information d in this NOTICE OF COMMENCEMENT.
1.	Description of Property: (Legal description and street address, if available).
	LOT 16 HAIGHT AShBURY 5/0 COLUMBIA CO., FL.
2.	General description of improvements: MAPLE C MODEL SEE RESIDENCE
3.	Owner's Information: Name: WikeGRAS / One Builders inc. Address: Po. Box 2253 DOTHAN, ALA, 36302 Interest In Property: 100 %—— See simple Name and Address of fee simple titleholder (if other than owner):
4.	Contractor Information: Name: Lifety Les Development Co. Address: 2858 Reministran Green Circle Tally FL 32308 Fax No.: 850 6569226 Telephone No.: 850 6565669
5.	Surety Information: Name: Address: Amount of Bond: Fax No.: Name: Address: Address: Name: Address:
6.	Lender Information: Name: Address: Fax No.: Name: Telephone No.:
7.	Identity of person within the State of Florida designated by owner upon whom notices or other documents may be served: Name: Thirds Guerino 250 Address: 2858 Reministration Graen CAR. TALL FL 32308 Fax No.: Telephone No.:
8.	In addition to himself, owner designates the following person to receive a copy of lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes. Name: For Rest Booke Address: 22 52 Rentingran Green Circle TALLEL 32308 Fax No.: 250 6669226
9.	Expiration date of Notice of Commencement (the expiration dale is I year from the date of recording unless a different date is specified:
	SIGNATURE OF OWNER TAMES GUS RINO
	E OF FLORIDA TY OF LEON
hv -	The foregoing instrument was acknowledged before me this
~ 9	

Clerk of Courts Signature of Notary / Deputy Clerk



E:\MYDOCU~1\Guerino Notice Of Commencer

Columbia County Building Department Culvert Permit

Culvert Permit No. 000000747

DATE 08/01	1/2005	PARCEL ID # 03-4S-17-07	486-116			
APPLICANT	AMY DAWSON		PHONE	288-3360		
ADDRESS 1	780 E DUVAL ST	LAF	KE CITY		FL	32025
OWNER WI	REGRASS HOME BUILDE	ERS	PHONE	334-793-323	2	
ADDRESS 25	0 SE LINDALE GLEN	LAI	KE CITY	FL	FL	32025
CONTRACTOR	KEITH PLATT		PHONE	850-656-566	9	
LOCATION OF	PROPERTY BAYA	AVE, R OLD COUNTRY CLUB F	RD, RIGHT IN	ITO HEIGHT A	SHBU	JRY
THEN 1ST DIRT P	AD ON THE RIGHT					
SUBDIVISION	LOT/BLOCK/PHASE	/UNIT HAIGHT ASHBURY		16		
	_/\					
SIGNATURE	Am	1 dus	9			
	INSTALLATION R	EQUIREMENTS				
X	Culvert size will be 1	8 inches in diameter with a to	otal lenght o	of 32 feet, lea	ving	24 feet of
	driving surface. Both thick reinforced conci	ends will be mitered 4 foot wrete slab.	vith a 4:1 s	lope and pou	ired v	vith a 4 inch
	 a) a majority of the b) the driveway to be Turnouts shall be concrete or paved 	OTE: Turnouts will be require current and existing driveway be served will be paved or for concrete or paved a minimum driveway, whichever is greating paved or concreted turnout	y turnouts a med with con of 12 feet ter. The wice	re paved, or; oncrete. wide or the	width	
	Culvert installation sh	all conform to the approved s	site plan sta	ndards.		
	Department of Transp	ortation Permit installation ap	oproved star	ndards.		
	Other					
	12					
	11-					
	FETY REQUIREMENTS:	SHOULD BE FOLLOWED LVERT.			Á	WELL COL
					$\mathcal{O}_{\mathcal{O}}$	

135 NE Hernando Ave., Suite B-21 Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00



New Construction Subterranean Termite Soil Treatment Record

All contracts for services are between the Pest Control Operator and builder, unless stated otherwise.

OMB Approval No. 2502-0525 (exp. 10/31/2005)


This form is completed by the licensed Pest Control Company.

Public reporting burden for this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. This information is mandatory and is required to obtain benefits. HUD may not collect this information, and you are not required to complete this form, unless it displays a currently valid OMB control number.

Section 24 CFR 200.926d(b)(3) requires that the sites for HUD insured structures must be free of termite hazards. This information collection requires the builder to certify that an authorized Pest Control company performed all required treatment for termites, and that the builder guarantees the treated area against infestation for one year. Builders, pest control companies, mortgage lenders, homebuyers, and HUD as a record of treatment for specific homes will use the information collected. The information is not considered confidential.

This report is submitted for informational purposes to the builder on proposed (new) construction cases when soil treatment for prevention of subterranean termite infestation is specified by the builder, architect, or required by the lender, architect, FHA, or VA.

世23年36 Section 1: General Information (Treating Company Information) Company Name: Aspen Pest Control, Inc. Company Address: 301 NW Cole Terrace _ City State Company Business License No. _ Company Phone No. FHA/VA Case No. (if any) _ Section 2: Builder Information Company Name: Wire grass _ Company Phone No. Section 3: Property Information Location of Structure(s) Treated (Street Address or Legal Description, City, State and Zip) ____ Type of Construction (More than one box may be checked) Z Slab ☐ Basement ☐ Crawl ☐ Other Approximate Depth of Footing: Outside _ Inside Type of Fill Section 4: Treatment Information Date(s) of Treatment(s)_ Brand Name of Product(s) Used _ EPA Registration No. ___ Approximate Final Mix Solution % Linear ft. of Masonry Voids Approximate Size of Treatment Area: Sq. ft. Linear ft. Approximate Total Gallons of Solution Applied _ ☐ Yes No No Was treatment completed on exterior? Yes ☐ No Service Agreement Available? Note: Some state laws require service agreements to be issued. This form does not preempt state law. Attachments (List) Comments_ System Bronner Certification No. (if required by State law) JF104376 Name of Applicator(s) The applicator has used a product in accordance with the product label and state requirements. All treatment materials and methods used comply with state and federal regulations. 8-10.05 Authorized Signature Warning: HUD will prosecute false claims and statements. Conviction may result in criminal and/or civil penalties. (18 U.S.C. 1001, 1010. 1012; 31 U.S.C. 3729, 3802) Form NPCA-99-B may still be used form HUD-NPCA-99-B (04/2003) Reorder Product #2581 • From Crown Graphics, Inc. • 1-800-252-4011



(Business Places Only)