20 mar 2024 1:01:14 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:01:15 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


HERITAGE
20 mar 2024 1:42:15 p. m.

20 mar 2024 1:42:04 p. m.


20 mar 2024 1:42:08 p. m.


20 mar 2024 1:42:13 p. m.

19 mar 2024 7:25:17 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

ROOFGUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

Supply Co. Inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ERPOSICIÓN
...twear and roof pitch
...o de calzado o clima y la pendiente del techo
...re, chaussures utiliser et le toit pente

LÍNEA DE
...surface conditions, weat
...condiciones de la superf
...ement varier dépendant de la tem

OVERLAINE
...resistance may vary
...de variar de acuerdo a
...ance au glissement

400 26 6 1 54 1234 23 062 L

GUARD 20


IC ROOFING UNDERLAYMENT

tions, weather, footwear and roof pitch
de la superfice, tipo de calzado o clima y la pendiente d
ant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

19 mar 2024 7:24:33 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


SYNTHETIC ROOFING UNDER
PRO GUARD
LÍNEA DE SUPERPOSICIÓN
Meets the Following: ASTM D2
ASTM D4869 Type IV, ASTM
CAN/CSA A123.3 and A22
OVERLAP
Slip resistance may
19 mar 2024 7:24:49 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


SYNTHETIC
OVERLAYMENT
ABC Supply Co. inc.
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
techo
19 mar 2024 7:24:58 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:24:55 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida




Supply Co. inc.
PRO
SYNTHETIC

19 mar 2024 7:25:07 p. m.
Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:25:50 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

PRO GUARD

ABC Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

techo

UNA DE SUPERPOSICIÓN

footwear and root pitch
tipo de calzado o clima y la pendien
temperature, chaussures utiliser et le toit p
Surface conditions, weather, footwear and roof pitch
Condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Conditions de surface, température, chaussures utiliser et le toit plat

SYNTHETIC R

Meet the Following: ASTM D226 Type II, D4869 Type IV, ASTM D8257 AN/CSA A123.3 and A220.1

Slip resistance may vary with surface conditions, weather, footwear and roof
Slip resistance de acuerdo a las condiciones de la superficie, tipo de calzado y
Slip résistance de acuerdo a las condiciones de la température, chaussures
DISPOSICIÓN

PRO

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE

PRO

LAYMENT

19 mar 2024 7:25:09 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

GUARD

UNDERLAYMENT

ROOFING

20

OVERLAP LINE

LÍNEA DE

Slip resistance may vary with surface conditions, w

La résistance au glissement peut varier dépendant de la te

La resistencia al desliz puede variar de acuerdo a las condiciones de la sup

Le degrée de résistance au glissement peut varier dépendant de la te

KOBALT

Type II,

ASTM D4869 Type IV, ASTM D82

ets the Following: ASTM D226 Ty

19 mar 2024 7:25:19 p. m.

169 Southwest Pheasant Way

Lake City

Columbia County

Florida

19 mar 2024 7:25:43 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT
ABC Supply Co. inc.
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

19 mar 2024 7:25:42 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT
ABC Supply Co. inc.
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le dégrée de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente
OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

GUARD 20

ROOFING UNDERLAYMENT

Supply Co. Inc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

19 mar 2024 7:26:03 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:51:24 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

ETIC ROOFING UNDERLAYM

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
ouede variar de acuerdo a las condiciones de la superfice, tipo de calzado o clima y la pendiente del techo
sistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

19 mar 2024 7:25:52 p. m.
Southwest Pheasant Way
Lake City
Columbia County
Florida

PRO GU

SYNTHETIC ROOF

ADS

Supply Co. inc.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

19 mar 2024 7:26:05 p.m.
Southwest Pheasant Way
Lake City
Columbia County
Florida


GUARD 20
ABC
La resistencia al
Le dégrée
19 mar 2024 7:51:56 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:51:23 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


Meets the Following
ASTM D4869 Ty
CAN/CSA A
Slip resistance may vary with
OVERLAP LINE
UNDER
19 mar 2024 7:51:29 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

ABC
pply Co. Inc.

La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie
La dégrée de résistance au glissement peut varier dépendant de la tempé

Slip resistance may vary with surface conditions,

OVERLAP LINE

LÍNEA DE SU

5 6 7 8 9 10 11 12 13 14 15 16 17 18

19 mar 2024 7:51:34 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


Following: ASTM D226 Type II,
D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
ABC
Supply Co. inc.
5
La resistencia a
Le dégré de
4002645921 2362336L
Slip resi
puede va
sistance a
OV
19 mar 2024 7:51:52 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

ABC Supply Co. inc.


5 La resistencia al desliz puede variar d acuerdo a las
Le dégrée de résistance au glissement peut va

4002845931 236 2336L


OVERHANG LINE


5 6 7 8 9 10 11 12 13 14 15 16 17 18

19 mar 2024 7:51:43 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


ABC
PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT
Meets the Following
ASTM D4869 Type IV, AS
CAN/CSA A123.3 and
KOBALT
Slip resistance may vary
19 mar 2024 7:52:03 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:52:35 p. m.
Southwest Pheasant Way
Lake City
Columbia County
Florida


GUARD 20
ETIC ROOFING UNDER
AYMENT
ABC
Supply Co. Inc.
20
YMENT
ABC
PR
SYNT
Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
LÍNEA DE SUPERPOSICIÓN
ABC
Supply
LÍNEA DE SUPERPOSICIÓN
ROOF
19 mar 2024 7:52:11 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


PRO G
SUPERSTRUCTURE
ABC
Supply Co. Inc.
Meets the following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1
SUPERSTRUCTURE
SUPERSTRUCTURE
SUPERSTRUCTURE

19 mar 2024 7:52:31 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

DERLAYMENT

RD 20

PRO

SYNTHETIC

ABC
Supply Co. Inc.

ASTM D226 Type II,
e IV, ASTM D8257
8.3 and A220.1

La resistencia al deslíz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado y otros factores.
Le dégrée de résistance au glissement peut varier dépendant de la température, conditions météo et autres.
400 260 1 54 12345 062 R

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN

19 mar 2024 7:52:20 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:53:13 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


20 mar 2024 1:00:34 p. m.

20 mar 2024 1:00:44 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:00:52 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:00:51 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:00:55 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:01:00 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:01:01 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:01:03 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

20 mar 2024 1:01:04 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


19 mar 2024 10:38:31 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida
KOBALT
16ft

19 mar 2024 8:47:40 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


KOBALT
NYLON COAT
16ft
19 mar 2024 10:37:38 a. m.

19 mar 2024 10:37:50 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


19 mar 2024 10:38:29 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida
KOBALT
NYLON COAT



19 mar 2024 10:38:54 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 10:39:06 a. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


PRO GUARD
SYNTHETIC ROOFING UNDE
Slip resistance may vary
La resistencia al desliz puede variar de acuerdo a
Le dégrée de résistance au glissement pe
OVERLAP LIN
rface conditions, weather, footwear and roof pitch
ndiciones de la superfice, tipo de calzado o clima y la pendiente del techo
er dépendant de la température, chaussures utiliser et le toit pente
LÍNEA DE SUPERPOSICIÓN
Meets the Following: AST
ASTM D4869 Type IV, A
CAN/CSA A123.3 and
19 mar 2024 7:24:10 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 3:50:28 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 3:49:05 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


PRO GUARD
SYNTHETIC ROOFING UNDE
Slip resistance may vary
La resistencia al desliz puede variar de acuerdo a
Le dégrée de résistance au glissement pe
rface conditions, weather, footwear and roof pitch
ndiciones de la superfice, tipo de calzado o clima y la pendiente del techo
er dépendant de la température, chaussures utiliser et le toit pente
OVERLAP LIN
LÍNEA DE SUPERPOSICIÓN
Meets the Following: ASTM D
ASTM D4869 Type IV, ASTM
CAN/CSA A123.3 and A22
19 mar 2024 7:24:11 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

19 mar 2024 7:24:19 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

Slip resistance may vary with surface conditions, weather, footwear and roof pitch

La resistencia al desliz puede variar de acuerdo con las condiciones de la superficie, el calzado o clima y la pendiente del techo

La résistance au glissement peut varier selon l'état de la surface, les chaussures utiliser et le toit pente

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

Meets the
ASTM D
CAN/

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

19 mar 2024 7:24:13 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

f pitch
clima y la pendiente del techo
utiliser et le toit pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257

ABC Supply Co. inc.

La resistencia
Le dégr

400266154123423 062 C

UARD 20

NG UNDERLAYMENT

19 mar 2024 7:24:35 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida


D226 Type II,
ASTM D8257
3.3 and A220.1
ABC
Supply Co. inc.
JARD
19 mar 2024 7:24:24 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida

ROOFING UNDERLAYMENT

ace conditions, weather, footwear and roof pitch
iciones de la superfice, tipo de calzado o clima y la pendiente del techo
lépendant de la température, chaussures utiliser et le toit pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
220.1

Supply C

19 mar 2024 7:24:26 p. m.
169 Southwest Pheasant Way
Lake City
Columbia County
Florida