Cool and Cobb Engineering Company

Date:

4/10/2025

. . .

Job:

Traci Murray

Location:

2960 SE County Rd 252, Lake City, FL 32025

CRAWL SPACE JACK DESIGN ANALYSIS

The load requirements for the Crawl Space Jacks designed to assist in supporting the identified areas of the subject residence were determined. The selected Crawl Space Jack locations and the specific Crawl Space Jacks are identified on the Jack Identification and Location Plan attached. The calculated total loads on the Crawl Space Jacks in the specific location, including both dead and live loads are documented in the attached table which is designated as Attachment "A". This Crawl Space Jack design is approved and certified as meeting all the requirements of the Florida Building Code 2023 8th Edition, and good engineering practice. This is not to be the primary support structure, but a supplement support to assist in support of the weight of the structure, which will reduce the total pressure on the existing soils and reduce deflection in beams. After completion of installation, Cool and Cobb Engineering Company shall be supplied with a log of the location of each Crawl Space Jack installed so they can evaluate the installation and prepare the "As Built" drawings.

General Notes:

- 1. The Crawl Space Bracket attached in this design is approved as minimum size required for the loads.
- 2. Top plate to be secured to beam by one of the below methods:
 - Steel Beam Field spot weld, min. 2 locations each jack.
 - Wood Beam (2) Min. 2 1/2" length deck screw
- 3. Assumed allowable soil loading of 2,000 psf.
- 4. A log of each Crawl Space Jack to be kept by Contractor.

4/10/2025

Kenneth F Wheeler, P.E. State of Florida Professional Engineer No. 60417



Digitally signed by Kenneth F Wheeler Date: 2025.04.10

15:50:28 -04'00'

This item has been digitally signed and scaled by Kenneth F. Wheeler, P.E. on the date adjacent to the seal.

Project: 25-1140

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

> 203 W. Main St. Avon Park, FL 33825 Office: (863) 657-2323 Fax: (863) 657-2324

Contractor: Foundation Professionals

Foundation Legend

New W4x13 Steel Beam

where needed Existing Relocated Piers w/ shims














13 PPB 107 Crawlspace Screwjack Foundation: Pier and beam Crawlspace height: 18" Siding: Stucco Concrete block structure Built : 1940 Galvanized Steel I-Beam FPI proposes to install 124 LN ft of Roof: Metal

Avon Park, FL 33825 203 W. Main Street,

This item has been digitally signed and sealed by Kenneth F. Wheeler, P.E. on

the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any

electronic copies.

Cool and Cobb Engineering Co.

Kenneth F. Wheeler, PE #60417

4/10/2025

15:50:57 -04'00' 2025.04.10

STATE OF

Wheeler Date:

by Kenneth F Digitally signed

www.foundationprosfl.com Lake City, FL 32024 3309 SW State Road 247 (386) 755-3002 Foundation Professionals of Florida

Project Address

Murray- Crawlspace Repair

2960 SE County Rd 252 (386) 623-6637 | atzb1234@yahoo.com Traci Murray Lake City, FL 32025

Created By

estimates@foundationprosfl.com Created 3/4/2025 Admin Office (386) 755-3002



Cool and Cobb Engineering Company

Date:	4/10/2025	Project #	25-1140
Job:	Traci Murray		
Location:	2960 SE County Rd 252, Lake City, FL 32025		

Attachment "A"

Total Load on Support (Live Load + Dead Load)

SUPPORT NO.	TOTAL CALCULATE LOAI		
1	1,150	lbs	
2	1,150	lbs	
3	1,150	lbs	
4	1,150	lbs	
5	2,510	lbs	
6	2,510	lbs	
7	2,510	lbs	
8	2,150	lbs	
9	2,150	lbs	
10	2,150	Ibs	
11	2,140	lbs	
12	2,140	lbs	
13	2,140	lbs	

Maximum Total Load on Pile:

2,510 lbs



Digitally signed by Kenneth F Wheeler Date: 2025.04.10 15:51:13 -04'00'

4/10/2025

Kenneth F Wheeler, P.E. PE# 60417

This item has been digitally signed and sealed by Kenneth F. Wheeler, P.E. on the date adjacent to the seal.

Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Cool and Cobb Engineering Co. 203 W. Main St. Avon Park, FL 33825



EARTH CONTACT PRODUCTS, LLC

Product Datasheet

PPB-103 & PPB-107--Crawl Space Jack

4/10/2025 Kenneth F. Wheeler, P.E. PE #60417 Cool and Cobb Engineering Co. 203 W. Main St. Avon Park, FL 33825



PPB-103



PPB-107

Product Specifications

Anchor Style

Component

Ultimate Capacity

Shaft Material

Bearing Plate Size

PPB-103 Baseplate

PPB-107 Baseplate

Threaded Rod

Coating

Standard Package

Resistance

Crawl Space Jack

60,000 lbs.

3-1/2" O.D. x .165" Wall

5" x 6"

3-1/2" x 3-1/2"

7" x 7"


1-1/4" x 10"

Galvanized

Each

Notes

Pre-cast or poured footing provided by contractor.



TAKE YOUR SUPPORT TO THE NEXT LEVEL

ECP's new Footing Pad for supplemental support replaces the need to handle concrete or crushed gravel in confined crawl space areas. The 24" round composite Footing Pad has a capacity of 9,327 lbs. with a 3:1 Factor of Safety when used on 3,000 psi soil. This load is backed up by the ICC and ESR-2147.

ECP is offering the Footing Pad at two different price points. Full skid quantity is 68 pieces, and full skids will be priced at per Footing Pad. For quantities less than 68, the Footing Pad will be each. Please contact ECP to order your Footing Pad and Crawl Space Supports today.

Part #	Description	Qty	Price	Bulk	Price
PPB -107- FP24	24" Footing Pad for use with PPB -107	1 - 67		68 Per Skid	