STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM (OSTDS)

PERMIT NO.
DATE PAID:
FEE PAID:
RECEIPT #:

APPLICATION FOR CONSTRUCTION PERMIT

ADDITION FOR	
APPLICATION FOR: [X] New System [] Existing System [] Repair [] Abandonment	[] Holding Tank [] Innovative []
APPLICANT: LANG VICTORIA S TRUST (CROWN	MOTORS) EMAIL: NFLSEPTICTANK@COMCAST.NET
AGENT: ROBERT FORD III- NORTH FLORIDA SE	PTIC TANK INC TELEPHONE: 386-755-6372
MAILING ADDRESS: 741 SE STATE ROAD 100	, LAKE CITY FL 32025
TO BE COMPLETED BY APPLICANT OR APPLICANT'S ABY A PERSON LICENSED PURSUANT TO 489.105(3) (RAPPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENT PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION	n) OR 489.552, FLORIDA STATUTES. IT IS THE NTATION OF THE DATE THE LOT WAS CREATED OR
PROPERTY INFORMATION	OSTDS REMEDIATION PLAN? [Y / N]
LOT: BLOCK: SUBDIVISION:	PLATTED:
PROPERTY ID #: 21-4S-17-08646-000	ZONING: I/M OR EQUIVALENT: [Y / N]
PROPERTY SIZE: 1.8 ACRES WATER SUPPLY: L	PRIVATE PUBLIC [X]<=2000GPD []>2000GPD
IS SEWER AVAILABLE AS PER 381.0065, FS? [Y PROPERTY ADDRESS: TBD S US HWY 441, LAI	ODISTANCE TO SEWER: FT
	ross from Race Track Rd ow (R)
BUILDING INFORMATION [] RESIDENTI	AL [V] COMMERCIAL
OHIC Type OI	lding Commercial/Institutional System Design a Sqft Table I, Chapter 62-6, FAC
121Y231 OFFICE (44/) W/ 5"	K6' (3 BATHROOM
1	
2 employee	
3	
4	
[] Floor/Equipment Drains [] Other (Specify)DATE:
SIGNATURE:	

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION 23 · 6787 &

APPLICATION FOR CONST	TRUCTION PERMIT
1401	Permit Application Number 33-07-67
PART II - SITEPLA	Permit Application Number 3 3 4 6 6

SeeAH

Notes:		-
		, ,
Site Plan submitted by:	ond 999 Date: 11-13-2023	
Plan ApprovedBy	Not Approved	Date 1216/23 County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used) Incorporated: 62-6.004,F.A.C.

Page 2 of 4

23-0787 Crown Motors Job 1"=40'
Robardone 11-13-2023 de be - 184.8h 135' From well to seplic .DM 120 249