

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official LN Building Official JH 6-29-18

AP# 1806-100 Date Received 6/29/18 By LH Permit # 2644/36983

Flood Zone X Development Permit _____ Zoning A3 Land Use Plan Map Category A

Comments _____

FEMA Map# _____ Elevation _____ Finished Floor 1 above road River _____ In Floodway _____

☐ Recorded Deed or ☒ Property Appraiser PO ☒ Site Plan ☒ EH # 18-0514 ☒ Well letter OR

☒ Existing well ☐ Land Owner Affidavit ☒ Installer Authorization ☐ FW Comp. letter ☒ App Fee Paid

☐ DOT Approval ☐ Parent Parcel # _____ ☐ STUP-MH _____ ☒ 911 App

☐ Ellisville Water Sys ☒ Assessment owed ☐ Out-County ☐ In-County ☒ Sub VF Form

Property ID # 06-58-17-09130-008 Subdivision _____ Lot# _____

- New Mobile Home X Used Mobile Home _____ MH Size 14x56 Year 2018
- Applicant Sharon Timmerman Phone # 386-418-0424
- Address 12426 NW US Hwy 441 Alachua, FL 32615
- Name of Property Owner Sharon & David Timmerman Phone# _____
- 911 Address 717 SW Finley Little LN Lake City, FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Duke Energy
- Name of Owner of Mobile Home Sharon & David Timmerman Phone # _____
 Address 1894 SW Webster Dr. Lake City, FL 32024
- Relationship to Property Owner Same
- Current Number of Dwellings on Property 0
- Lot Size 22.02 Total Acreage 22.02
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
 (Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home NO
- Driving Directions to the Property SW CR 240 to SW Little Rd (R) to SW Boogie Way to SW Finley (R), destination is on left / 475, (R) Webster, (R) Finley Little LN,
- Name of Licensed Dealer/Installer James Hall Phone # 352-595-8339
- Installers Address PO Box 345 Lowell, FL 32663
- License Number IH1025175 Installation Decal # 5159

LH spoke to Erica 7-12-18 & sent email

\$ 493.44 (with waiver)

Mobile Home Permit Worksheet


Installer: James Hall License # TH1025175
 Address of home being installed 717 SW Finley Little LN
Lake City, FL 32024
 Manufacturer Line Oak Length x width 56 x 14

NOTE: If home is a single wide fill out one half of the blocking plan
 If home is a triple or quad wide sketch in remainder of home
 I understand Lateral Arm Systems cannot be used on any home (new or used)
 where the sidewall ties exceed 5 ft 4 in.

Installer's initials GH

Typical pier spacing

2' 5' lateral
 longitudinal
 Show locations of Longitudinal and Lateral Systems
 (use dark lines to show these locations)



marriage wall piers within 2' of end of home per Rule 15C

Application Number: _____ Date: _____

New Home ☒ Used Home ☐
 Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 15-C ☐
 Single wide ☒ Wind Zone II ☐ Wind Zone III ☐
 Double wide ☐ Installation Decal # _____
 Triple/Quad ☐ Serial # LOHGA

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf		3'	4'	5'	6'	7'	8'
1500 psf		4' 6"	6'	7'	8'	8'	8'
2000 psf		6'	8'	8'	8'	8'	8'
2500 psf		7' 6"	8'	8'	8'	8'	8'
3000 psf		8'	8'	8'	8'	8'	8'
3500 psf		8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17 x 25
 Perimeter pier pad size 11
 Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer X-I Systems
 Longitudinal Stabilizing Device w/ Lateral Arms
 Manufacturer X-I Systems

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS

4 ft _____ 5 ft 1

FRAME TIES

within 2' of end of home
 spaced at 5' 4" oc

OTHER TIES

Number
 Sidewall 1
 Longitudinal _____
 Marriage wall _____
 Shearwall 1

Mobile Home Permit Worksheet

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil _____ without testing.

X Assume X 1000 X

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X _____ X _____ X _____

TORQUE PROBE TEST

The results of the torque probe test is Assume 1000 inch pounds or check here if you are declaring 5' anchors without testing 5. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft. anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

Installer's initials JH

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name James Hall
Date Tested 6/12/18

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Application Number: _____ Date: _____

Site Preparation

Debris and organic material removed _____
Water drainage: Natural _____ Swale _____ Pad _____ Other _____

Fastening multi wide units

Floor: Type Fastener: _____ Length: _____ Spacing: _____
Walls: Type Fastener: _____ Length: _____ Spacing: _____
Roof: Type Fastener: _____ Length: _____ Spacing: _____
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials JH

Type gasket N/A
Pg. _____

Installed: _____
Between Floors Yes N/A
Between Walls Yes N/A
Bottom of ridgebeam Yes N/A

Weatherproofing


The bottomboard will be repaired and/or taped. Yes ✓ Pg. 3012
Siding on units is installed to manufacturer's specifications. Yes ✓
Fireplace chimney installed so as not to allow intrusion of rain water. Yes _____

Miscellaneous

Skirting to be installed. Yes ✓ No _____
Dryer vent installed outside of skirting. Yes ✓ N/A _____
Range downflow vent installed outside of skirting. Yes ✓ N/A _____
Drain lines supported at 4 foot intervals. Yes ✓
Electrical crossovers protected. Yes ✓
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature JH Date 6/12/18



■ SUPPORT PIER/TYP

FOUNDATION NOTES:

- THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
- FOOTINGS ARE SHOWN FOR EXAMPLE ONLY QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONDITION, ETC.

1-31-2014

17x25 5'0/C

X-I systems

5'4" Anchor Spacing

Live Oak Homes
MODEL: L-4562A - 14 X 60
2-BEDROOM / 2-BATH

L-4562A


Xi-Lateral Block Pier System Installation Instructions

By Tie Down Engineering


*Effective: November 12, 2002
Wind Zone II*

- Easy installation
- Approved for poured concrete or ground set-ups
- LSD struts easily added for longitudinal protection

*Block Pier Systems P/N's
#59319 Xi, Lateral w/5' Strut
#59320 Xi, Lateral w/6' Strut*



***Xi Block Pier
Lateral Only***



***Xi Block Pier
Lateral/Longitudinal Combo***

*Longitudinal P/N's
#59026 - LSD Hardware Kit
#59016 - 30" Strut
#59012 - 39" Strut
#59013 - 44" Strut
#59014 - 53" Strut
#59015 - 65" Strut*

REQUIREMENTS

- Installation can be made in any type of soil, 4B or better
- Center line or shear wall anchors, that may be required by specific manufacturers, are to be sized according to soil torque conditions. Follow all manufacturers instructions for anchor type and placement.
- Maximum height is a 96" projection. Higher walls may be used, when the design loads are adjusted accordingly.
- Maximum roof eave is 16"
- Main rail spacing must be 99.5" or less
- Maximum pier height of the Xi-system is 48"
- Instructions are not for use on "Exposure D" homes within 1500 feet of the coastline
- Installation instructions are based on 4200# per pad longitudinal load and 6000# per pad lateral load with one diagonal tie/stabilizer. A vertical and diagonal tie must be located within 2' of each end.
- Additional vertical anchor ties that are unique to a home's design may be required by the home manufacturer. These locations include shear walls, marriage line ridge beam support posts, and rim plates.


Longitudinal Stabilization

When using longitudinal stabilization only, sidewall perimeter anchors with diagonal ties and stabilizer plates per manufacturers set up manual must be used on the home. Vertical ties are also required on homes supplied with vertical tie connection points.


Typical Placement



Single Section
Up to 16' Nominal





Double Section
Up to 32' Nominal




Triple Section
or Double w/tag up to 48' Nominal

When the Xi/LSD-System is used only as longitudinal stabilization, systems must be as evenly spaced as possible, no more than 16' from the end of the home. Maximum roof slope for single units & double/triple sections is 5/12, for the above number of systems.

Longitudinal LSD Installation to Xi Pad






LSD Hardware Kit
P/N 59026



Struts for Longitudinal Systems


Part No.	Strut Length	Pier Height
59016	30"	up to 2 Blocks or 18"
59012	39"	up to 3 Blocks or 24"
59013	44"	up to 4 Blocks or 32"
59014	53"	up to 5 Blocks or 40"
59015	65"	up to 6 Blocks or 48"




Call Mobile Home Parts Pro for product information at 844-647-8673




Longitudinal and Lateral Stabilization



Homes Up To 70' with 20° max roof pitch / Up To 40' with max 5/12 roof pitch




Homes Over 71', up to 80' with 20° max roof pitch / 41' up to 60' with max 5/12 roof pitch



Note: Homes over 60' long (box) with 5/12 roof pitch home require two additional lateral systems.

Installation of Lateral System on Ground

1. Identify the number of systems to be used on the home using the chart provided.
2. Identify the location where the lateral systems will be installed.
3. Clear all organic matter and debris from the pad site.
4. Place pad centered under beam with the lateral strut bracket towards the inside of the home.
5. Press or drive pan into ground until level and flush with prepared surface.
6. Build pier with concrete blocks according to State, Local or Home Manufacturers guidelines.
7. Assemble lateral strut by sliding smaller (1-1/2") tube into the larger (1-3/4") tube. Holes should be on the sides of the larger tube and the "flag" up on the smaller tube.
8. Attach the end of the larger tube to the bracket mounted on the inside of the pad, using the grade 5, 1/2" x 2-1/2" bolt/nut provided.
9. Attach the flag end of the smaller tube to the opposite I-beam using the "J" bolt over the top of the I-beam with the nut & washer provided. (*bleow*)
10. Install a minimum of four (1/4"x3/4") self-tapping screws into the holes provided in the lateral strut so that the two tubes are connected together. (See below)



Call Mobile Home Parts Pro for product information at 844-647-8673





Installation on Concrete Pads, Runners or Slabs


The Xi system for poured concrete applies to concrete footers, runners, ribbons, and slabs. Minimum size of concrete per Xi pier in Florida is 18"x18"x8" or 20" diameter x 8" deep or a slab 3-1/2" deep. Concrete must be sufficiently cured and set to accommodate an anchor bolt to its' full load resistance.

1. Determine location of pier sets where the Xi systems will be located.
2. Place Xi/Vector concrete pan where pier will be located. Turned up edge will face to the outside of the home.
3. Build pier with concrete blocks centered on top of the pad according to state, local or manufacturers guide lines.
4. Drill two 3/8" x 3" deep holes in concrete using holes in galvanized pan as a guide.
5. Place tie bracket on inside of pier, facing toward the opposite beam, with the "flush" side of the tie bracket towards the block pier.
6. Put a washer and nut on each of the 3/8" x 3-1/2" wedge anchors. The nut should be screwed on enough to have one or two threads showing on the top of the bolt.
7. Line up the hole in the inside tie bracket with the drilled holes in the pad & concrete and insert the wedge anchors. Using a hammer, tap the wedge bolts into the holes, through the bracket & pad, leaving the washer/nut flush with the bottom of the bracket. Using a 9/16" socket wrench, tighten the wedge/anchor bolt, securing the tie bracket to the concrete.
8. Follow steps 7 - 10 in ground instructions

Concrete LSD



Block Pier Concrete Systems P/N's
#59046 Xi, Concrete Single Block
#59047 Xi, Concrete Double Block
#59315 Lateral 5' Strut w/hardware
#59318 Lateral 6' Strut w/hardware




Call Mobile Home Parts Pro for product information at 844-647-8673



LSD/Longitudinal Installation

1. Place and build pier as above
2. Use LSD hardware kit #59023
3. Drill 3/8" x 3" Hole into concrete through holes in pan on each longitudinal side of block pier
4. Place tie brackets on each side of pier, with the "flush" side of the tie bracket towards the block pier.
5. Put a washer and nut on each of the 3/8" x 3-1/2" wedge anchors. The nut should be screwed on enough to have one or two threads showing on the top of the bolt.
6. Line up the hole in the inside tie bracket with the drilled holes in the pad & concrete and insert the wedge anchors. Using a hammer, tap the wedge bolts into the holes, through the bracket & pad, leaving the washer/nut flush with the bottom of the bracket. Using a 9/16" socket wrench, tighten the wedge/anchor bolt, securing the tie bracket to the concrete.
7. Attach frame brackets to I-beam on each side of pier.
8. Attach strut to the tie bracket at base and I-beam brackets with bolts provided. Struts must be at 45° or less, tighten all bolts/nuts.

LSD/Longitudinal Lateral Strut Combo



Call Mobile Home Parts Pro for product information at 844-647-8673



112702.442

Columbia County Property Appraiser

updated: 6/4/2018

2017 Tax Year**Parcel:** 06-5S-17-09130-008

<< Next Lower Parcel Next Higher Parcel >>

Tax Collector

Tax Estimator

Property Card

Parcel List Generator

2017 TRIM (pdf)


Interactive GIS Map

Print

Search Result: 1 of 1

Owner & Property Info

Owner's Name	TIMMERMAN SHARON & DAVID		
Mailing Address	1894 SW WESTER DR LAKE CITY, FL 32024		
Site Address			
Use Desc. (code)	PASTURELAN (006200)		
Tax District	3 (County)	Neighborhood	6517
Land Area	22.020 ACRES	Market Area	01
Description	NOTE: This description is not to be used as the Legal Description for this parcel in any legal transaction		
BEG NW COR OF SEC, E 723.78 FT, S 1326.04 FT, W 723.76 FT, N 1325.20 FT TO POB WD 1145-1566			

**Property & Assessment Values**

2017 Certified Values		
Mkt Land Value	cnt: (1)	\$0.00
Ag Land Value	cnt: (0)	\$5,174.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$5,174.00
Just Value		\$97,034.00
Class Value		\$5,174.00
Assessed Value		\$5,174.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$5,174 Other: \$5,174 Schl: \$5,174	

2018 Working Values		
Mkt Land Value	cnt: (1)	\$0.00
Ag Land Value	cnt: (0)	\$5,284.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$5,284.00
Just Value		\$106,737.00
Class Value		\$5,284.00
Assessed Value		\$5,284.00
Exempt Value		\$0.00
Total Taxable Value	Cnty: \$5,284 Other: \$5,284 Schl: \$5,284	

NOTE: 2018 Working Values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

Sales History

Show Similar Sales within 1/2 mile

Sale Date	OR Book/Page	OR Code	Vacant / Improved	Qualified Sale	Sale RCode	Sale Price
3/13/2008	1145/1566	WD	V	U	01	\$100.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
006200	PASTURE 3 (AG)	22.02 AC	1.00/1.00/1.00/1.00	\$240.00	\$5,284.00
009910	MKT.VAL.AG (MKT)	22.02 AC	1.00/1.00/1.00/1.00	\$0.00	\$106,737.00

Columbia County Property Appraiser

updated: 6/4/2018

Timmerman
Finley Little Rd
Lake City, FL


Parcel ID *
06-55-17-09130-008
22.02 Acres

Site Plan Signature:

J. Bryant Whitwright
J. Bryant Whitwright - 13th Street Homes
Scale: 1"=30'

210'

108'



210'

Finley Little Road

75'

Mobile Home
14x56

Proposed Septic System

15'

210'

Freshwater Connection
Well to Septic Setback 125'

88'

25'



Proposed Well

25'

210'

Driveway

Finley Little Road

District No. 1 - Ronald Williams
District No. 2 - Rusty DePratter
District No. 3 - Bucky Nash
District No. 4 - Everett Phillips
District No. 5 - Tim Murphy



BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: **6/18/2018 3:00:55 PM**
Address: **717 SW FINLEY LITTLE Ln**
City: **LAKE CITY**
State: **FL**
Zip Code **32024**

Parcel ID **09130-008**

REMARKS: Address for proposed structure on parcel.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By: **Signed:/ Matt Crews**

Columbia County GIS/911 Addressing Coordinator

**COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT**

263 NW Lake City Ave., Lake City, FL 32055 Telephone: (386) 758-1125
Email: gis@columbiacountyfla.com

David & Sharon Timmerman

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1806-150 CONTRACTOR James Hill PHONE _____

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

<p>ELECTRICAL</p> <p>✓ 1074</p>	<p>Print Name <u>Glenn Whittington</u></p> <p>License #: <u>EC13002957</u></p> <p align="center">Qualifier Form Attached <input type="checkbox"/></p>	<p>Signature <u>Glenn Whittington</u></p> <p>Phone #: <u>386-972-1701</u></p>
<p>MECHANICAL/</p> <p>A/C <u>B</u></p> <p>✓ 1766</p>	<p>Print Name <u>Duane West</u></p> <p>License #: <u>CAC1818176</u></p> <p align="center">Qualifier Form Attached <input type="checkbox"/></p>	<p>Signature <u>Duane West</u></p> <p>Phone #: <u>352-317-0176</u></p>

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.



COLUMBIA COUNTY BUILDING DEPARTMENT
135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, James Hall, give this authority for the job address show below
Installer License Holder Name

only, 717 SW Finley Little LN Lake City, and I do certify that
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control
and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
Sharon Timmerman	<i>Sharon Timmerman</i>	<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input checked="" type="checkbox"/> Property Owner
J. Brent Wainwright	<i>J. Brent Wainwright</i>	<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
Erika Ashley	<i>Erika Ashley</i>	<input checked="" type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done
under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and
Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license
holder for violations committed by him/her or by his/her authorized person(s) through this
document and that I have full responsibility for compliance granted by issuance of such permits.

James Hall
License Holders Signature (Notarized) FH1025175 6/11/18
License Number Date


NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Alachua


The above license holder, whose name is James Hall,
personally appeared before me and is known by me or has produced identification
(type of I.D.) Florida Driver's License on this 11th day of June, 20 18.

Jason Brent Wainwright
NOTARY'S SIGNATURE

(Seal/Stamp)



56'-0"



L-4562A
2-BEDROOM / 2-BATH
14 X 56 - Approx. 728 Sq. Ft.

Date: 2-18-2014

* All room dimensions include closets and square footage figures are approximate.

Dependable Well Drilling, Inc.

2139 NW 50th St

Bell, Fl. 32619

Ph: 386-935-3042 Fax: 866-402-8357

E-mail: drillmaster57@outlook.com

We will be putting in a well for David and Sharon Timmerman at 717 SW Finley Little lane, Lake City Fl. 32024. It will be a 1HP cycle stop system with sub pump and tank. Parcel number 06-5S-17-09130-008.

Randy Smith

SSS177811663



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 18-0514
DATE PAID: 6/15/18
FEE PAID: 425.00
RECEIPT #: 1352144

APPLICATION FOR:

☒ New System ☐ Existing System ☐ Holding Tank ☐ Innovative
☐ Repair ☐ Abandonment ☐ Temporary ☐

APPLICANT:

Sharon Timmerman

AGENT:

Erika Ashley

TELEPHONE: 386-418-0424

MAILING ADDRESS:

~~12426~~ 12426 NW 13 Hwy 441 Alachua, FL 32615
erika.livcackhames@gmail.com

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: _____ BLOCK: _____ SUBDIVISION: _____ PLATTED: _____

PROPERTY ID #: 06-58-17-09130-008 ZONING: _____ I/M OR EQUIVALENT: [Y / (N)]

PROPERTY SIZE: 22.02 ACRES WATER SUPPLY: ☒ PRIVATE PUBLIC ☐ ≤2000GPD ☐ >2000GPD

IS SEWER AVAILABLE AS PER 381.0065, FS? [Y / (N)] DISTANCE TO SEWER: N/A FT

PROPERTY ADDRESS: 717 SW Finley Little LN Lake City, FL 32024

DIRECTIONS TO PROPERTY: SW CR 240 to SW Little Rd (R) to SW Boggle Way to SW Finley (R) destination is on left.

BUILDING INFORMATION

☒ RESIDENTIAL☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	<u>new singlewide mh</u>	<u>2</u>	<u>728</u>	
2				
3				
4				

☐ Floor/Equipment Drains ☐ Other (Specify) _____

SIGNATURE:

Erika Ashley

DATE: 6/15/18


STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number

18-0514

----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = 40 feet.



Notes: _____

Site Plan submitted by: [Signature]Plan Approved ☒Not Approved ☐By [Signature]

Jillie Terrell Env Health Director


Columbia

Date 6/15/18

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

18-0514



Finnely Little Road

Timmerman
Finnely Little Rd
Lake City, FL
Parcel ID #
06-551-11-03130-003
22.02 Acres

Finnely Little Road

Rec'd
7-12-18