



1 PLUMBING PLAN
P1.C SCALE: 1/8" = 1'-0"

PLUMBING FIXTURE SCHEDULE	
MARK	DESCRIPTION
WC-1	FLOOR MOUNTED ADA VITREOUS CHINA ELONGATED 1.6 FLUSH GALLON CLOSE COUPLED TWO PIECE SIPHON JET WATER CLOSET, FLUSH TANK WITH 12" ROUGH-IN. AMERICAN STANDARD CHAMPION 4 RIGHT HEIGHT #2002.014 OR EQUAL. PROVIDE SUPPLY & STOP. PROVIDE OPEN FRONT SEAT. AMERICAN STANDARD #5901.100 OR EQUAL (NOTE: TRIP SHALL BE ON WIDE SIDE OF WATER CLOSET).
LAV-1	20"X18" WALL HUNG ADA LAVATORY W/ FRONT OVERFLOW, CONCEALED HANGERS & 4" CENTERS. AMERICAN STANDARD LUCERNE #0355.012 OR EQUAL. FAUCET SHALL BE POLISHED CHROME-PLATED CAST BRASS BODY WITH 4" SPOUT, 4" BRASS WRIST BLADE, 0.5 GPM SPRAY AND POP-UP DRAIN. AMERICAN STANDARD MONTERREY #5501.170 WITH #V05 AERATOR OR EQUAL. INSULATE EXPOSED DRAIN & WATER PIPES WITH TRUEBRO LAV GUARD KIT #102 E-Z.
MS-1	24" X 24" MOLDED STONE MOP SERVICE BASIN, WITH 3" DRAIN. FIAT #MSB-2424 OR EQUAL. PROVIDE SERVICE FAUCET WITH PAIL HOOK & INTEGRAL VACUUM BREAKER, MOP BRACKET, FLAT STAINLESS STEEL STRAINER AND HOSE & BRACKET. FIAT #830 AA, 889 CC, 1453 BB & 832 AA OR EQUAL.
EWH-1	10 GALLON ELECTRIC WATER HEATER. 1.65KW @ 120V. A.O. SMITH #EJC-10 OR EQUAL. PROVIDE DRAIN PAN UNDER SHELF-MOUNTED WATER HEATER TERMINATE DRAIN LINE IN MOP SINK. PROVIDE FULL SIZE T&P RELIEF LINE, TERMINATE 2" ABOVE RIM LEVEL OF MOP SINK. INSTALL PER MANUFACTURER'S INSTRUCTIONS.
EDF-1	TWO-STATION, WALL MOUNTED, ELECTRIC DRINKING FOUNTAIN, BARRIER-FREE ACCESS (ADA), FRONT ONLY EASY TOUCH CONTROL, HIGH UNIT ON RIGHT. ELKAY #EZTLRDDC OR EQUAL. PROVIDE SUPPLY, STOP VALVE & TRAP. PROVIDE CANE APRON AS REQUIRED.
WH-1	FREEZE-PROOF WALL HYDRANT WITH BRONZE BODY & ANTI-SIPHON VACUUM BREAKER, BOX AND LOCKING COVER. PROVIDE WITH HOSE CONNECTION AND MOUNT AT 24" ABOVE GRADE. FLUSH MOUNTED TAMPER RESISTANT.
WCO-1	SIZE & INSTALL AS SHOWN ON PLANS. JOSAM, ZURN OR EQUAL.
FCO-1	SIZE & INSTALL AS SHOWN ON PLANS. JOSAM, ZURN OR EQUAL.
ECO-1	2-WAY EXTERIOR CLEAN-OUT. TYLER PIPE #003519 OR EQUAL. TRAFFIC RATED.

- NOTES:**
1. PUBLIC SANITARY SEWER CONNECTION REQUIRED.
 2. SEPTIC SYSTEM NOT ALLOWED UNLESS WRITTEN APPROVAL BY DOLLAR GENERAL STORE DESIGN.
 3. HOLDING TANK SYSTEMS NOT ALLOWED.
 4. LIFT STATIONS ARE NOT ALLOWED WITHOUT DOLLAR GENERAL APPROVAL
 5. CONTRACTOR RESPONSIBLE FOR ALL PUBLIC UTILITY CONNECTIONS (GAS, WATER, ELECTRIC, SEPTIC) AS WELL AS INFRASTRUCTURE REQUIRED BY UTILITY COMPANY.
 6. PROVIDE AND LOCATE BACKFLOW PREVENTER WITH TAMPER RESISTANT ACCESS CABINET PER LOCAL CODE.

PLUMBING PLAN & SCHEDULE

NG
NICHOLAS PAUL VEISZ
ARCHITECT
N.C.A.R.B. Certified

755 NW Brown Road
Lake City, FL 32805
386/755-9021

CASCO
1977 WATSON ROAD
ST. LOUIS, MO 63127
PHONE: 314-861-1100

DATE: _____
CDWM: _____

M. J. J. J.
11/8/2010
AR0007005

CONCEPT CONSTRUCTION

License#: GC1515491
ph: 386-7558887
fx: 386-7551919

295 NW Commons Loop
Suite 115-33
Lake City, FL 32055

www.conceptconstruction.net

DOLLAR GENERAL

LAKE CITY, FLORIDA
COUNTY RD 247, LAKE CITY, FL
STORE # 12851

2010 PROTOTYPE - PLAN "C" 9,100

DATE	30 MAR 2010
Design	FB 06/10/10
Revisions	JFB 10/20/10
SHEET NUMBER	
P1.C	