



BONUS ROOM / GABLE END BRACING SCALE: 1/2"=1'-0"



DORMER ANCHORING DETAIL (ON ROOF) SCALE: N.T.S.





USE SHEATHING FOR UPLIFT-


ATTACHMENT DETAILS

DOWN ACROSS FLOOR TO

1ST FLOOR WALL BELOW

TO 1ST FLOOR WALL BELOW

FOR TOP OF WALL CONNECTIONS (TYP.)



ROOF OVER FRAMING & BRACING DETAIL

JOB NUMBER: 230799 **S-3**

OF 3 SHEETS

CONNECTIONS, WALL, & HEADER DESIGN IS BASED

JOB #23-9546

ON REACTIONS & UPLIFTS FROM TRUSS ENGINEERING FURNISHED BY BUILDER. W.B. HOWLAND TRUSS CO.

FL PE 53915

This item has been digitally signed and sealed by Mark Disosway PE on digital signature date.

signed and scaled and the signature must be verified on any electronic copies.

7/7/2023

Stated dimensions supercede scaled

dimensions. Refer all questions to Mark Disosway, P.E. for resolution.

Do not proceed without clarification.

Building Code Residential (2020) to the best of my knowledge.

building, at specified location.

LIMITATION: This design is valid for one

Mark Disosway P.E. 163 SW Midtown Place Suite 103 Lake City, Florida 32025

386.754.5419

disoswaydesign@gmail.com

COPYRIGHTS AND PROPERTY RIGHTS:

Mark Disosway, P.E. hereby expressly reserves its common law copyrights and property right in

these instruments of service. This document is not to be reproduced, altered or copied in any form or manner without first the express written permission and consent of Mark Disosway. CERTIFICATION: I hereby certify that I have examined this plan, and that the applicable portions of the plan, relating to wind engineering

DIMENSIONS:

No 58915

ATTACHED TO EACH TRUSS AND TO BLOCKING WITH

(4) .131" X 3 1/4" NAIL